

# Contents

## Notation and Representation

- A Structural Theory of Rhythm Notation Based on Tree Representations  
and Term Rewriting . . . . . 3  
*Florent Jacquemard, Pierre Donat-Bouillud, and Jean Bresson*
- Renotation from Optical Music Recognition . . . . . 16  
*Liang Chen, Rong Jin, and Christopher Raphael*

## Music Generation

- Foundations for Reliable and Flexible Interactive Multimedia Scores . . . . . 29  
*Jaime Arias, Myriam Desainte-Catherine, Carlos Olarte,  
and Camilo Rueda*
- Genetic Algorithms Based on the Principles of *Grundgestalt*  
and Developing Variation. . . . . 42  
*Carlos de Lemos Almada*
- Describing Global Musical Structures by Integer Programming  
on Musical Patterns . . . . . 52  
*Tsubasa Tanaka and Koichi Fujii*
- Improved Iterative Random Walk for Four-Part Harmonization . . . . . 64  
*Raymond Whorley and Darrell Conklin*

## Patterns

- Location Constraints for Repetition-Based Segmentation of Melodies . . . . . 73  
*Marcelo E. Rodríguez-López and Anja Volk*
- Modeling Musical Structure with Parametric Grammars . . . . . 85  
*Mathieu Giraud and Sławek Staworko*
- Perfect Balance: A Novel Principle for the Construction of Musical Scales  
and Meters . . . . . 97  
*Andrew J. Milne, David Bulger, Steffen A. Herff,  
and William A. Sethares*
- Characteristics of Polyphonic Music Style and Markov Model  
of Pitch-Class Intervals . . . . . 109  
*Eita Nakamura and Shinji Takaki*

A Corpus-Sensitive Algorithm for Automated Tonal Analysis. . . . .	115
<i>Christopher Wm. White</i>	
Finding Optimal Triadic Transformational Spaces with Dijkstra’s Shortest Path Algorithm. . . . .	122
<i>Ryan Groves</i>	
A Probabilistic Approach to Determining Bass Voice Leading in Melodic Harmonisation . . . . .	128
<i>Dimos Makris, Maximos Kaliakatsos-Papakostas, and Emiliios Cambouropoulos</i>	
<b>Performance</b>	
Hypergestures in Complex Time: Creative Performance Between Symbolic and Physical Reality . . . . .	137
<i>Maria Mannone and Guerino Mazzola</i>	
Generating Fingerings for Polyphonic Piano Music with a Tabu Search Algorithm . . . . .	149
<i>Matteo Balliauw, Dorien Herremans, Daniel Palhazi Cuervo, and Kenneth Sørensen</i>	
Logistic Modeling of Note Transitions. . . . .	161
<i>Luwei Yang, Elaine Chew, and Khalid Z. Rajab</i>	
Evaluating Singer Consistency and Uniqueness in Vocal Performances . . . . .	173
<i>Johanna Devaney</i>	
A Change-Point Approach Towards Representing Musical Dynamics . . . . .	179
<i>Katerina Kosta, Oscar F. Bandtlow, and Elaine Chew</i>	
<b>Similarity and Contrast</b>	
Structural Similarity Based on Time-Span Sub-Trees . . . . .	187
<i>Masatoshi Hamanaka, Keiji Hirata, and Satoshi Tojo</i>	
Cross Entropy as a Measure of Musical Contrast . . . . .	193
<i>Robin Laney, Robert Samuels, and Emilie Capulet</i>	
Symbolic Music Similarity Using Neuronal Periodicity and Dynamic Programming . . . . .	199
<i>Rafael Valle and Adrian Freed</i>	

**Post-Tonal Music Analysis**

Applications of DFT to the Theory of Twentieth-Century Harmony. . . . . 207  
*Jason Yust*

Utilizing Computer Programming to Analyze Post-Tonal Music:  
 Contour Analysis of Four Works for Solo Flute . . . . . 219  
*Kate Sekula*

A Statistical Approach to the Global Structure of John Cage’s Number  
 Piece *Five*<sup>5</sup>. . . . . 231  
*Alexandre Popoff*

Exact Cover Problem in Milton Babbitt’s All-Partition Array . . . . . 237  
*Brian Benman and David Meredith*

**Geometric Approaches**

Constructing Geometrical Spaces from Acoustical Representations . . . . . 245  
*Özgür İzmirlı*

Geometry, Iterated Quantization and Filtered Voice-Leading Spaces . . . . . 257  
*Clifton Callender*

Using Fundamental Groups and Groupoids of Chord Spaces to Model  
 Voice Leading . . . . . 267  
*James R. Hughes*

All-Interval Structures . . . . . 279  
*Robert W. Peck*

Unifying Tone System Definitions: Ordering Chromas. . . . . 291  
*Tobias Schlemmer*

A Categorical Generalization of Klumpenhouwer Networks . . . . . 303  
*Alexandre Popoff, Moreno Andreatta, and Andrée Ehresmann*

The Spinnen-Tonnetz: New Musical Dimensions in the 2D Network  
 for Tonal Music Analysis: Using Polarization and Tonal Regions  
 in a Dynamic Environment. . . . . 315  
*Gilles Baroin and Hugues Seress*

**Deep Learning**

Probabilistic Segmentation of Musical Sequences Using Restricted  
 Boltzmann Machines . . . . . 323  
*Stefan Lattner, Maarten Grachten, Kat Agres,  
 and Carlos Eduardo Cancino Chacón*

*¿El Caballo Viejo?* Latin Genre Recognition with Deep Learning  
and Spectral Periodicity . . . . . 335  
*Bob L. Sturm, Corey Kereliuk, and Jan Larsen*

**Scales**

Can a Musical Scale Have 14 Generators? . . . . . 349  
*Emmanuel Amiot*

On the Step-Patterns of Generated Scales that are Not Well-Formed . . . . . 361  
*Marco Castrillón López and Manuel Domínguez Romero*

Triads as Modes within Scales as Modes . . . . . 373  
*Thomas Noll*

Greek Ethnic Modal Names vs. *Alia Musica*'s Nomenclature . . . . . 385  
*David Clampitt and Jennifer Shafer*

**Author Index** . . . . . 391



<http://www.springer.com/978-3-319-20602-8>

Mathematics and Computation in Music  
5th International Conference, MCM 2015, London, UK,  
June 22-25, 2015, Proceedings  
Collins, T.; Meredith, D.; Volk, A. (Eds.)  
2015, XIV, 392 p. 147 illus., Softcover  
ISBN: 978-3-319-20602-8