

On Ideal Class Groups and Units in Terms of the Quadratic Form $x^2 + 32y^2$ ***

Jia HULING* Qin QIN**

Abstract This paper discuss

Keywords Class group, Rédei Matrix, Fundamental unit
2000 MR Subject Classification 11R70, 11R11, 11R27

1 Introduction

Introduction

2 Rank $M_F = t - 1$

Theorem 2.1 *The contents of theorem.*

Proof The contents of proof.

Lemma 2.1 *The contents of lemma.*

3 Rank $M_F = t - 2$

Remark 3.1 The contents of remark.

References

- [1] Barrucand, P. and Cohn, H., Note on primes of type $x^2 + 32y^2$, class number, and residuacity, *J. Reine Angew. Math.*, **238**, 1969, 67–70.
- [2] Conner, P. E. and Hurrelbrink, J., *Class Number Parity*, Ser. Pure Math. 8, World Scientific, Singapore, 1988.

Manuscript received October 23, 2003. Revised April 1, 2004.

*Department of Mathematics, Louisiana State University, Baton Rouge, LA 70803-4918, USA.

E-mail: huling@126.com

**Department of Mathematics, Nanjing University of Aeronautics and Astronautics, Nanjing 210016, China.

E-mail: qinqin2@263.net

***Project supported by the National Natural Science Foundation of China (No.12345678).



<http://www.springer.com/journal/11401>

Chinese Annals of Mathematics, Series B

Chinese Annals of Mathematics, Series B

Editor-in-Chief: Li, T.

ISSN: 0252-9599 (print version)

ISSN: 1860-6261 (electronic version)

Journal no. 11401