

Contents

Part I A Comprehensive Mathematical Framework for the Development of Semantic Technologies

1	Mathematical Models for Designing Natural Language Processing Systems as a New Field of Studies for Systems Science	3
1.1	An Idea of a Bridge Between Systems Science and Engineering of Semantics-Oriented Natural Language Processing Systems	3
1.2	The Models of Types 1–4	5
1.2.1	The Models of Type 1	5
1.2.2	The Models of Type 2	7
1.2.3	The Models of Type 3	7
1.2.4	The Models of Type 4	10
1.3	The Models of Type 5	11
1.4	The Significance of the Models for the Design of Linguistic Processors	16
1.5	The Context of Cognitive Linguistics for the Formal Study of Natural Language	17
1.6	Early Stage of Natural Language Formal Semantics	18
1.7	The Significance of Highly Expressive Formal Systems of Semantic Representations	22
2	Introduction to Integral Formal Semantics of Natural Language	27
2.1	The Basic Principles of Integral Formal Semantics of Natural Language	27
2.1.1	Basic Principles	27
2.1.2	The Notion of a Broadly Applicable Conceptual Metagrammar	29
2.2	The Components of Integral Formal Semantics of Natural Language	30
2.3	The Theory of S-Calculuses and S-Languages	32
2.4	A Model of a Correspondence Between NL-Texts and Their Semantic Representations	37

- 2.5 The Theory of T-Calculuses and T-Languages 38
- 2.6 The Initial Version of the Theory of K-Calculuses
and K-Languages 39
- 2.7 The Theory of K-Representations as the Kernel
of the Current Version of Integral Formal Semantics 41

- 3 A Mathematical Model for Describing a System of Primary Units
of Conceptual Level Used by Applied Intelligent Systems 43**
 - 3.1 Global Task Statement 43
 - 3.2 Local Task Statement 47
 - 3.3 Basic Denotations and Auxiliary Definitions 48
 - 3.3.1 General Mathematical Denotations 48
 - 3.3.2 The Preliminary Definitions from the Theory of Formal
Grammars and Languages 48
 - 3.3.3 The Used Definitions from the Theory
of Algebraic Systems 49
 - 3.4 The Basic Ideas of the Definition of a Sort System 50
 - 3.5 The Formal Definition of a Sort System 52
 - 3.6 Types Generated by a Sort System 55
 - 3.7 The Concretization Relation on the Set of Types 58
 - 3.7.1 Basic Ideas 58
 - 3.7.2 Formal Definitions 60
 - 3.8 Concept-Object Systems 64
 - 3.9 Systems of Quantifiers and Logical Connectives:
Conceptual Bases 67
 - 3.10 A Discussion of the Constructed Mathematical Model 71
 - 3.10.1 Mathematical Peculiarities of the Model 71
 - 3.10.2 The Comparison of the Model with Related Approaches . . . 72

- 4 A Mathematical Model for Describing Structured Meanings
of Natural Language Sentences and Discourses 77**
 - 4.1 The Essence of a New Approach to Formalizing Semantic
Structure of Natural Language Texts 77
 - 4.1.1 Toward Expanding the Universe of Formal Study 77
 - 4.1.2 The Algebraic Essence of the Model Describing
Conceptual Operations 80
 - 4.1.3 Shortly About the Rules for Building Semantic
Representations of Natural Language Texts 81
 - 4.1.4 The Scheme of Determining Three Classes of Formulas
Generated by a Conceptual Basis 84
 - 4.2 The Use of Intensional Quantifiers in Formulas 86
 - 4.3 The Use of Relational Symbols and the Marking-Up
of Formulas 92
 - 4.3.1 The Rules for Employing Relational Symbols 92
 - 4.3.2 The Rule for Marking Up the Formulas 96

- 4.4 The Use of Logical Connectives NOT, AND, OR 97
- 4.5 Building Compound Designations of Notions and Objects 99
 - 4.5.1 Compound Designations of Notions 99
 - 4.5.2 Compound Designations of Objects 101
- 4.6 Final Rules 102
 - 4.6.1 The Use of Existential and Universal Quantifiers 102
 - 4.6.2 The Representations of Finite Sequences 104
 - 4.6.3 A Summing-Up Information about the Rules P[0]–P[10] . . . 105
- 4.7 SK-Languages: Mathematical Investigation
of Their Properties 107

- 5 A Study of the Expressive Possibilities of SK-Languages 113**
 - 5.1 A Convenient Method of Describing Events 113
 - 5.2 Formalization of Assumptions About the Structure of Semantic
Representations of Sets 115
 - 5.3 Semantic Representations of Questions with the Role Interrogative
Words 118
 - 5.4 Semantic Representations of Questions About the Quantity
of Objects and Events 120
 - 5.5 Semantic Representations of Questions with an Interrogative
Pronoun Attached to a Noun 121
 - 5.6 Semantic Representations of General Questions 122
 - 5.7 Describing Semantic Structure of Commands 123
 - 5.8 Representation of Set-Theoretical Relationships and Operations
on Sets 123
 - 5.9 Semantic Representations of Phrases with Subordinate Clauses
of Purpose and Indirect Speech 124
 - 5.10 Explicit Representation of Causal and Time Relations
in Discourses 125
 - 5.11 Semantic Representations of Discourses with the References
to the Meanings of Phrases and Larger Parts of the Text 127
 - 5.12 Representing the Pieces of Knowledge About the World 127
 - 5.13 Object-Oriented Representations of Knowledge Pieces 128
 - 5.14 The Marked-Up Conceptual Bases 129
 - 5.15 Related Approaches to Representing Semantic Structure
of NL-Texts 131

- 6 The Significance of a New Mathematical Model for Web Science,
E-science, and E-commerce 137**
 - 6.1 The Problem of Semantic Data Integration 137
 - 6.1.1 The Purpose of Semantic Data Integration in E-Science
and Other E-Fields 137
 - 6.1.2 Ontologies in Modern Information Society 138
 - 6.1.3 The Language UNL and the Problem of Sharing
Knowledge 139

- 6.2 Building Semantic Annotations of Web Data 140
- 6.3 Conceptual Descriptions of Visual Images 143
- 6.4 Representation of Knowledge in Biology and Ecology 145
- 6.5 Representation of Knowledge in Medicine 147
- 6.6 Representation of Semantic Content in Business 148
- 6.7 SK-Languages as a Tool for Building E-Contracts 149
 - 6.7.1 Formal Languages for E-Contracting 149
 - 6.7.2 The Possibilities of Forming Contracts and Records
of E-Negotiations by Means of SK-Languages 150
- 6.8 Simulation of the Expressive Mechanisms of RDF, RDFS,
and OWL 152
 - 6.8.1 Simulation of the Expressive Mechanisms of RDF
and RDFS 152
 - 6.8.2 Simulation of OWL Expressive Mechanisms 155
- 6.9 A Metaphor of a Kitchen Combine for the Designers of Semantic
Technologies 156
- 6.10 The Significance of the Theory of K-Representations for Semantic
Web and Web Science 158
 - 6.10.1 Theory of K-Representations as a Universal Resources
and Agents Framework 158
 - 6.10.2 The Need for the Incentives for Semantic Web 159
 - 6.10.3 Toward a New Language Platform for Semantic Web 160
 - 6.10.4 A Possible Strategy of Developing Semantic Web
of a New Generation 160

Part II Formal Methods and Algorithms for the Design of Semantics-Oriented Linguistic Processors

- 7 A Mathematical Model of a Linguistic Database 165**
 - 7.1 The Principles of Designing Semantics-Oriented Linguistic
Processors 165
 - 7.2 Morphological Bases 167
 - 7.3 Text-Forming Systems 171
 - 7.4 Lexico-semantic Dictionaries 173
 - 7.5 Dictionaries of Verbal – Prepositional Semantic-Syntactic Frames .. 175
 - 7.6 The Dictionaries of Prepositional Frames 179
 - 7.7 Linguistic Bases 181
 - 7.7.1 Semantic Information Associated with the Role
Interrogative Words 181
 - 7.7.2 The Notion of a Linguistic Basis 182
- 8 A New Method of Transforming Texts into Semantic
Representations 185**
 - 8.1 A Component-Morphological Representation of an NL-text 185
 - 8.1.1 Morphological Representation 185
 - 8.1.2 Classifying Representation 187

8.2	The Projections of the Components of a Linguistic Basis on the Input Text	189
8.3	Matrix Semantic-Syntactic Representations of NL-Texts	192
8.4	A New Method of Transforming NL-Texts into Semantic Representations	194
8.4.1	Formulation of the Method	194
8.4.2	The Principles of Selecting the Form of a Text's Semantic Representation	196
9	Algorithm of Building a Matrix Semantic-Syntactic Representation of a Natural Language Text	201
9.1	Task Statement	201
9.1.1	Purpose of Development and Non-detailed Structure of the Algorithm	201
9.1.2	Some Peculiarities of the Approach	202
9.2	Initial Stages of Developing the Algorithm BuildMatr1	204
9.2.1	External Specification of the Algorithm BuildMatr1	204
9.2.2	Development of a Plan of the Algorithm BuildMatr1	204
9.3	Description of the Algorithm Classifying the Input Texts	205
9.3.1	The Purpose of the Algorithm	205
9.3.2	Compound Designations of the Subclasses of Lexical Units	207
9.3.3	External Specification of the Algorithm "Defining-form-of-text"	208
9.3.4	Algorithm "Defining-form-of-text"	209
9.4	Principles of Processing the Role Interrogative Words	212
9.5	An Algorithm of Searching for Semantic Connections of the Verbs	215
9.5.1	Key Ideas of the Algorithm	216
9.5.2	Description of an Algorithm of Searching for Semantic Connections Between a Verb and a Noun Group	217
9.5.3	Description of the Algorithm Processing the Constructs	221
9.5.4	Description of the Algorithm "Find-set-thematic-roles"	223
9.5.5	An Algorithm of Searching for a Semantic Relationship Between a Verb and a Dependent Expression	224
9.5.6	Final Part of a Description of an Algorithm of Processing Verbs	227
9.6	Processing of Adjectives, Prepositions, Cardinal Numerals, Names and Nouns	229
9.6.1	Processing of Adjectives	229
9.6.2	Processing of Prepositions, Cardinal Numbers, and Names	230
9.6.3	An Algorithm Searching for Possible Semantic Connections Between Two Nouns with Respect to a Preposition	231

9.7	Finding the Connections of a Noun with Other Text Units	235
9.8	Final Step of Developing an Algorithm Building a Matrix	
	Semantic-Syntactic Representation of the Input Text	244
9.8.1	Description of the Head Module of the Algorithm	244
9.8.2	External Specifications of Auxiliary Algorithms	245
9.8.3	Algorithm of Building an MSSR of the Input Text	246
10	An Algorithm of Semantic Representation Assembly	249
10.1	Initial Step of Building Semantic Representations of Input Texts . . .	249
	10.1.1 Description of the Algorithm	
	“Preparation-to-constr-SemRepr”	250
10.2	Semantic Representations of Short Fragments of the Input Texts . . .	254
	10.2.1 Description of the Algorithm	
	“Calculation-of-the-kind-of-case”	254
	10.2.2 External Specification of the Algorithms	
	BuildSemdes1 – BuildSemdes7	256
	10.2.3 Description of the Algorithms	
	BuildSemdes1 – BuildSemdes7	257
	10.2.4 Description of the Algorithm ProcessSit	262
	10.2.5 Description of the Algorithm “Begin-of-constr-SemRepr” . .	264
10.3	Development of the Algorithm “Representation-of-situations”	265
	10.3.1 The Key Ideas of the Algorithm	265
	10.3.2 Description of the Algorithm	
	“Representation-of-situations”	268
10.4	Final Stages of Developing an Algorithm of Semantic	
	Representation Assembly	273
	10.4.1 External Specification of the Algorithm	
	“Final-operations”	274
	10.4.2 Algorithm “Final-operations”	275
	10.4.3 An Algorithm of Semantic Representation Assembly	280
10.5	A Multilingual Algorithm of Semantic-Syntactic Analysis	
	of Natural Language Texts	281
	10.5.1 Description of the Algorithm SemSynt1	281
	10.5.2 Some Possible Directions of Using the Algorithm	
	SemSynt1	282
11	Natural Language Processing Applications	285
11.1	The Structure of a Computer Intelligent Agent for Semantic	
	Classification of E-mail Messages	285
	11.1.1 The Problem of Semantic Classification	
	of E-mail Messages	285
	11.1.2 An Outline of the Computer Intelligent Agent Mailagent1 . .	286
	11.1.3 General Structure of Computer Intelligent Agent	
	Mailagent1	288
	11.1.4 The Structure of Semantic-Syntactic Patterns	
	and Lexico-Semantic Dictionary	288
	11.1.5 Implementation Data	293

- 11.2 A Transformer of Natural Language Knowledge Descriptions
into OWL-Expressions 293
- A Proofs of Lemmas 1, 2 and Theorem 4.5 from Chapter 4** 299
 - A.1 Proof of Lemma 1 299
 - A.2 Proof of Lemma 2 302
 - A.3 Proof of Theorem 4.5 304
- Glossary** 313
- References** 315
- Index** 327



<http://www.springer.com/978-0-387-72924-4>

Semantics-Oriented Natural Language Processing
Mathematical Models and Algorithms

Fomichov A., V.

2010, XXIII, 328 p., Hardcover

ISBN: 978-0-387-72924-4