

Contents

| | |
|---|--------------|
| About the Authors | vii |
| Preface | xi |
| Foreword to First Edition | xiii |
| Foreword to Second Edition | xv |
| Acknowledgments | xix |
| List of Initials and Acronyms | xxi |
| List of Symbols | xxv |
| About the Companion Volume | xxxii |
| Figure Credits | xlix |
| PART 1 BASICS | 1 |
| 1 The Transmission Electron Microscope | 3 |
| Chapter Preview | 3 |
| 1.1 What Materials Should We Study in the TEM? | 3 |
| 1.2 Why Use Electrons? | 4 |
| 1.2.A An Extremely Brief History | 4 |
| 1.2.B Microscopy and the Concept of Resolution | 5 |
| 1.2.C Interaction of Electrons with Matter | 7 |
| 1.2.D Depth of Field and Depth of focus | 8 |
| 1.2.E Diffraction | 8 |
| 1.3 Limitations of the TEM | 9 |
| 1.3.A Sampling | 9 |
| 1.3.B Interpreting Transmission Images | 9 |
| 1.3.C Electron Beam Damage and Safety | 10 |
| 1.3.D Specimen Preparation | 11 |
| 1.4 Different Kinds of TEMs | 11 |
| 1.5 Some Fundamental Properties of Electrons | 11 |
| 1.6 Microscopy on the Internet/World Wide Web | 15 |
| 1.6.A Microscopy and Analysis-Related Web Sites | 15 |
| 1.6.B Microscopy and Analysis Software | 15 |
| Chapter Summary | 17 |

| | | |
|----------|---|-----------|
| 2 | Scattering and Diffraction | 23 |
| | Chapter Preview | 23 |
| 2.1 | Why Are We Interested in Electron Scattering? | 23 |
| 2.2 | Terminology of Scattering and Diffraction | 25 |
| 2.3 | The Angle of Scattering | 26 |
| 2.4 | The Interaction Cross Section and Its Differential | 27 |
| | 2.4.A Scattering from an Isolated Atom | 27 |
| | 2.4.B Scattering from the Specimen | 28 |
| | 2.4.C Some Numbers | 28 |
| 2.5 | The Mean Free Path | 28 |
| 2.6 | How We Use Scattering in the TEM | 29 |
| 2.7 | Comparison to X-ray Diffraction | 30 |
| 2.8 | Fraunhofer and Fresnel Diffraction | 30 |
| 2.9 | Diffraction of Light from Slits and Holes | 31 |
| 2.10 | Constructive Interference | 33 |
| 2.11 | A Word About Angles | 34 |
| 2.12 | Electron-Diffraction Patterns | 34 |
| | Chapter Summary | 36 |
| 3 | Elastic Scattering | 39 |
| | Chapter Preview | 39 |
| 3.1 | Particles and Waves | 39 |
| 3.2 | Mechanisms of Elastic Scattering | 40 |
| 3.3 | Elastic Scattering from Isolated Atoms | 41 |
| 3.4 | The Rutherford Cross Section | 41 |
| 3.5 | Modifications to the Rutherford Cross Section | 42 |
| 3.6 | Coherency of the Rutherford-Scattered Electrons | 43 |
| 3.7 | The Atomic-Scattering Factor | 44 |
| 3.8 | The Origin of $f(\theta)$ | 45 |
| 3.9 | The Structure Factor $F(\theta)$ | 46 |
| 3.10 | Simple Diffraction Concepts | 47 |
| | 3.10.A Interference of Electron Waves; Creation of the Direct and Diffracted Beams | 47 |
| | 3.10.B Diffraction Equations | 48 |
| | Chapter Summary | 49 |
| 4 | Inelastic Scattering and Beam Damage | 53 |
| | Chapter Preview | 53 |
| 4.1 | Which Inelastic Processes Occur in the TEM? | 53 |
| 4.2 | X-ray Emission | 55 |
| | 4.2.A Characteristic X-rays | 55 |
| | 4.2.B Bremsstrahlung X-rays | 60 |
| 4.3 | Secondary-Electron Emission | 60 |
| | 4.3.A Secondary Electrons | 60 |
| | 4.3.B Auger Electrons | 61 |
| 4.4 | Electron-Hole Pairs and Cathodoluminescence (CL) | 62 |
| 4.5 | Plasmons and Phonons | 63 |
| 4.6 | Beam Damage | 64 |
| | 4.6.A Electron Dose | 65 |
| | 4.6.B Specimen Heating | 65 |
| | 4.6.C Beam Damage in Polymers | 66 |
| | 4.6.D Beam Damage in Covalent and Ionic Crystals | 66 |
| | 4.6.E Beam Damage in Metals | 66 |
| | 4.6.F Sputtering | 68 |
| | Chapter Summary | 68 |

| | | |
|----------|---|-----------|
| 5 | Electron Sources | 73 |
| | Chapter Preview | 73 |
| 5.1 | The Physics of Different Electron Sources | 73 |
| | 5.1.A Thermionic Emission | 74 |
| | 5.1.B Field Emission | 74 |
| 5.2 | The Characteristics of the Electron Beam | 75 |
| | 5.2.A Brightness | 75 |
| | 5.2.B Temporal Coherency and Energy Spread | 76 |
| | 5.2.C Spatial Coherency and Source Size | 77 |
| | 5.2.D Stability | 77 |
| 5.3 | Electron Guns | 77 |
| | 5.3.A Thermionic Guns | 77 |
| | 5.3.B Field-Emission Guns (FEGs) | 80 |
| 5.4 | Comparison of Guns | 81 |
| 5.5 | Measuring Your Gun Characteristics | 82 |
| | 5.5.A Beam Current | 82 |
| | 5.5.B Convergence Angle | 83 |
| | 5.5.C Calculating the Beam Diameter | 83 |
| | 5.5.D Measuring the Beam Diameter | 85 |
| | 5.5.E Energy Spread | 85 |
| | 5.5.F Spatial Coherency | 86 |
| 5.6 | What kV should You Use? | 86 |
| | Chapter Summary | 87 |
| | | |
| 6 | Lenses, Apertures, and Resolution | 91 |
| | Chapter Preview | 91 |
| 6.1 | Why Learn About Lenses? | 91 |
| 6.2 | Light Optics and Electron Optics | 92 |
| | 6.2.A How to Draw a Ray Diagram | 92 |
| | 6.2.B The Principal Optical Elements | 94 |
| | 6.2.C The Lens Equation | 94 |
| | 6.2.D Magnification, Demagnification, and Focus | 95 |
| 6.3 | Electron Lenses | 96 |
| | 6.3.A Polepieces and Coils | 96 |
| | 6.3.B Different Kinds of Lenses | 97 |
| | 6.3.C Electron Ray Paths Through Magnetic Fields | 99 |
| | 6.3.D Image Rotation and the Eucentric Plane | 100 |
| | 6.3.E Deflecting the Beam | 101 |
| 6.4 | Apertures and Diaphragms | 101 |
| 6.5 | Real Lenses and their Problems | 102 |
| | 6.5.A Spherical Aberration | 103 |
| | 6.5.B Chromatic Aberration | 104 |
| | 6.5.C Astigmatism | 106 |
| 6.6 | The Resolution of the Electron Lens (and Ultimately of the TEM) | 106 |
| | 6.6.A Theoretical Resolution (Diffraction-Limited Resolution) | 107 |
| | 6.6.B The Practical Resolution Due to Spherical Aberration | 108 |
| | 6.6.C Specimen-Limited Resolution Due to Chromatic Aberration | 109 |
| | 6.6.D Confusion in the Definitions of Resolution | 109 |
| 6.7 | Depth of Focus and Depth of Field | 110 |
| | Chapter Summary | 111 |

| | | |
|----------|--|------------|
| 7 | How to ‘See’ Electrons | 115 |
| | Chapter Preview | 115 |
| 7.1 | Electron Detection and Display | 115 |
| 7.2 | Viewing Screens | 116 |
| 7.3 | Electron Detectors | 117 |
| | 7.3.A Semiconductor Detectors | 117 |
| | 7.3.B Scintillator-Photomultiplier Detectors/TV Cameras | 118 |
| | 7.3.C Charge-Coupled Device (CCD) Detectors | 120 |
| | 7.3.D Faraday Cup | 121 |
| 7.4 | Which Detector Do We Use for which Signal? | 122 |
| 7.5 | Image Recording | 122 |
| | 7.5.A Photographic Emulsions | 122 |
| | 7.5.B Other Image-Recording Methods | 124 |
| 7.6 | Comparison of Scanning Images and Static Images | 124 |
| | Chapter Summary | 125 |
| | | |
| 8 | Pumps and Holders | 127 |
| | Chapter Preview | 127 |
| 8.1 | The Vacuum | 127 |
| 8.2 | Roughing Pumps | 128 |
| 8.3 | High/Ultra High Vacuum Pumps | 129 |
| | 8.3.A Diffusion Pumps | 129 |
| | 8.3.B Turbomolecular Pumps | 129 |
| | 8.3.C Ion Pumps | 130 |
| | 8.3.D Cryogenic (Adsorption) Pumps | 130 |
| 8.4 | The Whole System | 130 |
| 8.5 | Leak Detection | 131 |
| 8.6 | Contamination: Hydrocarbons and Water Vapor | 132 |
| 8.7 | Specimen Holders and Stages | 132 |
| 8.8 | Side-Entry Holders | 133 |
| 8.9 | Top-entry Holders | 134 |
| 8.10 | Tilt and Rotate Holders | 134 |
| 8.11 | In-Situ Holders | 135 |
| 8.12 | Plasma Cleaners | 138 |
| | Chapter Summary | 138 |
| | | |
| 9 | The Instrument | 141 |
| | Chapter Preview | 141 |
| 9.1 | The Illumination System | 142 |
| | 9.1.A TEM Operation Using a Parallel Beam | 142 |
| | 9.1.B Convergent-Beam (S)TEM Mode | 143 |
| | 9.1.C The Condenser-Objective Lens | 145 |
| | 9.1.D Translating and Tilting the Beam | 147 |
| | 9.1.E Alignment of the C2 Aperture | 147 |
| | 9.1.F Condenser-Lens Defects | 148 |
| | 9.1.G Calibration | 149 |
| 9.2 | The Objective Lens and Stage | 150 |
| 9.3 | Forming DPs and Images: The TEM Imaging System | 152 |
| | 9.3.A Selected-Area Diffraction | 152 |
| | 9.3.B Bright-Field and Dark-Field Imaging | 155 |
| | 9.3.C Centered Dark-Field Operation | 155 |
| | 9.3.D Hollow-Cone Diffraction and Dark-Field Imaging | 157 |
| 9.4 | Forming DPs and Images: The STEM Imaging System | 158 |

| | | |
|---------------|---|------------|
| 9.4.A | Bright-Field STEM Images | 159 |
| 9.4.B | Dark-Field STEM Images | 161 |
| 9.4.C | Annular Dark-Field Images | 161 |
| 9.4.D | Magnification in STEM | 161 |
| 9.5 | Alignment and Stigmatism | 161 |
| 9.5.A | Lens Rotation Centers | 161 |
| 9.5.B | Correction of Astigmatism in the Imaging Lenses | 162 |
| 9.6 | Calibrating the Imaging System | 164 |
| 9.6.A | Magnification Calibration | 164 |
| 9.6.B | Camera-Length Calibration | 165 |
| 9.6.C | Rotation of the Image Relative to the DP | 167 |
| 9.6.D | Spatial Relationship Between Images and DPs | 168 |
| 9.7 | Other Calibrations | 168 |
| | Chapter Summary | 169 |
| 10 | Specimen Preparation | 173 |
| | Chapter Preview | 173 |
| 10.1 | Safety | 173 |
| 10.2 | Self-Supporting Disk or Use a Grid? | 174 |
| 10.3 | Preparing a Self-Supporting Disk for Final Thinning | 175 |
| 10.3.A | Forming a Thin Slice from the Bulk Sample | 176 |
| 10.3.B | Cutting the Disk | 176 |
| 10.3.C | Prethinning the Disk | 177 |
| 10.4 | Final Thinning of the Disks | 178 |
| 10.4.A | Electropolishing | 178 |
| 10.4.B | Ion Milling | 178 |
| 10.5 | Cross-Section Specimens | 182 |
| 10.6 | Specimens on Grids/Washers | 183 |
| 10.6.A | Electropolishing—The Window Method for Metals and Alloys | 183 |
| 10.6.B | Ultramicrotomy | 183 |
| 10.6.C | Grinding and Crushing | 184 |
| 10.6.D | Replication and Extraction | 184 |
| 10.6.E | Cleaving and the SACT | 186 |
| 10.6.F | The 90° Wedge | 186 |
| 10.6.G | Lithography | 187 |
| 10.6.H | Preferential Chemical Etching | 187 |
| 10.7 | FIB | 188 |
| 10.8 | Storing Specimens | 189 |
| 10.9 | Some Rules | 189 |
| | Chapter Summary | 191 |
| PART 2 | DIFFRACTION | 195 |
| 11 | Diffraction in TEM | 197 |
| | Chapter Preview | 197 |
| 11.1 | Why Use Diffraction in the TEM? | 197 |
| 11.2 | The TEM, Diffraction Cameras, and the TV | 198 |
| 11.3 | Scattering from a Plane of Atoms | 199 |
| 11.4 | Scattering from a Crystal | 200 |
| 11.5 | Meaning of <i>n</i> in Bragg's Law | 202 |
| 11.6 | A Pictorial Introduction to Dynamical Effects | 203 |
| 11.7 | Use of Indices in Diffraction Patterns | 204 |
| 11.8 | Practical Aspects of Diffraction-Pattern Formation | 204 |
| 11.9 | More on Selected-Area Diffraction Patterns | 204 |
| | Chapter Summary | 208 |

| | | |
|-----------|---|------------|
| 12 | Thinking in Reciprocal Space | 211 |
| | Chapter Preview | 211 |
| 12.1 | Why Introduce Another Lattice? | 211 |
| 12.2 | Mathematical Definition of the Reciprocal Lattice | 212 |
| 12.3 | The Vector \mathbf{g} | 212 |
| 12.4 | The Laue Equations and their Relation to Bragg's Law | 213 |
| 12.5 | The Ewald Sphere of Reflection | 214 |
| 12.6 | The Excitation Error | 216 |
| 12.7 | Thin-Foil Effect and the Effect of Accelerating Voltage | 217 |
| | Chapter Summary | 218 |
| 13 | Diffracted Beams | 221 |
| | Chapter Preview | 221 |
| 13.1 | Why Calculate Intensities? | 221 |
| 13.2 | The Approach | 222 |
| 13.3 | The Amplitude of a Diffracted Beam | 223 |
| 13.4 | The Characteristic Length $\xi_{\mathbf{g}}$ | 223 |
| 13.5 | The Howie-Whelan Equations | 224 |
| 13.6 | Reformulating the Howie-Whelan Equations | 225 |
| 13.7 | Solving the Howie-Whelan Equations | 226 |
| 13.8 | The Importance of $\gamma^{(1)}$ and $\gamma^{(2)}$ | 226 |
| 13.9 | The Total Wave Amplitude | 227 |
| 13.10 | The Effective Excitation Error | 228 |
| 13.11 | The Column Approximation | 229 |
| 13.12 | The Approximations and Simplifications | 230 |
| 13.13 | The Coupled Harmonic Oscillator Analog | 231 |
| | Chapter Summary | 231 |
| 14 | Bloch Waves | 235 |
| | Chapter Preview | 235 |
| 14.1 | Wave Equation in TEM | 235 |
| 14.2 | The Crystal | 236 |
| 14.3 | Bloch Functions | 237 |
| 14.4 | Schrödinger's Equation for Bloch Waves | 238 |
| 14.5 | The Plane-Wave Amplitudes | 239 |
| 14.6 | Absorption of Bloch Waves | 241 |
| | Chapter Summary | 242 |
| 15 | Dispersion Surfaces | 245 |
| | Chapter Preview | 245 |
| 15.1 | Introduction | 245 |
| 15.2 | The Dispersion Diagram When $U_{\mathbf{g}} = 0$ | 246 |
| 15.3 | The Dispersion Diagram When $U_{\mathbf{g}} \neq 0$ | 247 |
| 15.4 | Relating Dispersion Surfaces and Diffraction Patterns | 247 |
| 15.5 | The Relation Between $U_{\mathbf{g}}$, $\xi_{\mathbf{g}}$, and $s_{\mathbf{g}}$ | 250 |
| 15.6 | The Amplitudes of Bloch Waves | 252 |
| 15.7 | Extending to More Beams | 253 |
| 15.8 | Dispersion Surfaces and Defects | 254 |
| | Chapter Summary | 254 |
| 16 | Diffraction from Crystals | 257 |
| | Chapter Preview | 257 |
| 16.1 | Review of Diffraction from a Primitive Lattice | 257 |
| 16.2 | Structure Factors: The Idea | 258 |

| | | |
|-----------|--|------------|
| 16.3 | Some Important Structures: BCC, FCC and HCP | 259 |
| 16.4 | Extending fcc and hcp to Include a Basis | 261 |
| 16.5 | Applying the bcc and fcc Analysis to Simple Cubic | 262 |
| 16.6 | Extending hcp to TiAl | 262 |
| 16.7 | Superlattice Reflections and Imaging | 262 |
| 16.8 | Diffraction from Long-Period Superlattices | 264 |
| 16.9 | Forbidden Reflections | 265 |
| 16.10 | Using the International Tables | 265 |
| | Chapter Summary | 267 |
| 17 | Diffraction from Small Volumes | 271 |
| | Chapter Preview | 271 |
| 17.1 | Introduction | 271 |
| | 17.1.A The Summation Approach | 272 |
| | 17.1.B The Integration Approach | 273 |
| 17.2 | The Thin-Foil Effect | 273 |
| 17.3 | Diffraction from Wedge-Shaped Specimens | 274 |
| 17.4 | Diffraction from Planar Defects | 275 |
| 17.5 | Diffraction from Particles | 277 |
| 17.6 | Diffraction from Dislocations, Individually and Collectively | 278 |
| 17.7 | Diffraction and the Dispersion Surface | 279 |
| | Chapter Summary | 281 |
| 18 | Obtaining and Indexing Parallel-Beam Diffraction Patterns | 283 |
| | Chapter Preview | 283 |
| 18.1 | Choosing Your Technique | 284 |
| 18.2 | Experimental SAD Techniques | 284 |
| 18.3 | The Stereographic Projection | 286 |
| 18.4 | Indexing Single-Crystal DPs | 287 |
| 18.5 | Ring Patterns from Polycrystalline Materials | 290 |
| 18.6 | Ring Patterns from Hollow-Cone Diffraction | 291 |
| 18.7 | Ring Patterns from Amorphous Materials | 293 |
| 18.8 | Precession Diffraction | 295 |
| 18.9 | Double Diffraction | 296 |
| 18.10 | Orientation of the Specimen | 298 |
| 18.11 | Orientation Relationships | 302 |
| 18.12 | Computer Analysis | 303 |
| 18.13 | Automated Orientation Determination and Orientation Mapping | 305 |
| | Chapter Summary | 305 |
| 19 | Kikuchi Diffraction | 311 |
| | Chapter Preview | 311 |
| 19.1 | The Origin of Kikuchi Lines | 311 |
| 19.2 | Kikuchi Lines and Bragg Scattering | 312 |
| 19.3 | Constructing Kikuchi Maps | 313 |
| 19.4 | Crystal Orientation and Kikuchi Maps | 317 |
| 19.5 | Setting the Value of S_g | 318 |
| 19.6 | Intensities | 319 |
| | Chapter Summary | 320 |
| 20 | Obtaining CBED Patterns | 323 |
| | Chapter Preview | 323 |
| 20.1 | Why Use a Convergent Beam? | 323 |

| | | |
|---------------|---|------------|
| 20.2 | Obtaining CBED Patterns | 324 |
| 20.2.A | Comparing SAD and CBED | 325 |
| 20.2.B | CBED in TEM Mode | 326 |
| 20.2.C | CBED in STEM Mode | 326 |
| 20.3 | Experimental Variables | 327 |
| 20.3.A | Choosing the C2 Aperture | 327 |
| 20.3.B | Selecting the Camera Length | 328 |
| 20.3.C | Choice of Beam Size | 329 |
| 20.3.D | Effect of Specimen Thickness | 329 |
| 20.4 | Focused and Defocused CBED Patterns | 329 |
| 20.4.A | Focusing a CBED Pattern | 330 |
| 20.4.B | Large-Angle (Defocused) CBED Patterns | 330 |
| 20.4.C | Final Adjustment | 332 |
| 20.5 | Energy Filtering | 334 |
| 20.6 | Zero-Order and High-Order Laue-Zone Diffraction | 335 |
| 20.6.A | ZOLZ Patterns | 335 |
| 20.6.B | HOLZ Patterns | 336 |
| 20.7 | Kikuchi and Bragg Lines in CBED Patterns | 338 |
| 20.8 | HOLZ Lines | 339 |
| 20.8.A | The Relationship Between HOLZ Lines and Kikuchi Lines | 339 |
| 20.8.B | Acquiring HOLZ Lines | 341 |
| 20.9 | Hollow-Cone/Precession CBED | 342 |
| | Chapter Summary | 343 |
| 21 | Using Convergent-Beam Techniques | 347 |
| | Chapter Preview | 347 |
| 21.1 | Indexing CBED Patterns | 348 |
| 21.1.A | Indexing ZOLZ and HOLZ Patterns | 348 |
| 21.1.B | Indexing HOLZ Lines | 351 |
| 21.2 | Thickness Determination | 352 |
| 21.3 | Unit-Cell Determination | 354 |
| 21.3.A | Experimental Considerations | 354 |
| 21.3.B | The Importance of the HOLZ-Ring Radius | 355 |
| 21.3.C | Determining the Lattice Centering | 356 |
| 21.4 | Basics of Symmetry Determination | 357 |
| 21.4.A | Reminder of Symmetry Concepts | 357 |
| 21.4.B | Friedel's Law | 358 |
| 21.4.C | Looking for Symmetry in Your Patterns | 358 |
| 21.5 | Lattice-Strain Measurement | 361 |
| 21.6 | Determination of Enantiomorphism | 363 |
| 21.7 | Structure Factor and Charge-Density Determination | 364 |
| 21.8 | Other Methods | 365 |
| 21.8.A | Scanning Methods | 365 |
| 21.8.B | Nanodiffraction | 366 |
| | Chapter Summary | 366 |
| PART 3 | IMAGING | 369 |
| 22 | Amplitude Contrast | 371 |
| | Chapter Preview | 371 |
| 22.1 | What Is Contrast? | 371 |
| 22.2 | Amplitude contrast | 372 |
| 22.2.A | Images and Diffraction Patterns | 372 |
| 22.2.B | Use of the Objective Aperture or the STEM Detector: BF and DF Images | 372 |

| | | |
|-----------|---|------------|
| 22.3 | Mass-Thickness Contrast | 373 |
| 22.3.A | Mechanism of Mass-Thickness Contrast | 373 |
| 22.3.B | TEM Images | 374 |
| 22.3.C | STEM Images | 376 |
| 22.3.D | Specimens Showing Mass-Thickness Contrast | 377 |
| 22.3.E | Quantitative Mass-Thickness Contrast | 378 |
| 22.4 | Z-Contrast | 379 |
| 22.5 | TEM Diffraction Contrast | 381 |
| 22.5.A | Two-Beam Conditions | 381 |
| 22.5.B | Setting the Deviation Parameter, s | 382 |
| 22.5.C | Setting Up a Two-Beam CDF Image | 382 |
| 22.5.D | Relationship Between the Image and the Diffraction Pattern | 384 |
| 22.6 | STEM Diffraction Contrast | 384 |
| | Chapter Summary | 386 |
| 23 | Phase-Contrast Images | 389 |
| | Chapter Preview | 389 |
| 23.1 | Introduction | 389 |
| 23.2 | The Origin of Lattice Fringes | 389 |
| 23.3 | Some Practical Aspects of Lattice Fringes | 390 |
| 23.3.A | If $s = 0$ | 390 |
| 23.3.B | If $s \neq 0$ | 390 |
| 23.4 | On-Axis Lattice-Fringe Imaging | 391 |
| 23.5 | Moiré Patterns | 392 |
| 23.5.A | Translational Moiré Fringes | 393 |
| 23.5.B | Rotational Moiré Fringes | 393 |
| 23.5.C | General Moiré Fringes | 393 |
| 23.6 | Experimental Observations of Moiré Fringes | 393 |
| 23.6.A | Translational Moiré Patterns | 394 |
| 23.6.B | Rotational Moiré Patterns | 394 |
| 23.6.C | Dislocations and Moiré Fringes | 394 |
| 23.6.D | Complex Moiré Fringes | 396 |
| 23.7 | Fresnel Contrast | 397 |
| 23.7.A | The Fresnel Biprism | 397 |
| 23.7.B | Magnetic-Domain Walls | 398 |
| 23.8 | Fresnel Contrast from Voids or Gas Bubbles | 399 |
| 23.9 | Fresnel Contrast from Lattice Defects | 400 |
| 23.9.A | Grain Boundaries | 402 |
| 23.9.B | End-On Dislocations | 402 |
| | Chapter Summary | 402 |
| 24 | Thickness and Bending Effects | 407 |
| | Chapter Preview | 407 |
| 24.1 | The Fundamental Ideas | 407 |
| 24.2 | Thickness Fringes | 408 |
| 24.3 | Thickness Fringes and the DP | 410 |
| 24.4 | Bend Contours (Annoying Artifact, Useful Tool, Invaluable Insight) | 411 |
| 24.5 | ZAPs and Real-Space Crystallography | 412 |
| 24.6 | Hillocks, Dents, or Saddles | 413 |
| 24.7 | Absorption Effects | 413 |
| 24.8 | Computer Simulation of Thickness Fringes | 414 |
| 24.9 | Thickness-Fringe/Bend-Contour Interactions | 414 |
| 24.10 | Other Effects of Bending | 415 |
| | Chapter Summary | 416 |

| | | |
|-----------|---|------------|
| 25 | Planar Defects | 419 |
| | Chapter Preview | 419 |
| 25.1 | Translations and Rotations | 419 |
| 25.2 | Why Do Translations Produce Contrast? | 421 |
| 25.3 | The Scattering Matrix | 422 |
| 25.4 | Using the Scattering Matrix | 423 |
| 25.5 | Stacking Faults in fcc Materials | 424 |
| | 25.5.A Why fcc Materials? | 424 |
| | 25.5.B Some Rules | 425 |
| | 25.5.C Intensity Calculations | 426 |
| | 25.5.D Overlapping Faults | 426 |
| 25.6 | Other Translations: π and δ Fringes | 427 |
| 25.7 | Phase Boundaries | 429 |
| 25.8 | Rotation Boundaries | 430 |
| 25.9 | Diffraction Patterns and Dispersion Surfaces | 430 |
| 25.10 | Bloch Waves and BF/DF Image Pairs | 431 |
| 25.11 | Computer Modeling | 432 |
| 25.12 | The Generalized Cross Section | 433 |
| 25.13 | Quantitative Imaging | 434 |
| | 25.13.A Theoretical Basis and Parameters | 434 |
| | 25.13.B Apparent Extinction Distance | 435 |
| | 25.13.C Avoiding the Column Approximation | 435 |
| | 25.13.D The User Interface | 436 |
| | Chapter Summary | 436 |
| 26 | Imaging Strain Fields | 441 |
| | Chapter Preview | 441 |
| 26.1 | Why Image Strain Fields? | 441 |
| 26.2 | Howie-Whelan Equations | 442 |
| 26.3 | Contrast from a Single Dislocation | 444 |
| 26.4 | Displacement Fields and Ewald's Sphere | 447 |
| 26.5 | Dislocation Nodes and Networks | 448 |
| 26.6 | Dislocation Loops and Dipoles | 448 |
| 26.7 | Dislocation Pairs, Arrays, and Tangles | 450 |
| 26.8 | Surface Effects | 451 |
| 26.9 | Dislocations and Interfaces | 452 |
| 26.10 | Volume Defects and Particles | 456 |
| 26.11 | Simulating Images | 457 |
| | 26.11.A The Defect Geometry | 457 |
| | 26.11.B Crystal Defects and Calculating the Displacement Field | 458 |
| | 26.11.C The Parameters | 458 |
| | Chapter Summary | 459 |
| 27 | Weak-Beam Dark-Field Microscopy | 463 |
| | Chapter Preview | 463 |
| 27.1 | Intensity in WBDF Images | 463 |
| 27.2 | Setting S_g Using the Kikuchi Pattern | 464 |
| 27.3 | How to Do WBDF | 466 |
| 27.4 | Thickness Fringes in Weak-Beam Images | 467 |
| 27.5 | Imaging Strain Fields | 468 |
| 27.6 | Predicting Dislocation Peak Positions | 469 |
| 27.7 | Phasor Diagrams | 470 |
| 27.8 | Weak-Beam Images of Dissociated Dislocations | 473 |
| 27.9 | Other Thoughts | 477 |

| | | |
|-----------|---|------------|
| 27.9.A | Thinking of Weak-Beam Diffraction as a Coupled Pendulum | 477 |
| 27.9.B | Bloch Waves | 478 |
| 27.9.C | If Other Reflections are Present | 478 |
| 27.9.D | The Future Is Now | 478 |
| | Chapter Summary | 479 |
| 28 | High-Resolution TEM | 483 |
| | Chapter Preview | 483 |
| 28.1 | The Role of an Optical System | 483 |
| 28.2 | The Radio Analogy | 484 |
| 28.3 | The Specimen | 485 |
| 28.4 | Applying the WPOA to the TEM | 487 |
| 28.5 | The Transfer Function | 487 |
| 28.6 | More on $\chi(u)$, $\sin \chi(u)$, and $\cos \chi(u)$ | 488 |
| 28.7 | Scherzer Defocus | 490 |
| 28.8 | Envelope Damping Functions | 491 |
| 28.9 | Imaging Using Passbands | 492 |
| 28.10 | Experimental Considerations | 493 |
| 28.11 | The Future for HRTEM | 494 |
| 28.12 | The TEM as a Linear System | 494 |
| 28.13 | FEG TEMs and the Information Limit | 495 |
| 28.14 | Some Difficulties in Using an FEG | 498 |
| 28.15 | Selectively Imaging Sublattices | 500 |
| 28.16 | Interfaces and Surfaces | 502 |
| 28.17 | Incommensurate Structures | 503 |
| 28.18 | Quasicrystals | 504 |
| 28.19 | Single Atoms | 505 |
| | Chapter Summary | 506 |
| 29 | Other Imaging Techniques | 511 |
| | Chapter Preview | 511 |
| 29.1 | Stereo Microscopy and Tomography | 511 |
| 29.2 | $2\frac{1}{2}$ D Microscopy | 512 |
| 29.3 | Magnetic Specimens | 514 |
| | 29.3.A The Magnetic Correction | 514 |
| | 29.3.B Lorentz Microscopy | 515 |
| 29.4 | Chemically Sensitive Images | 517 |
| 29.5 | Imaging with Diffusely Scattered Electrons | 517 |
| 29.6 | Surface Imaging | 519 |
| | 29.6.A Reflection Electron Microscopy | 519 |
| | 29.6.B Topographic Contrast | 521 |
| 29.7 | High-Order BF Imaging | 521 |
| 29.8 | Secondary-Electron Imaging | 522 |
| 29.9 | Backscattered-Electron Imaging | 523 |
| 29.10 | Charge-Collection Microscopy and Cathodoluminescence | 523 |
| 29.11 | Electron Holography | 524 |
| 29.12 | In Situ TEM: Dynamic Experiments | 526 |
| 29.13 | Fluctuation Microscopy | 528 |
| 29.14 | Other Variations Possible in a STEM | 528 |
| | Chapter Summary | 529 |
| 30 | Image Simulation | 533 |
| | Chapter Preview | 533 |
| 30.1 | Simulating images | 533 |
| 30.2 | The Multislice Method | 533 |

| | | |
|---------------|---|------------|
| 30.3 | The Reciprocal-Space Approach | 534 |
| 30.4 | The FFT Approach | 536 |
| 30.5 | The Real-Space approach | 536 |
| 30.6 | Bloch Waves and HRTEM Simulation | 536 |
| 30.7 | The Ewald Sphere Is Curved | 537 |
| 30.8 | Choosing the Thickness of the Slice | 537 |
| 30.9 | Beam Convergence | 538 |
| 30.10 | Modeling the Structure | 540 |
| 30.11 | Surface Grooves and Simulating Fresnel Contrast | 540 |
| 30.12 | Calculating Images of Defects | 542 |
| 30.13 | Simulating Quasicrystals | 543 |
| 30.14 | Bonding in Crystals | 544 |
| 30.15 | Simulating Z-Contrast | 545 |
| 30.16 | Software for Phase-Contrast HRTEM | 545 |
| | Chapter Summary | 545 |
| 31 | Processing and Quantifying Images | 549 |
| | Chapter Preview | 549 |
| 31.1 | What Is Image Processing? | 549 |
| 31.2 | Processing and Quantifying Images | 550 |
| 31.3 | A Cautionary Note | 550 |
| 31.4 | Image Input | 550 |
| 31.5 | Processing Techniques | 551 |
| | 31.5.A Fourier Filtering and Reconstruction | 551 |
| | 31.5.B Analyzing Diffractograms | 552 |
| | 31.5.C Averaging Images and Other Techniques | 554 |
| | 31.5.D Kernels | 556 |
| 31.6 | Applications | 556 |
| | 31.6.A Beam-Sensitive Materials | 556 |
| | 31.6.B Periodic Images | 557 |
| | 31.6.C Correcting Drift | 557 |
| | 31.6.D Reconstructing the Phase | 557 |
| | 31.6.E Diffraction Patterns | 558 |
| | 31.6.F Tilted-Beam Series | 559 |
| 31.7 | Automated Alignment | 560 |
| 31.8 | Quantitative Methods of Image Analysis | 561 |
| 31.9 | Pattern Recognition in HRTEM | 562 |
| 31.10 | Parameterizing the Image Using QUANTITEM | 563 |
| | 31.10.A The Example of a Specimen with Uniform Composition | 563 |
| | 31.10.B Calibrating the Path of R | 565 |
| | 31.10.C Noise Analysis | 565 |
| 31.11 | Quantitative Chemical Lattice Imaging | 567 |
| 31.12 | Methods of Measuring Fit | 568 |
| 31.13 | Quantitative Comparison of Simulated and Experimental HRTEM Images | 570 |
| 31.14 | A Fourier Technique for Quantitative Analysis | 571 |
| 31.15 | Real or Reciprocal Space? | 572 |
| 31.16 | Software | 573 |
| 31.17 | The Optical Bench—A Little History | 573 |
| | Chapter Summary | 575 |
| PART 4 | SPECTROMETRY | 579 |
| 32 | X-ray Spectrometry | 581 |
| | Chapter Preview | 581 |

| | | |
|-----------|--|------------|
| 32.1 | X-ray Analysis: Why Bother? | 581 |
| 32.2 | Basic Operational Mode | 584 |
| 32.3 | The Energy-Dispersive Spectrometer | 584 |
| 32.4 | Semiconductor Detectors | 585 |
| | 32.4.A How Does an XEDS Work? | 585 |
| | 32.4.B Cool Detectors | 586 |
| | 32.4.C Different Kinds of Windows | 586 |
| | 32.4.D Intrinsic-Germanium Detectors | 587 |
| | 32.4.E Silicon-Drift Detectors | 588 |
| 32.5 | Detectors with High-Energy Resolution | 589 |
| 32.6 | Wavelength-Dispersive Spectrometers | 589 |
| | 32.6.A Crystal WDS | 589 |
| | 32.6.B CCD-Based WDS | 590 |
| | 32.6.C Bolometers/Microcalorimeters | 590 |
| 32.7 | Turning X-rays into Spectra | 591 |
| 32.8 | Energy Resolution | 593 |
| 32.9 | What You Should Know about Your XEDS | 594 |
| | 32.9.A Detector Characteristics | 594 |
| | 32.9.B Processing Variables | 596 |
| 32.10 | The XEDS-AEM Interface | 598 |
| | 32.10.A Collection Angle | 598 |
| | 32.10.B Take-Off Angle | 599 |
| | 32.10.C Orientation of the Detector to the Specimen | 599 |
| 32.11 | Protecting the Detector from Intense Radiation | 600 |
| | Chapter Summary | 601 |
| 33 | X-ray Spectra and Images | 605 |
| | Chapter Preview | 605 |
| 33.1 | The Ideal Spectrum | 605 |
| | 33.1.A The Characteristic Peaks | 605 |
| | 33.1.B The Continuum Bremsstrahlung Background | 606 |
| 33.2 | Artifacts Common to Si(Li) XEDS Systems | 606 |
| 33.3 | The Real Spectrum | 608 |
| | 33.3.A Pre-Specimen Effects | 608 |
| | 33.3.B Post-Specimen Scatter | 611 |
| | 33.3.C Coherent Bremsstrahlung | 613 |
| 33.4 | Measuring the Quality of the XEDS-AEM Interface | 614 |
| | 33.4.A Peak-to-Background Ratio | 614 |
| | 33.4.B Efficiency of the XEDS System | 614 |
| 33.5 | Acquiring X-ray Spectra | 615 |
| | 33.5.A Spot Mode | 615 |
| | 33.5.B Spectrum-Line Profiles | 616 |
| 33.6 | Acquiring X-ray Images | 616 |
| | 33.6.A Analog Dot Mapping | 617 |
| | 33.6.B Digital Mapping | 618 |
| | 33.6.C Spectrum Imaging (SI) | 619 |
| | 33.6.D Position-Tagged Spectrometry (PTS) | 620 |
| | Chapter Summary | 620 |
| 34 | Qualitative X-ray Analysis and Imaging | 625 |
| | Chapter Preview | 625 |
| 34.1 | Microscope and Specimen Variables | 625 |
| 34.2 | Basic Acquisition Requirements: Counts, Counts, and More Caffeine | 626 |

| | | |
|-----------|---|------------|
| 34.3 | Peak Identification | 627 |
| 34.4 | Peak Deconvolution | 630 |
| 34.5 | Peak Visibility | 632 |
| 34.6 | Common Errors | 634 |
| 34.7 | Qualitative X-ray Imaging: Principles and Practice | 634 |
| | Chapter Summary | 636 |
| 35 | Quantitative X-ray Analysis | 639 |
| | Chapter Preview | 639 |
| 35.1 | Historical Perspective | 639 |
| 35.2 | The Cliff-Lorimer Ratio Technique | 640 |
| 35.3 | Practical Steps for Quantification | 641 |
| | 35.3.A Background Subtraction | 641 |
| | 35.3.B Peak Integration | 644 |
| 35.4 | Determining k -Factors | 646 |
| | 35.4.A Experimental Determination of k_{AB} | 646 |
| | 35.4.B Errors in Quantification: The Statistics | 647 |
| | 35.4.C Calculating k_{AB} | 648 |
| 35.5 | The Zeta-Factor Method | 652 |
| 35.6 | Absorption Correction | 654 |
| 35.7 | The Zeta-Factor Absorption Correction | 656 |
| 35.8 | The Fluorescence Correction | 656 |
| 35.9 | ALCHEMI | 657 |
| 35.10 | Quantitative X-ray Mapping | 658 |
| | Chapter Summary | 660 |
| 36 | Spatial Resolution and Minimum Detection | 663 |
| | Chapter Preview | 663 |
| 36.1 | Why Is Spatial Resolution Important? | 663 |
| 36.2 | Definition and Measurement of Spatial Resolution | 664 |
| | 36.2.A Beam Spreading | 665 |
| | 36.2.B The Spatial-Resolution Equation | 666 |
| | 36.2.C Measurement of Spatial Resolution | 667 |
| 36.3 | Thickness Measurement | 668 |
| | 36.3.A TEM Methods | 669 |
| | 36.3.B Contamination-Spot Separation Method | 670 |
| | 36.3.C Convergent-Beam Diffraction Method | 671 |
| | 36.3.D Electron Energy-Loss Spectrometry Methods .. | 671 |
| | 36.3.E X-ray Spectrometry Method | 671 |
| 36.4 | Minimum Detection | 672 |
| | 36.4.A Experimental Factors Affecting the MMF | 673 |
| | 36.4.B Statistical Criterion for the MMF | 673 |
| | 36.4.C Comparison with Other Definitions | 674 |
| | 36.4.D Minimum-Detectable Mass | 674 |
| | Chapter Summary | 675 |
| 37 | Electron Energy-Loss Spectrometers and Filters | 679 |
| | Chapter Preview | 679 |
| 37.1 | Why Do EELS? | 679 |
| | 37.1.A Pros and Cons of Inelastic Scattering | 679 |
| | 37.1.B The Energy-Loss Spectrum | 680 |
| 37.2 | EELS Instrumentation | 681 |
| 37.3 | The Magnetic Prism: A Spectrometer and a Lens | 681 |
| | 37.3.A Focusing the Spectrometer | 682 |
| | 37.3.B Spectrometer Dispersion | 683 |

| | | |
|-----------|---|------------|
| 37.3.C | Spectrometer Resolution | 683 |
| 37.3.D | Calibrating the Spectrometer | 684 |
| 37.4 | Acquiring a Spectrum | 684 |
| 37.4.A | Image and Diffraction Modes | 685 |
| 37.4.B | Spectrometer-Collection Angle | 685 |
| 37.4.C | Spatial Selection | 688 |
| 37.5 | Problems with PEELS | 688 |
| 37.5.A | Point-Spread Function | 688 |
| 37.5.B | PEELS Artifacts | 689 |
| 37.6 | Imaging Filters | 690 |
| 37.6.A | The Omega Filter | 691 |
| 37.6.B | The GIF | 692 |
| 37.7 | Monochromators | 693 |
| 37.8 | Using Your Spectrometer and Filter | 694 |
| | Chapter Summary | 696 |
| 38 | Low-Loss and No-Loss Spectra and Images | 699 |
| | Chapter Preview | 699 |
| 38.1 | A Few Basic Concepts | 699 |
| 38.2 | The Zero-Loss Peak (ZLP) | 701 |
| 38.2.A | Why the ZLP Really Isn't | 701 |
| 38.2.B | Removing the Tail of the ZLP | 701 |
| 38.2.C | Zero-Loss Images and Diffraction Patterns | 702 |
| 38.3 | The Low-Loss Spectrum | 703 |
| 38.3.A | Chemical Fingerprinting | 704 |
| 38.3.B | Dielectric-Constant Determination | 705 |
| 38.3.C | Plasmons | 705 |
| 38.3.D | Plasmon-Loss Analysis | 707 |
| 38.3.E | Single-Electron Excitations | 709 |
| 38.3.F | The Band Gap | 709 |
| 38.4 | Modeling The Low-Loss Spectrum | 710 |
| | Chapter Summary | 711 |
| 39 | High Energy-Loss Spectra and Images | 715 |
| | Chapter Preview | 715 |
| 39.1 | The High-Loss Spectrum | 715 |
| 39.1.A | Inner-Shell Ionization | 715 |
| 39.1.B | Ionization-Edge Characteristics | 717 |
| 39.2 | Acquiring a High-Loss Spectrum | 721 |
| 39.3 | Qualitative Analysis | 723 |
| 39.4 | Quantitative Analysis | 723 |
| 39.4.A | Derivation of the Equations for Quantification | 724 |
| 39.4.B | Background Subtraction | 726 |
| 39.4.C | Edge Integration | 728 |
| 39.4.D | The Partial Ionization Cross Section | 728 |
| 39.5 | Measuring Thickness from the Core-Loss Spectrum | 730 |
| 39.6 | Deconvolution | 731 |
| 39.7 | Correction for Convergence of the Incident Beam | 733 |
| 39.8 | The Effect of the Specimen Orientation | 733 |
| 39.9 | EFTEM Imaging with Ionization Edges | 733 |
| 39.9.A | Qualitative Imaging | 734 |
| 39.9.B | Quantitative Imaging | 734 |
| 39.10 | Spatial Resolution: Atomic-Column EELS | 735 |

| | | |
|--------------------|--|------------|
| 39.11 | Detection Limits | 736 |
| | Chapter Summary | 737 |
| 40 | Fine Structure and Finer Details | 741 |
| | Chapter Preview | 741 |
| 40.1 | Why Does Fine Structure Occur? | 741 |
| 40.2 | ELNES Physics | 742 |
| | 40.2.A Principles | 742 |
| | 40.2.B White Lines | 744 |
| | 40.2.C Quantum Aspects | 744 |
| 40.3 | Applications of ELNES | 745 |
| 40.4 | ELNES Fingerprinting | 746 |
| 40.5 | ELNES Calculations | 747 |
| | 40.5.A The Potential Choice | 748 |
| | 40.5.B Core-Holes and Excitons | 749 |
| | 40.5.C Comparison of ELNES Calculations and Experiments | 750 |
| 40.6 | Chemical Shifts in the Edge Onset | 750 |
| 40.7 | EXELFS | 751 |
| | 40.7.A RDF via EXELFS | 752 |
| | 40.7.B RDF via Energy-Filtered Diffraction | 753 |
| | 40.7.C A Final Thought Experiment | 753 |
| 40.8 | Angle-Resolved EELS | 755 |
| 40.9 | EELS Tomography | 755 |
| | Chapter Summary | 757 |
| Index | | I-1 |



<http://www.springer.com/978-0-387-76500-6>

Transmission Electron Microscopy

A Textbook for Materials Science

Williams, D.B.; Carter, C.B.

2009, LXII, 775 p., Hardcover

ISBN: 978-0-387-76500-6