

Contents

Foreword	xi
1 Introduction	1
 Part I Pseudoanalytic Function Theory and Second-order Elliptic Equations	
2 Definitions and Results from Bers' Theory	
2.1 Generating pairs and differentiation	9
2.2 Pseudoanalytic functions	11
2.3 Derivatives and integrals of pseudoanalytic functions	13
2.3.1 Equivalent generating pairs	13
2.3.2 Vekua's equation for (F, G) -derivatives	14
2.3.3 Integration	16
3 Solutions of Second-order Elliptic Equations as Real Components of Complex Pseudoanalytic Functions	
3.1 Factorization of the stationary Schrödinger operator	21
3.2 Factorization of the operator $\operatorname{div} p \operatorname{grad} + q$	23
3.3 Conjugate metaharmonic functions	27
3.4 The main Vekua equation	29
3.5 Cauchy's integral theorem for the Schrödinger equation	31
3.6 p -analytic functions	32
4 Formal Powers	
4.1 Definition	35
4.2 An important special case	37
4.3 Similarity principle	38
4.4 Taylor series in formal powers	41
4.5 The Runge theorem	43
4.6 Complete systems of solutions for second-order equations	43
4.7 A remark on orthogonal coordinate systems in a plane	45

4.8	Explicit construction of a generating sequence	46
4.9	Explicit construction of complete systems of solutions of second-order elliptic equations	50
4.9.1	Explicit construction of complete systems of solutions for a stationary Schrödinger equation	51
4.9.2	Complete systems of solutions for the conductivity equation	51
4.10	Numerical solution of boundary value problems	52
5	Cauchy's Integral Formula	
5.1	Preliminary information on the Cauchy integral formula for pseudoanalytic functions	55
5.2	Relation between the main Vekua equation and the system describing p -analytic functions	57
5.3	The transplant operator	58
5.4	Cauchy integral formulas for x^k -analytic functions	60
6	Complex Riccati Equation	
6.1	Preliminary notes	65
6.2	The two-dimensional stationary Schrödinger equation and the complex Riccati equation	67
6.3	Generalizations of classical theorems	69
6.4	Cauchy's integral theorem	71
 Part II Applications to Sturm-Liouville Theory		
7	A Representation for Solutions of the Sturm-Liouville Equation	
7.1	Solving the one-dimensional Schrödinger equation	75
7.2	The “+”-case	76
7.3	Two sets of Taylor coefficients	80
7.4	Solution of the one-dimensional Schrödinger equation	81
7.5	Validating the result	83
7.6	The “−” case	84
7.7	Complex potential	85
7.8	Solution of the Sturm-Liouville equation	86
7.9	Numerical method for solving Sturm-Liouville equations	90
8	Spectral Problems and Darboux Transformation	
8.1	Sturm-Liouville problem as a problem of finding zeros of an analytic function	93
8.1.1	Sturm-Liouville problems with spectral parameter dependent boundary conditions	95

8.2	Numerical method for solving Sturm-Liouville problems	96
8.3	A remark on the Darboux transformation	98

Part III Applications to Real First-order Systems

9 Beltrami Fields

9.1	Description of the result	103
9.2	Reduction of (9.1) to a Vekua equation	104
9.3	Solution in the case when α is a function of one Cartesian variable	105

10 Static Maxwell System in Axially Symmetric Inhomogeneous Media

10.1	Meridional and transverse fields	111
10.2	Reduction of the static Maxwell system to p -analytic functions	112
	10.2.1 The meridional case	112
	10.2.2 The transverse case	112
10.3	Construction of formal powers	113
	10.3.1 Formal powers in the meridional case	113
	10.3.2 Formal powers in the transverse case	114

Part IV Hyperbolic Pseudoanalytic Functions

11 Hyperbolic Numbers and Analytic Functions

12 Hyperbolic Pseudoanalytic Functions

12.1	Differential operators	125
12.2	Hyperbolic pseudoanalytic function theory	126
12.3	Generating sequences	130

13 Relationship between Hyperbolic Pseudoanalytic Functions and Solutions of the Klein-Gordon Equation

13.1	Factorization of the Klein-Gordon equation	133
13.2	The main hyperbolic Vekua equation	135
13.3	Generating sequence for the main hyperbolic Vekua equation	138

Part V Bicomplex and Biquaternionic Pseudoanalytic Functions and Applications

14 The Dirac Equation

14.1	Notation	150
14.2	Quaternionic form of the Dirac equation	151
14.3	The Dirac equation in a two-dimensional case as a bicomplex Vekua equation	153
14.4	Some definitions and results from Bers' theory for bicomplex pseudoanalytic functions	155
14.4.1	Generating pair, derivative and antiderivative	155
14.4.2	Generating sequences and Taylor series in formal powers	156
14.5	The main bicomplex Vekua equation	158
14.6	Dirac equation with a scalar potential	159

15	Complex Second-order Elliptic Equations and Bicomplex Pseudoanalytic Functions	163
-----------	---	------------

16 Multidimensional Second-order Equations

16.1	Factorization	167
16.2	The main quaternionic Vekua equation	169

Open Problems	171
--------------------------------	------------

Bibliography	173
-------------------------------	------------

Index	183
------------------------	------------



<http://www.springer.com/978-3-0346-0003-3>

Applied Pseudoanalytic Function Theory

Kravchenko, V.V.

2009, XII, 184 p., Softcover

ISBN: 978-3-0346-0003-3

A product of Birkhäuser Basel