

Contents

Part I Generator Matrix

1	Generator Matrix Approach to Linear Block Codes	3
1.1	Additive $n \times n$ Linear Transformation of a Binary Sequence	3
1.2	Generator Matrix \underline{G} of a Linear Block Code	5
1.3	Polynomial Description of the Generator Matrix in a Linear Block Code	10
1.4	Properties of a Linear Block Code Derived from the Structural Characteristics of $g(x)$	15
1.5	Systematic Encoder Circuit	19
1.6	Code Concatenation: Effects on \underline{G} Matrix	21
1.7	Code Puncturation: Effects on \underline{G} Matrix	28
1.8	Cyclic Block Codes	33
1.9	Enumeration of all the Possible Cyclic Codes of Length N	37
1.10	Shortened Cyclic (SC) Codes	44
1.11	Lengthened Cyclic (LC) Codes	47
1.12	Subcode of an s.s. Time-Invariant Polynomial Code	56
1.13	Modified Lengthened Cyclic (MLC) Codes	58
1.14	State Diagrams	61
1.15	Direct Product Codes	68
1.16	Generator Matrix of a Direct Product Code	73
1.17	Direct Product Codes as MLC Codes	75
1.18	Interpretation of Particular Direct Product Codes by Means of GPC Codes	76
1.19	Cyclic and Pseudo-Cyclic Codes in a Non-binary Alphabet	79
1.20	Q -ary State Diagrams	83
1.21	Main Families of Non-binary Block Codes	85

1.22	Reed-Solomon Codes and Other MDS Non-binary Codes . . .	89
1.23	Trellis for an s.s. Time-Invariant Block Code Obtained from Its Generator Matrix	95
	References.	98
2	Wide-Sense Time-Invariant Block Codes in Their Generator Matrix	101
2.1	Periodically Time-Varying Generator Matrix	101
2.2	Quasi-Cyclic Codes (QC) as a Widening in the Concept of Cyclic Codes	105
2.3	Quasi-Cyclic Codes with Distributed Control Symbols Described with Their \underline{G} Matrix	112
2.4	Representation of Known Block Codes as QC Codes with Distributed Control Symbols	117
2.5	Relation Between Some Binary QC-Codes and Cyclic or Pseudo-Cyclic Codes in a Q -Ary Alphabet.	119
2.6	Encoder Circuits Based on the \underline{G} Matrix for a QC Code	121
2.7	Shortened Quasi-Cyclic (SQC) Codes	125
2.8	Lengthened Quasi-Cyclic (LQC) Codes	130
2.9	Subcode of a w.s. Time-Invariant Polynomial Code.	136
2.10	Modified Lengthened Quasi-Cyclic (MLQC) Codes.	138
2.11	Trellis for a w.s. Time-Invariant Block Code Obtained from Its Generator Matrix	143
	References.	147
3	Generator Matrix Approach to s.s. Time-Invariant Convolutional Codes.	149
3.1	Traditional View of Non-systematic s.s. Time-Invariant Convolutional Codes	149
3.2	State Diagram and Minimum Distance.	154
3.3	Systematic Convolutional Codes	162
3.4	Low-Rate Convolutional Codes	166
3.5	High-Rate Punctured Convolutional Codes.	172
3.6	Recursive Systematic Convolutional (RSC) Codes.	176
3.7	Equivalence Between MLC Codes and s.s. Time-Invariant Convolutional Codes	180
3.8	Strict-Sense Time-Invariant High-Rate Convolutional (MLC) Codes	183
3.9	A First Bridge Between Cyclic Block Codes and s.s. Time-Invariant Convolutional Codes	190
3.10	Tail-Biting s.s. Time-Invariant Convolutional Codes	195
3.11	Trellis of an s.s. Time-Invariant Convolutional Code Obtained from Its Generator Matrix	199
	References.	203

4 Wide-Sense Time-Invariant Convolutional Codes in Their Generator Matrix 205

4.1 Periodically Time-Varying Generator Matrix of a Convolutional Code 205

4.2 Traditional Approach to w.s. Time-Invariant Convolutional Codes in Their \underline{G} Matrix 206

4.3 Existence of the Inverse Linear Transformation. 215

4.4 RSC Version of a w.s. Time-Invariant Convolutional Code. 218

4.5 Equivalence Between MLQC Codes and a Certain Class of w.s. Time-Invariant Convolutional Codes. 222

4.6 Practical Importance of Punctured Convolutional Codes. 225

4.7 Tail-Biting w.s. Time-Invariant Convolutional Codes. 226

4.8 Unwrapping QC Block Codes and Reordered Versions of Convolutional Codes 231

4.9 A First Bridge Between Quasi-cyclic Block Codes and w.s. Time-Invariant Convolutional Codes. 238

4.10 Trellis of a w.s. Time-Invariant Convolutional Code Obtained from Its Generator Matrix 240

References. 242

Part II Parity Check Matrix

5 Parity Check Matrix Approach to Linear Block Codes. 245

5.1 Parity Check Matrix of a Linear Block Code 245

5.2 Parity Check Matrix and Hard-Decision Decoding 249

5.3 Relations Between the Parity Check Matrix and the Generator Matrix 255

5.4 Polynomial Description of the Parity Check Matrix in a Linear Block Code 258

5.5 Encoder Circuit Based on the Parity Check Polynomial and Its State Diagram 260

5.6 Code Concatenation: Effects on \underline{H} Matrix 266

5.7 Code Puncturation: Effects on \underline{H} Matrix. 269

5.8 Shortening Cyclic Codes: Effects on \underline{H} Matrix 272

5.9 Lengthening Cyclic Codes: Effects on \underline{H} Matrix 274

5.10 MLC Codes (s.s. Time-Invariant Convolutional Codes in \underline{G}) and Their \underline{H} Matrix 276

5.11 Some Further Considerations About \underline{H} Matrix in Polynomial Codes 278

5.12 Two Types of Rows in Polynomial Code \underline{H} Matrix. 284

5.13	H-Extended Cyclic (HEC) Codes	286
5.14	Discussion About Dual Polynomial Codes	292
5.15	Modified H-Extended Cyclic (MHEC) Codes	297
5.16	Direct Product Codes: Structure of Their \underline{H} Matrix	301
5.17	Composite Codes Based on GPC Codes	304
5.18	\underline{H} Matrix for Non-binary Block Codes.	312
5.19	Trellis of an s.s. Time-Invariant Block Code Obtained from Its Parity Check Matrix	315
	References.	319
6	Wide-Sense Time-Invariant Block Codes in Their Parity Check Matrix	321
6.1	Periodically Time-Varying Parity Check Matrix	321
6.2	Parity Check Matrix of a Quasi-Cyclic Code	324
6.3	Quasi-Cyclic Codes with Distributed Control Symbols Described with Their \underline{H} Matrix	329
6.4	Encoder Circuit Based on the \underline{H} Matrix in a QC Code.	332
6.5	Shortened Quasi-Cyclic (SQC) Codes and Their \underline{H} Matrix	335
6.6	Lengthened Quasi-Cyclic (LQC) Codes and Their \underline{H} Matrix.	338
6.7	Punctured QC Codes	341
6.8	H-Extended Quasi-Cyclic (HEQC) Codes.	343
6.9	Modified Lengthened Quasi-Cyclic (MLQC) Codes and Their \underline{H} Matrix	346
6.10	Modified H-Extended Quasi-Cyclic (MHEQC) Codes and Their \underline{H} Matrix	347
6.11	Trellis of a w.s. Time-Invariant Block Code Obtained from Its Parity Check Matrix	352
	References.	353
7	Strict-Sense Time-Invariant Convolutional Codes in Their Parity Check Matrix	355
7.1	Syndrome Former Sub-matrix.	355
7.2	Construction of the Syndrome Former Sub-matrix for Low-Rate Convolutional Codes	360
7.3	Extension of the Procedure for Obtaining the Syndrome Former Sub-matrix to High-Rate Convolutional Codes.	366
7.4	Different Types of Not Well Designed Convolutional Codes	372
7.5	Interpretation of Direct Product Codes as Particular Not Well Designed Convolutional Codes	381
7.6	Various Situations for Well Designed and Not Well Designed Convolutional Codes Regarding Their Parity Check Matrix	385

7.7 Systematic Encoder Circuit Based on a Unique Non-periodic Parity Check Polynomial 393

7.8 Another Type of Systematic Encoder Circuit for s.s. Time-Invariant Convolutional Codes in Their \underline{H} Matrix 398

7.9 Tail-Biting Convolutional Codes s.s. Time-Invariant in \underline{H} 403

7.10 Decoding Computational Complexity in the Trellis for s.s. Time-Invariant Convolutional Codes in Their \underline{H} Matrix 408

7.11 A Second Bridge Between Cyclic Block Codes and s.s. Time-Invariant Convolutional Codes 412

References. 417

8 Wide-Sense Time-Invariant Convolutional Codes

in Their Parity Check Matrix 419

8.1 Traditional Obtainment of a Symbolic Parity Check Matrix in a w.s. Time-Invariant Convolutional Code 419

8.2 Null ex-OR Sum of Clusters of Syndromes for Obtaining \underline{G} and Column Construction of \underline{H} 427

8.3 Encoder Circuits Based on Different Parity Check Polynomials 430

8.4 Punctured Convolutional Codes and Their \underline{H} Matrix 432

8.5 Tail-Biting w.s. Time-Invariant Convolutional Codes and Their \underline{H} Matrix 434

8.6 Unwrapping QC Codes Described by Their \underline{H} Matrix 436

8.7 Reordered Versions of a w.s. Time-Invariant Convolutional Code. 438

8.8 Introductory Treatment of Array Codes 443

8.9 Generator Matrix of Improper Array Codes 448

8.10 A Second Bridge Between Quasi-Cyclic Codes and w.s. Time-Invariant Convolutional Codes. 454

8.11 Unwrapping the Tail-Biting Convolutional Form of Improper Array Codes 462

8.12 Further Considerations on Direct Product Codes Related to QC Array Codes 465

References. 468

Part III Modern Coding

9 Turbo Codes 473

9.1 The Basic Idea of Turbo Codes 473

9.2 Some Particular Aspects of RSC Codes 479

9.3 Statistical Prediction of Turbo Code Performance 482

9.4	<u>G</u> Matrix of a Turbo Code and Correct Frame Termination	483
9.5	Outline of the Decoding Algorithm	488
9.6	Turbo Codes in Serial Concatenation	491
9.7	Turbo-Product Codes	493
9.8	Parity Check Matrix of Turbo Codes	498
	References	501
10	Low Density Parity Check Codes	503
10.1	Tanner Graph and Message Passing Decoding Algorithms Constructed on It	503
10.2	Short Cycles and the Row-Column Constraint	506
10.3	Main Families of LDPC Codes	512
10.4	Masking and Row or Column Splitting	517
10.5	LDPC Codes Obtained from Superimposition	521
10.6	Procedures for Obtaining LDPC Codes from Known Non-LDPC Codes	523
10.7	Computer Based Design of Irregular LDPC Codes	528
10.8	Outline of the Sum-Product Algorithm, Its Computational Complexity and Points of Weakness	530
10.9	Statistical Analysis of the Asymptotic Behaviour of Regular and Irregular LDPC Codes	533
10.10	A First Approach to LDPC Convolutional Codes	536
	References	541
11	Binomial Product Generator LDPC Block Codes	545
11.1	Cyclic Version of a Composite Code Based on GPC Codes	545
11.2	Generator Polynomial for a Parallelepiped Concatenation of GPC Codes	549
11.3	Evaluation of the Minimum Distance in BPG Block Codes	553
11.4	Effects of Combined Equalities and of Independent Equalities	558
11.5	Main Results on DC-GPC Codes and Direct Products of DC-GPC Codes	562
11.6	Improper Array LDPC Codes	567
11.7	Generalized Array LDPC Codes	569
11.8	Some Variants of Improper Array Codes	572
11.9	Single-Layer Parity Check Matrix QC Codes	576
	References	580

12 LDPC Convolutional Codes	581
12.1 General Considerations	581
12.2 Modified H-Extended Codes from BPG Block Codes	585
12.3 Convolutional LDPC Codes Obtained by Reordering and Unwrapping BPG Block Codes.	590
12.4 The Best Performance of LDPC Convolutional Codes up to Now	595
12.5 1/2-Rate LDPC Regular Convolutional Codes Directly Designed	598
12.6 High-Rate LDPC Regular Convolutional Codes Directly Designed	603
12.7 High-Rate Irregular LDPC Convolutional Codes Directly Designed	609
12.8 Low-Rate LDPC Convolutional Codes Directly Designed . . .	612
12.9 LDPC Convolutional Codes with Period Length and Number of Information Symbols Per Period not Co-prime . . .	617
12.10 Final Comments	619
References.	621
 Appendix A: Matrix Algebra in a Binary Finite Field	 623
 Appendix B: Polynomial Representation of Binary Sequences	 643
 Appendix C: Electronic Circuits for Multiplication or Division in Polynomial Representation of Binary Sequences	 679
 Appendix D: Survey on the Main Performance of Error Correcting Codes	 691
 Index	 729



<http://www.springer.com/978-3-319-01726-6>

Polynomial Theory of Error Correcting Codes

Cancellieri, G.

2015, XVIII, 732 p. 320 illus., Hardcover

ISBN: 978-3-319-01726-6