

Contents

1	Introduction	1
1.1	Metal Matrix Composites	2
1.2	Advantages of MMC	2
1.3	Limitations of MMC	2
1.4	Applications of Composites	3
2	Literature Review	5
2.1	Automotive Brake System	5
2.2	Materials Used in Automotive Brake Drum	7
2.2.1	Cast Iron	7
2.2.2	Compacted Graphite Iron	7
2.2.3	Steel Shell Cast Iron Composite Brake Drum	8
2.2.4	Steel Cage Reinforced Cast Iron Brake Drum	9
2.2.5	Fly Ash Reinforced Al MMC Brake Drum	10
2.2.6	Silicon Carbide Reinforced Copper MMC	11
2.2.7	Thixoformed Hypereutectic Aluminium Silicon Alloy	11
2.2.8	Carbon/Carbon Composites	13
2.3	Design and Optimization of Brake Drum	13
2.4	Manufacturing of Metal Matrix Composite	14
2.5	Wear Analysis	15
2.6	Testing of MMC for Brake Drum Applications	17
2.7	Summary	18
	References	18
3	Synthesis of Metal Matrix Composites	21
3.1	Introduction	21
3.1.1	Selection of Metal Matrix Composite	22
3.1.2	Selection of Reinforcement	23
3.1.3	Properties of A356/SiCp MMC	23
3.2	Manufacturing of MMC Brake Drum	24
3.2.1	Solid State Process	24

3.2.2	Powder Consolidation	24
3.2.3	Diffusion Bonding.	25
3.2.4	Liquid State Process	25
3.2.5	Infiltration	25
3.2.6	Dispersion Process	26
3.2.7	Spray Process	27
3.2.8	In Situ Process	28
3.2.9	Deposition Process	28
3.3	Fabrication of Dispersion Process Casting Set-up	29
3.3.1	Melting Arrangement.	29
3.3.2	Feeding Arrangement	30
3.3.3	Fabrication of Stirrer Arrangement	30
3.4	Manufacturing of Al MMC Brake Drum	31
3.4.1	Melting of Aluminum Alloy.	31
3.4.2	Preheating of Reinforcement Particle.	31
3.4.3	Stirring	31
3.4.4	Casting	32
3.4.5	Machining of Casting	32
3.5	Summary	33
	References	34
4	Fabrication of Experimental Set-up and Testing	35
4.1	Introduction	35
4.1.1	Power Transmission in Brake System	36
4.1.2	Thermal Analysis of Brake Drum	37
4.2	Experimental Procedures	38
4.2.1	Fabrication of Brake Drum Test Rig	38
4.3	Results and Discussions	39
4.3.1	Dynamic Friction Coefficient	39
4.3.2	Continuous Braking.	45
4.3.3	Repeated Braking	48
4.4	Summary	48
	References	49
5	Wear Analysis	51
5.1	Introduction	51
5.2	Materials for Wear Test	52
5.2.1	Material for Wear Disc	52
5.2.2	Material for Pin	53
5.3	Wear and Friction Coefficient.	53
5.3.1	Frictional Force	53
5.3.2	Wear Coefficient of Disc Materials	54
5.3.3	Wear Coefficient of Lining Material	54
5.4	Experimental Procedures	55

- 5.5 Results and Discussions 56
 - 5.5.1 Wear of Cast Iron Sliding Against Friction Material 56
 - 5.5.2 Wear of MMC Against Friction Material 56
 - 5.5.3 Wear Comparison of Cast Iron and MMC 57
 - 5.5.4 Wear of Friction Material Against Cast Iron 58
 - 5.5.5 Wear of Friction Material Against MMC 59
 - 5.5.6 Comparison of Wear in Friction Material. 60
 - 5.5.7 Frictional Force 61
 - 5.5.8 Friction Coefficient 62
- 5.6 Optical Micrograph of Contact Surfaces 63
- References 65

- 6 Machinability of Metal Matrix Composites 67**
 - 6.1 Experimental Procedure 68
 - 6.1.1 Material Synthesizing 68
 - 6.1.2 Experimental Setup 70
 - 6.2 Results and Discussion 71
 - 6.2.1 Response Surface Regression Analysis 72
 - 6.2.2 RS Model Analysis 74
 - 6.2.3 Prediction of Output Using ANN 78
 - 6.2.4 Chip Formation Mechanisms 79
 - 6.2.5 Effect of Hyperlox Coating on Tool Wear 81
 - 6.3 Summary 84
 - References 84



<http://www.springer.com/978-3-319-02984-9>

Metal Matrix Composites

Synthesis, Wear Characteristics, Machinability Study of
MMC Brake Drum

Natarajan, N.; Krishnaraj, V.; Davim, J.P.

2015, XIII, 85 p. 65 illus., Softcover

ISBN: 978-3-319-02984-9