

# Contents

<b>1</b>	<b>Introduction</b>	1
1.1	Bose–Einstein Condensation	1
1.2	The Many-Body Physics of Tunneling	2
1.3	Theoretical Description of Quantum Many-Body Systems	3
1.4	Structure of this Thesis	5
	References	6
<b>2</b>	<b>Theoretical Concepts and Numerical Methods</b>	9
2.1	The Schrödinger Equation from a Many-Body Perspective	9
2.1.1	Second Quantization	10
2.1.2	Quantities of Interest	15
2.2	Theoretical Methods Employing the Full Many-Boson Hamiltonian	18
2.2.1	The Time-Dependent Variational Principle	18
2.2.2	The Time-Dependent Gross–Pitaevskii Equation	19
2.2.3	Best Mean-Field	20
2.2.4	The Multiconfigurational Time-Dependent Hartree Method for Bosons	22
2.3	Theoretical Methods Employing Model Hamiltonians	24
2.3.1	Bose–Hubbard and Time-Evolved Block Decimation	24
2.3.2	The Discrete Non-Linear Schrödinger Equation	25
2.4	Numerical Methods	26
2.4.1	The Multiconfigurational Time-Dependent Hartree for Bosons Software Package	26
	References	32
<b>3</b>	<b>Benchmarks with Analytically Solvable Problems</b>	35
3.1	The Harmonic Interaction Model	36
3.2	Benchmark Studies with the Harmonic Interaction Model	37
3.2.1	One-Dimensional HIM	39
3.2.2	Two-Dimensional HIM	45
3.3	Dynamics of an Interaction Quench in the Harmonic Interaction Model	48

- 3.4 Comment on the Effects of the Separability of the Harmonic Interaction Model . . . . . 50
- 3.5 Discussion and Summary of the Benchmark with the Harmonic Interaction Model. . . . . 51
- References . . . . . 53
- 4 A Case Study with an Attractive BEC: Comparison of Lattice Model, Gross–Pitaevskii, and MCTDHB Predictions on a Tunneling Process. . . . . 55**
  - 4.1 Mapping of Discrete and Continuous Space Problems . . . . . 56
  - 4.2 Comparison of DNLS, BH, TDGP and MCTDHB Dynamics . . . . . 58
  - References . . . . . 61
- 5 Theoretical Considerations and Analytical Models on the Many-Body Physics of Tunneling Bosons . . . . . 63**
  - 5.1 Analytical Considerations Within the Gross–Pitaevskii Approximation . . . . . 63
  - 5.2 Analytical Considerations Beyond Gross–Pitaevskii. . . . . 66
    - 5.2.1 Decomposition of Hilbert Space into Subspaces . . . . . 66
    - 5.2.2 Model for the Energetics of the Many-Body Physics of Tunneling to Open Space. . . . . 69
    - 5.2.3 Model with Two Momenta from Single-Particle States . . . . . 71
  - References . . . . . 73
- 6 Tunneling of a Many-Boson System to Open Space Without a Threshold . . . . . 75**
  - 6.1 One-Body Density and Integrals on It . . . . . 77
  - 6.2 Momentum Distributions . . . . . 78
  - 6.3 Coherence from Natural Occupations and Correlation Functions. . . . . 81
  - 6.4 Tunneling Without a Threshold and Stronger Interactions . . . . . 83
  - 6.5 Direct Detection of the Momentum Spectra . . . . . 84
  - 6.6 Connection of the Numerical Experiment to Prior Model Considerations. . . . . 86
  - References . . . . . 87
- 7 Tunneling of a Many-Boson System to Open Space with a Threshold . . . . . 89**
  - 7.1 Setup . . . . . 90
  - 7.2 Threshold Potentials and Their Dynamics from the Point of View of Energetics . . . . . 92
  - 7.3 Controlling the Dynamics of Two Bosons by the Threshold . . . . . 93

7.4 Controlling the Dynamics of Three Bosons  
by the Interactions . . . . . 100

7.4.1 Nonescape Probabilities . . . . . 102

7.4.2 Coherence and Correlations in the Tunneling Process  
with a Threshold for  $N = 3$  . . . . . 103

7.5 Validation of the Control Scheme for Stronger Interactions  
and Larger Particle Numbers. . . . . 105

References . . . . . 107

**8 Final Remarks and Outlook . . . . . 109**

8.1 Final Remarks. . . . . 109

8.2 Outlook . . . . . 111

References . . . . . 112

**Appendix A: Particle Loss Operators . . . . . 113**

**Appendix B: The Concept of Local Fragmentation . . . . . 117**

**Appendix C: Reduced One-Body Density Matrix and Momentum  
Distribution of a Gross-Pitaevskii Wave Function  
Composed of Two Plane Waves. . . . . 121**

**Appendix D: Derivation of the Reduced One-body Density  
for a System Tunneling with Two Momenta . . . . . 125**

**Appendix E: Derivation of the Diagonal of the Reduced Two-body  
Density for a System Tunneling with Two Momenta . . . . . 127**

**Appendix F: Derivation of the Diagonal of the Second Order  
Correlation Function for a System Tunneling  
with Two Momenta. . . . . 129**

**Appendix G: Densities of a Model with Delocalized Orbitals  
and Two Momenta . . . . . 131**

**Appendix H: Author’s Works and Awards . . . . . 135**

**Index . . . . . 139**



<http://www.springer.com/978-3-319-07084-1>

Tunneling Dynamics in Open Ultracold Bosonic Systems  
Numerically Exact Dynamics - Analytical Models -  
Control Schemes

Lode, A.U.J.

2015, XIX, 139 p. 43 illus. in color., Hardcover

ISBN: 978-3-319-07084-1