

# Contents

<b>1</b>	<b>Introduction</b> . . . . .	1
1.1	Design Codes of Practice for Jacket Platforms . . . . .	1
1.2	Geographic Region of Offshore Malaysia . . . . .	3
1.3	Uncertainty . . . . .	4
1.3.1	Uncertainty of Resistance . . . . .	4
1.4	Uncertainty of Loads . . . . .	5
1.5	Structural Safety and Reliability . . . . .	6
1.5.1	Environmental Load Factor for Component and Joint . . . . .	6
1.5.2	System Reliability and Environmental Load Factor . . . . .	8
1.6	Bayesian Updating of Probability of Failure . . . . .	8
1.7	Outline of the Chapters . . . . .	9
	References . . . . .	10
<b>2</b>	<b>Past Developments</b> . . . . .	13
2.1	Design Codes of Practice for Jacket Platforms . . . . .	13
2.1.1	API RP2A-WSD . . . . .	14
2.1.2	API RP2A-LRFD/ISO 19902 . . . . .	15
2.1.3	Benefits of Limit State Design Code . . . . .	15
2.1.4	Safety Factor . . . . .	16
2.2	Geographic Region of Offshore Malaysia . . . . .	17
2.2.1	History of Offshore Oil Production . . . . .	17
2.2.2	Jacket Platform Design in Malaysia . . . . .	18
2.3	Uncertainty . . . . .	18
2.3.1	Uncertainty of Loads and Resistance . . . . .	19
2.3.2	Basic Uncertainty . . . . .	19
2.3.3	Sources of Uncertainty . . . . .	20
2.3.4	Parameters of Uncertainty . . . . .	21
2.3.5	Types of Resistance Uncertainty . . . . .	22

2.4	Resistance Uncertainty-Background Study . . . . .	24
2.4.1	Material Uncertainty. . . . .	25
2.4.2	Characteristic Resistance . . . . .	26
2.4.3	Geometric Uncertainty . . . . .	26
2.4.4	Resistance Model Uncertainty . . . . .	26
2.4.5	Critical Review of Resistance Uncertainty. . . . .	27
2.5	Load Uncertainty . . . . .	28
2.5.1	Load Uncertainty Parameters . . . . .	28
2.5.2	Statistical Data Uncertainty for Environmental Load . . . . .	29
2.5.3	Critical Analysis of Load Uncertainty . . . . .	33
2.6	Environmental Load Modelling of Jacket Response . . . . .	33
2.6.1	Environmental Load Uncertainty Model . . . . .	33
2.6.2	Dead Load . . . . .	34
2.6.3	Live Load . . . . .	34
2.7	Structural Reliability . . . . .	34
2.7.1	Reliability Levels . . . . .	35
2.7.2	Parameters of Structural Reliability . . . . .	35
2.7.3	Review of Structural Reliability Methods . . . . .	39
2.8	Component Reliability and Previous Work . . . . .	41
2.8.1	Component Reliability Index-critical Review . . . . .	42
2.9	Resistance Factor . . . . .	42
2.10	Joint Reliability and Previous Work. . . . .	42
2.10.1	Joint Reliability Index-critical Review. . . . .	43
2.11	Reliability and Environmental Load Factor . . . . .	43
2.11.1	Code Calibration . . . . .	44
2.12	Nonlinear Collapse Analysis . . . . .	44
2.13	System Reliability and Reserve Strength Ratio (RSR) . . . . .	45
2.13.1	Previous Work on System Reliability and Load Factors . . . . .	46
2.13.2	System-based Environmental Load Factor-Critical Review . . . . .	46
2.14	Assessment of Jacket . . . . .	47
2.14.1	Bayesian Updating and Probability of Failure . . . . .	47
2.14.2	Damaged Structural Members . . . . .	48
2.14.3	Critical Review of Updating of Probability of Failure . . . . .	48
2.15	Summary . . . . .	49
	References . . . . .	49

<b>3</b>	<b>Research Applications</b> . . . . .	55
3.1	Introduction . . . . .	55
3.2	Resistance Uncertainty for Jacket Platforms in Malaysia . . . . .	56
3.2.1	Collection of Data for Resistance Parameters . . . . .	56
3.2.2	Statistical Analysis of Geometric and Material Variables . . . . .	58
3.2.3	Component and Joint Stress Model Uncertainty . . . . .	59
3.3	Load Uncertainty for Offshore Jacket Platforms in Malaysia . . . . .	62
3.3.1	ISO and Metocean Criteria. . . . .	62
3.3.2	Environmental Load Uncertainty Parameters. . . . .	63
3.3.3	Geographical Data for Environmental Load Parameters for Offshore Malaysia . . . . .	66
3.3.4	Statistical Analysis of Environmental Load Parameters . . . . .	66
3.3.5	Weibull Distribution . . . . .	67
3.3.6	Gumbel Distribution. . . . .	69
3.3.7	Environmental Load for SACS. . . . .	71
3.4	Structural Reliability . . . . .	72
3.4.1	Form . . . . .	73
3.4.2	Monte Carlo Simulations for Determination of Probability of Failure . . . . .	75
3.4.3	Selection of Jacket Platforms for Reliability Analysis . . . . .	76
3.4.4	SACS Analysis . . . . .	77
3.4.5	Load Ratios . . . . .	79
3.4.6	Soil Conditions Effect on Component and Joint . . . . .	80
3.5	Component Reliability . . . . .	81
3.5.1	Single Stresses Case Study: Axial Tension . . . . .	82
3.6	Joint Reliability . . . . .	84
3.6.1	Target Reliability . . . . .	85
3.7	Environmental Load Factor . . . . .	85
3.8	Resistance Factor . . . . .	85
3.9	System Reliability-Based Environmental Loads . . . . .	85
3.9.1	SACS Collapse Module . . . . .	86
3.9.2	Collapse Analysis of Jacket . . . . .	87
3.9.3	SACS Load Model . . . . .	88
3.9.4	SACS Jacket Model for Pushover Analysis . . . . .	88
3.9.5	Wave and Current Loads in Malaysia. . . . .	89
3.9.6	Curve Fitting. . . . .	90
3.9.7	Safety Factor for Jacket System: API WSD and ISO 19902 . . . . .	90
3.9.8	Limit State Function for System Environmental Loading . . . . .	92
3.9.9	Target System Probability of Failure . . . . .	92

- 3.10 System-Based Environmental Load Factor . . . . . 93
- 3.11 Assessment of Jacket Platform. . . . . 93
  - 3.11.1 Uncertainty Model for Resistance and Load . . . . . 94
  - 3.11.2 Bayesian Updating of Probability of Failure-Intact Structure . . . . . 94
  - 3.11.3 Bayesian Updating of Probability of Failure-Damaged Structure . . . . . 96
- 3.12 Summary . . . . . 96
- References. . . . . 98
  
- 4 Uncertainty Modelling of Resistance. . . . . 101**
  - 4.1 Introduction . . . . . 101
  - 4.2 Resistance Uncertainty. . . . . 101
  - 4.3 Statistical Properties of Fundamental Variable for Resistance. . . . . 102
    - 4.3.1 Geometric Properties . . . . . 103
    - 4.3.2 Material Properties . . . . . 106
  - 4.4 Probabilistic Model Stresses Used in ISO Code 19902. . . . . 108
    - 4.4.1 Component Stresses . . . . . 109
    - 4.4.2 Joint Stresses . . . . . 112
  - 4.5 Summary . . . . . 123
  - References. . . . . 124
  
- 5 Uncertainty Modelling of Load . . . . . 125**
  - 5.1 Introduction . . . . . 125
  - 5.2 Load Factor and Uncertainty . . . . . 125
  - 5.3 Load Uncertainty . . . . . 126
  - 5.4 Wave and Current Directionality for Offshore Malaysia. . . . . 126
    - 5.4.1 South China Sea . . . . . 127
    - 5.4.2 Wave . . . . . 128
    - 5.4.3 Current . . . . . 130
  - 5.5 Wave Load Models. . . . . 132
    - 5.5.1 PMO Region. . . . . 132
    - 5.5.2 SBO Region . . . . . 134
    - 5.5.3 SKO Region . . . . . 136
    - 5.5.4 Gulf of Mexico (GOM) and North Sea (NS) . . . . . 137
  - 5.6 Wind Load Model . . . . . 139
    - 5.6.1 PMO Region. . . . . 139
    - 5.6.2 SBO Region . . . . . 141
    - 5.6.3 SKO Region . . . . . 143
    - 5.6.4 Gulf of Mexico (GOM) and North Sea (NS) . . . . . 143
  - 5.7 Current Load Model. . . . . 146
    - 5.7.1 PMO Region. . . . . 146
    - 5.7.2 SBO Region . . . . . 146
    - 5.7.3 SKO Region . . . . . 147
    - 5.7.4 Gulf of Mexico (GOM) and North Sea (NS) . . . . . 150

5.8	Summary .....	152
	References .....	153
<b>6</b>	<b>Tubular Strength Comparison of Offshore Jacket Structures Under API RP 2A and ISO 19902.</b> .....	155
6.1	Introduction .....	155
6.2	Design Codes for Jackets .....	156
6.3	Numerical Analysis Background .....	159
6.4	Comparison of Tubular Strength Equations in Different Codes .....	159
6.4.1	Axial Tension .....	160
6.4.2	Axial Compression .....	161
6.4.3	Bending .....	166
6.4.4	Shear .....	167
6.4.5	Hydrostatic Pressure (Hoop Buckling) .....	167
6.4.6	Combined Stresses Without Hydrostatic Pressure .....	169
6.4.7	Combined Stresses with Hydrostatic Pressure .....	170
6.5	Summary .....	171
	References .....	172
<b>7</b>	<b>Component Reliability and Environmental Load Factor</b> .....	175
7.1	Introduction .....	175
7.2	Selection of Members .....	175
7.3	Component Target Reliability .....	177
7.4	Component Reliability Analysis .....	178
7.4.1	Code Stresses .....	178
7.4.2	Sensitivity Analysis .....	182
7.4.3	Effect of Variation of Environmental Load Factor .....	183
7.4.4	Effect of Column Slenderness Ratio .....	183
7.4.5	Calibration Points for Jackets .....	186
7.4.6	Selection of Environmental Load Factor .....	186
7.4.7	PMO Platform .....	187
7.4.8	SBO Platform .....	189
7.4.9	SKO Region .....	191
7.5	All Regions and All Components Combined Result .....	194
7.6	Resistance Factor .....	195
7.6.1	Axial Tension .....	195
7.6.2	Axial Compression .....	196
7.7	Summary .....	196
	References .....	197
<b>8</b>	<b>Joint Reliability Analysis and Environmental Load Factor</b> .....	199
8.1	Introduction .....	199
8.2	Selection of Joints .....	199

8.2.1	K-Joints	199
8.2.2	T/Y-Joints	202
8.2.3	X-Joints	203
8.3	Beta Factor ( $\beta$ ) Effects (d/D) on Reliability Index	206
8.3.1	K-Joints	206
8.3.2	T/Y-Joints	206
8.3.3	X-Joints	208
8.4	Gamma Factor ( $\gamma$ ) Effects (D/2T)	209
8.4.1	K-Joints: Tension/Compression	210
8.4.2	T/Y-Joints	211
8.4.3	X-Joints	212
8.5	Variation of Environmental Load Factor	214
8.6	Calibration of API (WSD) and ISO (LRFD) Reliability Index	215
8.7	Environmental Load Factor	216
8.7.1	PMO Region Platform	216
8.7.2	SBO Region Platform	217
8.7.3	SKO Region	219
8.8	All Regions and All Joints Combined Result	222
8.9	Summary	223
	References	223
<b>9</b>	<b>System Reliability-Based Environmental Loading</b>	<b>225</b>
9.1	Introduction	225
9.2	System Strength Reliability	225
9.2.1	Wave and Current	226
9.2.2	Curve Fitting	226
9.2.3	Selection of RSR for Jackets in Malaysia	230
9.3	System Environmental Load Factor	232
9.4	Summary	239
	References	239
<b>10</b>	<b>Extension of Life of Jacket Platforms</b>	<b>241</b>
10.1	Introduction	241
10.2	Collapse Analysis of Jacket	241
10.2.1	Wave Effect on Collapse Load	242
10.2.2	Directional Base Shear	243
10.2.3	Wave Directional Effects on Collapse Base Shear	243
10.2.4	System Redundancy	248
10.3	Updating the Probability of Failure	248
10.3.1	Sensitivity Analysis	248
10.3.2	Bayesian Updating the Probability of Failure	252
10.3.3	Bayesian Updating Probability of Failure with Damaged Members	257
10.4	Summary	262
	References	262

<b>11</b>	<b>Conclusions and Recommendations</b> . . . . .	263
11.1	Uncertainty . . . . .	263
11.1.1	(a) Resistance Uncertainty . . . . .	263
11.1.2	(b) Environmental Load Uncertainty . . . . .	264
11.2	Load Factors. . . . .	264
11.2.1	Component Reliability and Environmental Load Factor. . . . .	264
11.2.2	Joint Reliability and Joint-based Environmental Load Factor. . . . .	264
11.2.3	System-based Environmental Load Factor. . . . .	265
11.3	Bayesian Updating of Probability of Failure for Reassessment . . . . .	265
11.4	Future Work . . . . .	265
11.5	Time Variant Reliability . . . . .	266
11.6	Accidental Limit State . . . . .	266
11.7	Operational Condition Reliability . . . . .	266
11.8	Structural Reliability of Floaters . . . . .	266
11.9	Environmental Load Parameter Modelling . . . . .	266
11.10	Reassessment of Jacket . . . . .	267
11.11	Bayesian Updating Due to Change of Conditions . . . . .	267
11.12	Reliability of Offshore Mooring Foundations . . . . .	267
	References. . . . .	267
	<b>Appendix A: Tubular Member API WSD and ISO 19902</b>	
	<b>Code Provisions</b> . . . . .	269
	<b>Appendix B: Tubular Joints API WSD and ISO 19902</b>	
	<b>Code Provisions</b> . . . . .	271
	<b>Appendix C: MATLAB Programing</b> . . . . .	273
	<b>Appendix D: Load Ratios</b> . . . . .	289
	<b>Appendix E: Wave Load Against Corresponding Base Shear</b> <b>in 8 Directions at SBO, SKO1, SKO2 and SKO2a Jacket Platforms</b> . . . . .	291
	<b>Appendix F: Evaluation of RSR of 1.0 and System Redundancy</b> . . . . .	303
	<b>Glossary of Useful Terms</b> . . . . .	335



<http://www.springer.com/978-3-319-15050-5>

Environmental Load Factors and System Strength  
Evaluation of Offshore Jacket Platforms

Nizamani, Z.

2015, XXII, 335 p. 296 illus., Hardcover

ISBN: 978-3-319-15050-5