

---

## Series Preface

Mycology, the study of fungi, originated as a sub discipline of botany and was a descriptive discipline, largely neglected as an experimental science until the early years of this century. A seminal paper by Blakeslee in 1904 provided evidence for self-incompatibility, termed “heterothallism,” and stimulated interest in studies related to the control of sexual reproduction in fungi by mating-type specificities. Soon to follow was the demonstration that sexually reproducing fungi exhibit Mendelian inheritance and that it was possible to conduct formal genetic analysis with fungi. The names Burgeff, Kniep and Lindegren are all associated with this early period of fungal genetics research.

These studies and the discovery of penicillin by Fleming, who shared a Nobel Prize in 1945, provided further impetus for experimental research with fungi. Thus, began a period of interest in mutation induction and analysis of mutants for biochemical traits. Such fundamental research, conducted largely with *Neurospora crassa*, led to the one gene:one enzyme hypothesis and to a second Nobel Prize for fungal research awarded to Beadle and Tatum in 1958. Fundamental research in biochemical genetics was extended to other fungi, especially to *Saccharomyces cerevisiae*, and by the mid-1960s fungal systems were much favored for studies in eukaryotic molecular biology and were soon able to compete with bacterial systems in the molecular arena.

The experimental achievements in research on the genetics and molecular biology of fungi have benefited more generally studies in the related fields of fungal biochemistry, plant pathology, medical mycology, and systematics. Today, there is much interest in the genetic manipulation of fungi for applied research. This current interest in biotechnical genetics has been augmented by the development of DNA-mediated transformation systems in fungi and by an understanding of gene expression and regulation at the molecular level. Applied research initiatives involving fungi extend broadly to areas of interest not only to industry but to agricultural and environmental sciences as well.

It is this burgeoning interest in fungi as experimental systems for applied as well as basic research that has prompted publication of this series of books under the title *The Mycota*. This title knowingly relegates fungi into a separate realm, distinct from that of either plants, animals, or protozoa. For consistency throughout this series of volumes, the names adopted for major groups of fungi (representative genera in parentheses) are as follows:

### *Pseudomycota*

Division: Oomycota (*Achlya*, *Phytophthora*, *Pythium*)  
Division: Hyphochytriomycota

*Eumycota*

Division:	Chytridiomycota ( <i>Allomyces</i> )
Division:	Zygomycota ( <i>Mucor</i> , <i>Phycomyces</i> , <i>Blakeslea</i> )
Division:	Dikaryomycota
Subdivision:	Ascomycotina
Class:	Saccharomycetes ( <i>Saccharomyces</i> , <i>Schizosaccharomyces</i> )
Class:	Ascomycetes ( <i>Neurospora</i> , <i>Podospora</i> , <i>Aspergillus</i> )
Subdivision:	Basidiomycotina
Class:	Heterobasidiomycetes ( <i>Ustilago</i> , <i>Tremella</i> )
Class:	Homobasidiomycetes ( <i>Schizophyllum</i> , <i>Coprinus</i> )

We have made the decision to exclude from The Mycota the slime molds which, although they have traditional and strong ties to mycology, truly represent nonfungal forms insofar as they ingest nutrients by phagocytosis, lack a cell wall during the assimilative phase, and clearly show affinities with certain protozoan taxa.

The series throughout will address three basic questions: what are the fungi, what do they do, and what is their relevance to human affairs? Such a focused and comprehensive treatment of the fungi is long overdue in the opinion of the editors.

A volume devoted to systematics would ordinarily have been the first to appear in this series. However, the scope of such a volume, coupled with the need to give serious and sustained consideration to any reclassification of major fungal groups, has delayed early publication. We wish, however, to provide a preamble on the nature of fungi, to acquaint readers who are unfamiliar with fungi with certain characteristics that are representative of these organisms and which make them attractive subjects for experimentation.

The fungi represent a heterogeneous assemblage of eukaryotic microorganisms. Fungal metabolism is characteristically heterotrophic or assimilative for organic carbon and some nonelemental source of nitrogen. Fungal cells characteristically imbibe or absorb, rather than ingest, nutrients and they have rigid cell walls. The vast majority of fungi are haploid organisms reproducing either sexually or asexually through spores. The spore forms and details on their method of production have been used to delineate most fungal taxa. Although there is a multitude of spore forms, fungal spores are basically only of two types: (1) asexual spores are formed following mitosis (mitospores) and culminate vegetative growth, and (2) sexual spores are formed following meiosis (meiospores) and are borne in or upon specialized generative structures, the latter frequently clustered in a fruit body. The vegetative forms of fungi are either unicellular, yeasts are an example, or hyphal; the latter may be branched to form an extensive mycelium.

Regardless of these details, it is the accessibility of spores, especially the direct recovery of meiospores coupled with extended vegetative haploidy, that have made fungi especially attractive as objects for experimental research.

The ability of fungi, especially the saprobic fungi, to absorb and grow on rather simple and defined substrates and to convert these substances, not only into essential metabolites but into important secondary metabolites, is also noteworthy. The metabolic capacities of fungi have attracted much interest in natural products chemistry and in the production of antibiotics and other bioactive compounds. Fungi, especially yeasts, are important in fermentation processes. Other fungi are important in the production of enzymes, citric acid, and other organic compounds as well as in the fermentation of foods.

Fungi have invaded every conceivable ecological niche. Saprobian forms abound, especially in the decay of organic debris. Pathogenic forms exist with both plant and animal hosts. Fungi even grow on other fungi. They are found in aquatic as well as soil environments, and their spores may pollute the air. Some are edible; others are poisonous. Many are variously associated with plants as copartners in the formation of lichens and mycorrhizae, as symbiotic endophytes or as overt pathogens. Association with animal systems varies; examples include the predaceous fungi that trap nematodes, the microfungi that grow in the anaerobic environment of the rumen, the many insect associated fungi, and the medically important pathogens afflicting humans. Yes, fungi are ubiquitous and important. There are many fungi, conservative estimates are in the order of 100,000 species, and there are many ways to study them, from descriptive accounts of organisms found in nature to laboratory experimentation at the cellular and molecular level. All such studies expand our knowledge of fungi and of fungal processes and improve our ability to utilize and to control fungi for the benefit of humankind.

We have invited leading research specialists in the field of mycology to contribute to this series. We are especially indebted and grateful for the initiative and leadership shown by the Volume Editors in selecting topics and assembling the experts. We have all been a bit ambitious in producing these volumes on a timely basis and therein lies the possibility of mistakes and oversights in this first edition. We encourage the readership to draw our attention to any error, omission, or inconsistency in this series in order that improvements can be made in any subsequent edition.

Finally, we wish to acknowledge the willingness of Springer-Verlag to host this project, which is envisioned to require more than 5 years of effort and the publication of at least nine volumes.

Bochum, Germany  
Auburn, AL, USA  
April 1994

KARL ESSER  
PAUL A. LEMKE  
*Series Editors*



---

## Volume Preface

The years in between the previous and the current third edition of *The Mycota III* witnessed a dramatic change in how we address scholarly questions in fungal biology. Above all, the rapidly advancing technologies to generate massive amounts of nucleic acid sequence data that enabled the exponential growth of the number of sequenced genomes and the increased quality of transcriptomes have provided insight into the function and evolution of fungi to an extent we would probably not have even dreamed of 10 years ago. Consequently, results reviewed in the newly written or updated chapters of this volume underscore the copious availability of genomes, transcriptomes, or proteomes, which has become the expected norm.

To truly advance fungal biology, we need to be careful in order not to get sidetracked and drowned in an ocean of computer-produced data. “We are at the start of what will be one of the most exciting periods of advance and discovery in the history of our field.” These words, written by Professors Robert Brambl and George A. Marzluf in the preface of the second edition of *The Mycota III*, should encourage us, more than ever, to be thoughtful in asking the right questions and to test hypotheses—beyond the *in silico* level—experimentally through wet-bench work.

To produce the third edition of *The Mycota III*, the Editor was privileged to work with diligent and enthusiastic experts as both recurring and first-time chapter contributors. The Editor is both pleased and thankful of the five returning authors/author teams and additionally excited to have many new authors. It was the aim of the Editor to cover fungi as broadly and comprehensively as possible. Accordingly, chapters highlighting the aspects of zygomycete and basidiomycete biology appear to complement contributions that focus on precious model species, such as *Aspergilli*. Also, primary metabolism, gene regulation, and signal transduction were further emphasized in the new volume, e.g., with chapters on major metabolic routes, RNA interference, regulation in plant pathogenic fungi, but also on global regulation of *Aspergillus* natural product biosyntheses, the latter to reflect the markedly increased interest in fungal secondary metabolites.

The Editor cordially thanks Dr. Andrea Schlitzberger of Springer Publishers for excellent and competent guidance throughout the production process and, last but not least, the Series Editor, Professor Emeritus Karl Esser, for precious advice and encouragement that was always combined with a fine sense of humor.

Jena, Germany  
October 2015

Dirk Hoffmeister



<http://www.springer.com/978-3-319-27788-2>

Biochemistry and Molecular Biology

Hoffmeister, D. (Ed.)

2016, XVIII, 397 p. 50 illus., 29 illus. in color., Hardcover

ISBN: 978-3-319-27788-2