

# Contents

<b>1 Introduction</b> . . . . .	1
References. . . . .	2
<b>2 Iron Rich Iron-Aluminides</b> . . . . .	3
2.1 Structure . . . . .	3
2.1.1 Lattice Parameter . . . . .	5
2.1.2 Long-Range Order and Sublattice Occupancies. . . . .	5
2.1.3 Phase Transformations . . . . .	6
2.1.4 Short-Range Order and K-State. . . . .	7
2.2 Defects . . . . .	7
2.2.1 Point Defects: Vacancies and Anti-site Atoms . . . . .	7
2.2.2 Dislocations. . . . .	10
2.2.3 Anti-phase Domains and Boundaries. . . . .	11
2.3 Yield Stress Anomaly. . . . .	11
References. . . . .	12
<b>3 Experimental Methods</b> . . . . .	19
3.1 Composition . . . . .	19
3.2 Bridgman Method. . . . .	19
3.3 Sample Cutting and Orientation . . . . .	21
3.4 Laue Back-Reflection X-Ray Diffraction . . . . .	23
3.5 Annealing . . . . .	24
3.6 Atomic Force Microscopy . . . . .	24
3.6.1 Contact and Tapping Mode. . . . .	26
3.6.2 Feedback Loop Tuning . . . . .	27
3.6.3 Sample Preparation . . . . .	28
3.6.4 In-Situ Deformation . . . . .	29
3.6.5 Step Fiting Method . . . . .	32
3.6.6 Drift and Image Alignment. . . . .	33
3.7 Transmission Electron Microscopy . . . . .	34
3.7.1 Diffraction Contrast. . . . .	34
3.7.2 Visibility of Dislocations. . . . .	36

3.7.3	Kikuchi Line Fitting . . . . .	36
3.7.4	Stereo Reconstruction . . . . .	39
3.7.5	Sample Preparation . . . . .	41
	References. . . . .	41
<b>4</b>	<b>Observations of Dislocations and Other Results . . . . .</b>	<b>45</b>
4.1	Deformation . . . . .	45
4.2	Order . . . . .	47
4.2.1	Selected Area Electron Diffraction . . . . .	47
4.2.2	Anti-phase Domains . . . . .	49
4.3	Carbide Particles. . . . .	49
4.4	Fe–Al <sub>20</sub> . . . . .	52
4.4.1	TEM of Undeformed Material. . . . .	52
4.4.2	Wavy Slip . . . . .	52
4.4.3	Bowtie Structures . . . . .	55
4.5	Fe–Al <sub>28</sub> . . . . .	59
4.5.1	TEM of Undeformed Material. . . . .	59
4.5.2	In-Situ AFM Observations . . . . .	61
4.5.3	AFM Observations of Samples Deformed at Different Temperatures . . . . .	61
4.5.4	TEM Observations of Samples Deformed at Diferent Temperatures. . . . .	61
4.6	Fe–Al <sub>40</sub> . . . . .	74
4.6.1	Square Dislocation Loops in Undeformed Material. . . . .	74
4.6.2	In-Situ AFM Observations . . . . .	75
4.6.3	TEM Observations of Deformed Sample. . . . .	76
<b>5</b>	<b>Discussion . . . . .</b>	<b>81</b>
5.1	Deformation . . . . .	81
5.2	Order and Anti-phase Boundaries. . . . .	82
5.3	Carbides . . . . .	82
5.4	Fe–Al <sub>20</sub> . . . . .	86
5.5	Fe–Al <sub>28</sub> . . . . .	88
5.6	Fe–Al <sub>40</sub> . . . . .	90
	References. . . . .	90
<b>6</b>	<b>Summary . . . . .</b>	<b>93</b>
	Reference . . . . .	94
	<b>Appendix A: Supplementary Material. . . . .</b>	<b>95</b>
	<b>Curriculum Vitae . . . . .</b>	<b>99</b>



<http://www.springer.com/978-3-319-48301-6>

Nanoscale AFM and TEM Observations of Elementary  
Dislocation Mechanisms

Veselý, J.

2017, XIV, 100 p. 86 illus., 21 illus. in color., Hardcover

ISBN: 978-3-319-48301-6