

# Contents

|          |  |           |
|----------|--|-----------|
| <b>1</b> | <b>Amphoteric Metal Hazardous Wastes and Hydrometallurgical Processes of Zinc and Lead . . . . .</b> | <b>1</b>  |
| 1.1      | Amphoteric Metal Hazardous Wastes . . . . .  | 2         |
| 1.2      | Pyrometallurgical Treatment Processes for Zinc and Lead . . . . .                                    | 4         |
| 1.3      | Stabilization of Heavy Metals for Hazardous Wastes . . . . .   | 4         |
| 1.4      | Acidic Leaching Process for Zinc and Lead Ores and Wastes . . . . .                                  | 5         |
| 1.5      | Alkaline Leaching Process for Zinc and Lead Ores and Wastes . . . . .                                | 5         |
| 1.6      | Hydrometallurgical Production of Zinc . . . . .  | 6         |
| 1.7      | Metallurgy of Lead . . . . .   | 9         |
| 1.7.1    | Oxidation-Reduction Smelting . . . . .   | 9         |
| 1.7.2    | Reaction-Melting . . . . .   | 10        |
| 1.7.3    | Precipitation Melting . . . . .  | 10        |
| 1.7.4    | Alkali Melting . . . . .   | 11        |
| <b>2</b> | <b>Thermodynamics of Alkaline Leaching of Zinc and Lead Hazardous Wastes . . . . .</b>               | <b>13</b> |
| 2.1      | Thermodynamics of Alkaline Leaching of Zinc Hazardous Wastes . . . . .                               | 13        |
| 2.1.1    | Morphology Distribution of Zinc in Alkaline Solution . . . . .                                       | 13        |
| 2.1.2    | Experimental Verification . . . . .  | 17        |
| 2.1.3    | Apparent Equilibrium Constant for Zinc Dissolved in NaOH Solution . . . . .                          | 18        |
| 2.1.4    | E-pH Equilibrium Diagrams of Leaching Systems of Zinc . . . . .                                      | 18        |
| 2.2      | Thermodynamics of Alkaline Leaching of Solid Wastes Bearing Lead . . . . .                           | 25        |
| 2.2.1    | Morphology Distribution of Lead in Alkaline Solution . . . . .                                       | 25        |

|          |   |           |
|----------|---|-----------|
| 2.2.2    | E-pH Equilibrium Diagrams of Leaching Systems of Lead . . . . .   | 26        |
| 2.3      | Thermodynamics of Alkaline Leaching of Impurity Ions . . . . .  | 32        |
| 2.3.1    | Thermodynamic Behavior of Cu(II) in Alkaline Solution . . . . .   | 32        |
| 2.3.2    | Thermodynamic Behavior of Co(II) in Alkaline Solution . . . . .   | 33        |
| 2.3.3    | Thermodynamic Behavior of Cd(II) in Alkaline Solution . . . . .   | 34        |
| 2.3.4    | Thermodynamic Behavior of Fe(III) in Alkaline Solution . . . . .  | 36        |
| 2.3.5    | Thermodynamic Behavior of Ni(II) in Alkaline Solution . . . . .   | 36        |
| 2.3.6    | Thermodynamic Behavior of Mg(II) in Alkaline Solution . . . . .   | 37        |
| 2.3.7    | Thermodynamic Behavior of Ca(II) in Alkaline Solution . . . . .   | 38        |
| <b>3</b> | <b>Kinetics of Alkaline Leaching of Solid Wastes Bearing Zinc and Lead . . . . .</b>                            | <b>39</b> |
| 3.1      | Kinetics Model of Leaching in Alkaline Solution . . . . .   | 39        |
| 3.2      | Kinetics of Alkaline Leaching of Zinc Hazardous Wastes . . . . .  | 43        |
| 3.2.1    | Alkaline Leaching Kinetic Analysis of Waste Bearing Zinc . . . . .  | 44        |
| 3.2.2    | Alkaline Leaching Kinetic Analysis of Zinc Carbonate . . . . .  | 45        |
| 3.2.3    | Alkaline Leaching Kinetic Analysis of Zinc Silicate . . . . .   | 48        |
| 3.2.4    | Impact Factors of Zinc Alkaline Leaching Process . . . . .  | 50        |
| 3.3      | Kinetic Analysis of Alkaline Leaching of Lead Oxide Ore . . . . .   | 54        |
| 3.3.1    | Effects of Temperature on Reaction Rate of Alkaline Leaching of Lead Oxide Ore . . . . .                        | 54        |
| 3.3.2    | Effects of NaOH Concentration on Reaction Rate of Alkaline Leaching of Lead Oxide Ore . . . . .                 | 56        |
| 3.3.3    | Effects of Particle Size on Reaction Rate of Alkaline Leaching of Lead Oxide Ore . . . . .                      | 58        |
| <b>4</b> | <b>Leaching of Zinc and Lead Hazardous Wastes in Alkaline Solutions . . . . .</b>                               | <b>61</b> |
| 4.1      | Leaching of Zinc and Lead Dust from Steelmaking Plants with Lower Iron Contents in Alkaline Solutions . . . . . | 62        |
| 4.1.1    | Effects of Leaching Time for Leaching of Zinc and Lead Dust in Alkaline Solutions . . . . .                     | 62        |
| 4.1.2    | Effects of Liquid-Solid Ratio on Leaching of Zinc and Lead Dust in Alkaline Solutions . . . . .                 | 62        |

|       |   |    |
|-------|---|----|
| 4.1.3 | Effects of NaOH Concentration in Leaching Agent on Leaching of Zinc and Lead Dust in Alkaline Solutions . . . . .                     | 64 |
| 4.1.4 | Sequential and Multistage Leaching of Dust in Alkaline . . . . .  | 65 |
| 4.1.5 | Tests on the Leaching Enhancement for Leaching Residues . . . . .   | 66 |
| 4.2   | Extraction of Zinc from Dust by Direct Melting with Solid NaOH . . . . .  | 66 |
| 4.2.1 | Effects of Melting Time for Extraction of Zinc from Dust by Direct Melting with Solid NaOH . . . . .                                  | 67 |
| 4.2.2 | Effects of Leaching Time on Extraction of Zinc from Dust by Direct Melting with Solid NaOH . . . . .                                  | 67 |
| 4.2.3 | Effects of Mass Ratios of Dust to Solid NaOH in the melts on leaching . . . . .   | 68 |
| 4.2.4 | Effects of NaOH Concentration on Leaching . . . . .   | 68 |
| 4.2.5 | Effects of Temperature on Extraction of Zinc from Dust by Direct Melting with Solid NaOH . . . . .                                    | 69 |
| 4.3   | Extraction of Zinc from Leaching Residues by Melting the Residues with Solid NaOH . . . . .   | 70 |
| 4.3.1 | Effects of Melting Time on the Extraction of Zinc from the Leaching Residues . . . . .  | 70 |
| 4.3.2 | Effects of Melting Temperature on the Extraction of Zinc from Leaching Residues by Melting the Residues with Solid NaOH . . . . .     | 70 |
| 4.3.3 | Effects of Leaching Time on the Extraction of Zinc from Leaching Residues Melted with Solid NaOH . . . . .                            | 71 |
| 4.3.4 | Effects of NaOH Concentration on the Extraction of Zinc from Leaching Residues Melted with Solid NaOH . . . . .                       | 71 |
| 4.3.5 | Melting with Sodium Phosphate Instead of Sodium Hydroxide . . . . .   | 73 |
| 4.3.6 | Composition of Leaching Solution of the Melts and the Resultant Zn-Free Residues . . . . .  | 73 |
| 4.4   | Extraction of Zinc from Dust via Hydrolysis-Melting-Leaching Process . . . . .  | 74 |
| 4.4.1 | Effects of Melting Temperature on Extraction of Zinc from Dust via Hydrolysis-Melting-Leaching Process . . . . .                      | 74 |
| 4.4.2 | Effects of NaOH Concentration in Leaching Agent on the Extraction of Zinc from Dust via Hydrolysis-Melting-Leaching Process . . . . . | 75 |

|        |   |    |
|--------|---|----|
| 4.4.3  | Effects of Leaching Time on Extraction of Zinc from Dust via Hydrolysis-Melting-Leaching Process . . . . .                                  | 75 |
| 4.4.4  | Effects of NaOH/Dust Mass Ratios in the Melt on the Extraction of Zinc from Dust via Hydrolysis-Melting-Alkaline Leaching Process . . . . . | 76 |
| 4.4.5  | Effects of Water-Dust Ratio and Hydrolysis Time in the Hydrolysis Step via Hydrolysis-Melting-Alkaline Leaching Process . . . . .           | 77 |
| 4.4.6  | Composition of the Supernatant in the Hydrolysis of Dust in the Hydrolysis Step via Hydrolysis-Melting-Alkaline Leaching Process . . . . .  | 77 |
| 4.4.7  | Recycling of the Filtrate for the Hydrolysis of Dust in the Hydrolysis Step via Hydrolysis-Melting-Alkaline Leaching Process . . . . .      | 78 |
| 4.4.8  | Effects of the Addition on the Melting and Extraction of Zinc from Dust via Hydrolysis-Melting-Leaching Process . . . . .                   | 79 |
| 4.4.9  | Effects of Liquid-Solid Ratio on the Extraction of Zinc from Melted Dust via Hydrolysis-Melting-Leaching Process . . . . .                  | 79 |
| 4.4.10 | Relationships Between Zinc Extractability and the Zinc and Iron Contents in the Dust by Direct Leaching Process . . . . .                   | 82 |
| 4.4.11 | Chemical Reactions in the Melting and Alkaline Leaching Processes . . . . .   | 83 |
| 4.5    | Scale-Up Experiments on Extraction of Zinc from Dust via Hydrolysis-Melting-Alkaline Leaching Process . . . . .                             | 84 |
| 4.6    | Extraction of Lead and Other Metals from Zinc and Lead Hazardous Wastes in Alkaline Solution . . . . .                                      | 86 |
| 4.7    | Typical Composition and Supposed Treatment of the Alkaline Solution Leaching Residues . . . . .   | 88 |
| 4.8    | Alkaline Treatment of Low-Leachable Zinc and Lead Hazardous Wastes with High Iron Contents . . . . .  | 89 |
| 4.8.1  | Direct Alkaline Leaching of Low-Leachable Zinc and Lead Hazardous Wastes with High Iron Contents . . . . .                                  | 89 |
| 4.8.2  | Melting and then Alkaline Leaching of the Leaching Residues Shown in Table 4.26 . . . . .   | 90 |
| 4.8.3  | Melting and Alkaline Leaching of the Original and Hydrolyzed Dust with Higher Iron Contents . . . . .                                       | 91 |
| 4.9    | Alkaline Leaching of Zinc Sulfide in Alkaline Solution via Chemical Conversion with Lead Carbonates . . . . .                               | 92 |
| 4.9.1  | Effects of Pb/ZnS Mole Ratio on Leaching of Zinc Sulfide in Alkaline Solution via Chemical Conversion with Lead Carbonates . . . . .        | 93 |

|        |  |     |
|--------|--|-----|
| 4.9.2  | Effects of NaOH Concentrations on Leaching of Zinc Sulfide in Alkaline Solution via Chemical Conversion with Lead Carbonates . . . . .                         | 94  |
| 4.9.3  | Effects of Temperature on Leaching of Zinc Sulfide in Alkaline Solution via Chemical Conversion with Lead Carbonates . . . . .                                 | 94  |
| 4.9.4  | Effects of Liquid-Solid Ratio on Leaching of Zinc Sulfide in Alkaline Solution via Chemical Conversion with Lead Carbonates . . . . .                          | 95  |
| 4.9.5  | Effects of Leaching Time on Leaching of Zinc Sulfide in Alkaline Solution via Chemical Conversion with Lead Carbonates . . . . .                               | 96  |
| 4.9.6  | Effects of Type of Initial Lead Content for Leaching of Zinc Sulfide in Alkaline Solution via Chemical Conversion with Lead Carbonates . . . . .               | 97  |
| 4.9.7  | Conversion of Leach Residue for Leaching of Zinc Sulfide in Alkaline Solution via Chemical Conversion with Lead Carbonates . . . . .                           | 97  |
| 4.10   | Mechanochemical Leaching of Sphalerite in Alkaline Solution via Chemical Conversion with Lead Carbonates . . . . .   | 99  |
| 4.10.1 | Effects of Activation and Leaching Modes on Mechanochemical Leaching of Sphalerite in Alkaline Solution via Chemical Conversion with Lead Carbonates . . . . . | 101 |
| 4.10.2 | Effects of Stirring Speed on Mechanochemical Leaching of Sphalerite in Alkaline Solution via Chemical Conversion with Lead Carbonates . . . . .                | 103 |
| 4.10.3 | Effects of Activation Medium on Mechanochemical Leaching of Sphalerite in Alkaline Solution via Chemical Conversion with Lead Carbonates . . . . .             | 103 |
| 4.10.4 | Process of Mechanochemical Leaching of Low-Grade Zinc Oxide Ore Containing Sphalerite . . . . .  | 104 |
| 4.11   | Other Enhanced Leaching Methods of Zinc Hazardous Wastes in Alkaline Solution . . . . .  | 105 |
| 4.11.1 | Leaching Process Enhanced by Microwave . . . . .   | 105 |
| 4.11.2 | Leaching Process Enhanced by Pressure . . . . .  | 108 |
| 4.11.3 | Ultrasound-Enhanced Leaching Process . . . . .   | 109 |
| 4.12   | Recovery of Lead from CRT Funnel Glass by Mechanochemical Extraction in Alkaline Solution . . . . .  | 113 |
| 4.12.1 | Effects of Activation Modes on Recovery of Lead from CRT Funnel Glass by Mechanochemical Extraction in Alkaline Solution . . . . .                             | 115 |

|          |  |            |
|----------|--|------------|
| 4.12.2   | Effects of Mechanochemical Leaching Modes for Recovery of Lead from CRT Funnel Glass by Mechanochemical Extraction in Alkaline Solution . . . . .                      | 116        |
| 4.12.3   | Effects of Stirring Speed on Recovery of Lead from CRT Funnel Glass by Mechanochemical Extraction in Alkaline Solution . . . . .                                       | 116        |
| 4.12.4   | Electrowinning of Lead Powder for Recovery of Lead from CRT Funnel Glass by Mechanochemical Extraction in Alkaline Solution . . . . .                                  | 117        |
| 4.13     | Extraction of Lead from Spent Leaded Glass in Alkaline Solution by Mechanochemical Reduction with Metallic Iron . . .  | 119        |
| 4.13.1   | Effects of Fe/Leaded Glass Ratios for Extraction of Lead from Spent Leaded Glass in Alkaline Solution by Mechanochemical Reduction with Metallic Iron . . . . .        | 119        |
| 4.13.2   | Effects of Rotate Speed for Extraction of Lead from Spent Leaded Glass in Alkaline Solution by Mechanochemical Reduction with Metallic Iron . . .                      | 121        |
| 4.13.3   | Effects of Mechanochemical Reduction Time on Extraction of Lead from Spent Leaded Glass in Alkaline Solution by Mechanochemical Reduction with Metallic Iron . . . . . | 121        |
| 4.13.4   | Analysis on Physicochemical Changes of Prepared Samples After Mechanochemical Reduction with Iron . . . . .  | 121        |
| 4.13.5   | Toxicity of Leaching Residues for Extraction of Lead from Spent Leaded Glass in Alkaline Solution by Mechanochemical Reduction with Metallic Iron . . .                | 126        |
| 4.14     | Alkaline Leaching Process of Fume Dust and Lead Oxide Ore . . . . .  | 127        |
| 4.14.1   | Alkaline Leaching Process for Pb and Zn Recovery from Fume Dust . . . . .  | 127        |
| 4.14.2   | Alkaline Leaching Process for Lead Oxide Ore . . . . .   | 128        |
| <b>5</b> | <b>Purification of Leach Solution of Zinc and Lead in Alkaline Solutions . . . . .</b>   | <b>133</b> |
| 5.1      | Selective Precipitation and Separation of Lead from Alkaline Zinc Hydroxide Solution . . . . .   | 133        |
| 5.1.1    | Selection of the Precipitants for Selective Precipitation and Separation of Lead from Alkaline Zinc Hydroxide Solution . . . . .                                       | 134        |
| 5.1.2    | Purification Mechanism of $\text{Na}_2\text{S}$ . . . . .  | 135        |

|       |  |     |
|-------|--|-----|
| 5.1.3 | Effects of Mass Ratio of Sodium Sulfide Added to Lead or Zinc in Leaching Solutions . . . . .  | 137 |
| 5.1.4 | Co-removal of the Other Possible Soluble Coexistent Elements from Alkaline Zinc Hydroxide Solution Using Sodium Sulfide as Precipitant . . . . .           | 139 |
| 5.1.5 | Scale-Up Experiments on Selective Precipitation and Separation of Lead from Alkaline Zinc Hydroxide Solution Using Sodium Sulfide as Precipitant . . . . . | 139 |
| 5.1.6 | Removal of Lead from Leaching Solution by the Addition of Solid Sodium Sulfide . . . . .   | 140 |
| 5.1.7 | Recovery of Zinc from Lead-Free Alkaline Leaching Solutions by Crystallization . . . . .   | 141 |
| 5.1.8 | Chemical Reactions Taking Place in the Sulfide Precipitation Processes in Alkaline Solution . . . . .  | 143 |
| 5.1.9 | The Optimized Condition of Na <sub>2</sub> S Purification Process . . . . .  | 143 |
| 5.2   | Removal of Sn from Alkaline Zinc Solution by Zinc Powder Replacement . . . . .   | 146 |
| 5.2.1 | Effects of Zn/Sn Ratio for Removal of Sn from Alkaline Zinc Solution by Zinc Powder Replacement . . . . .  | 147 |
| 5.2.2 | Effects of Stirring Speed on Removal of Sn from Alkaline Zinc Solution by Zinc Powder Replacement . . . . .  | 147 |
| 5.2.3 | Effects of Temperature on Removal of Sn from Alkaline Zinc Solution by Zinc Powder Replacement . . . . .   | 148 |
| 5.2.4 | Effects of Initial Sn Concentration on Removal of Sn from Alkaline Zinc Solution by Zinc Powder Replacement . . . . .                                      | 148 |
| 5.2.5 | Process Optimization for Removal of Sn from Alkaline Zinc Solution by Zinc Powder Replacement . . . . .  | 150 |
| 5.3   | Removal of Al from Alkaline Zinc Solution . . . . .  | 152 |
| 5.4   | Removal of As from Alkaline Zinc Solution . . . . .  | 153 |
| 5.5   | Removal of Chloride from Alkaline Zinc Solution . . . . .  | 156 |
| 5.5.1 | Dechlorination via Overconcentration . . . . .   | 156 |
| 5.5.2 | Dechlorination by Washing via Na <sub>2</sub> CO <sub>3</sub> Solution . . . . .   | 158 |
| 5.5.3 | Dechlorination by Water Washing from the Wastes . . . . .  | 161 |
| 5.6   | Deep Purification of Zinc Alkali Leaching Solution . . . . .   | 164 |
| 5.6.1 | Deep Purification Process of Lead, Aluminum, and Arsenic in Zinc Leaching Solution . . . . .   | 164 |
| 5.6.2 | Deep Purification Process Through Condensed Zinc-Containing Alkaline Solution . . . . .  | 166 |

|          |  |            |
|----------|--|------------|
| 5.7      | Removal of Cu from Alkaline Lead Solution by Lead Powder Replacement . . . . .   | 167        |
| 5.7.1    | Effects of Pb/Cu Ratio on Removing Rate of Cu from Alkaline Lead Solution . . . . .  | 168        |
| 5.7.2    | Effects of Replacement Reaction Time on Removal of Cu from Alkaline Lead Solution . . . . .  | 168        |
| 5.7.3    | Effects of Temperature on Removal of Cu from Alkaline Lead Solution . . . . .  | 169        |
| 5.7.4    | Effects of Initial Concentration of Copper on Removal Rate of Cu from Alkaline Lead Solution . . . . .   | 170        |
| 5.7.5    | Effects of NaOH Concentrations on Removal of Cu from Alkaline Lead Solution . . . . .  | 170        |
| <b>6</b> | <b>Electrowinning of Zinc and Lead from Alkaline Solutions . . . . .</b>   | <b>171</b> |
| 6.1      | General Electrowinning Production Process of Zinc Powder by Alkaline Hydrometallurgy . . . . .   | 171        |
| 6.2      | Production of Ultrafine Zinc Powder from Wastes Bearing Zinc by Electrowinning in Alkaline Solution . . . . .  | 174        |
| 6.3      | Effects of Organic Additives on the Electrolytic Zinc Powder Refinement in Alkaline Electrolyte . . . . .  | 182        |
| 6.3.1    | Effects of Cetyltrimethylammonium Bromide and Sodium Lauryl Sulfate on Zinc Electrowinning in Alkaline Electrolyte . . . . .                         | 182        |
| 6.3.2    | Effects of Single Organic Additive Among $\beta$ -CD, SDS, Gelatin, Casein, and Thiocarbamide in the Alkaline Electrolyte . . . . .                  | 193        |
| 6.3.3    | Synergistic Effects of T-80 and PEG Organic Additives to the Alkaline Electrolyte on Zn Electrodeposits Refinement . . . . .                         | 194        |
| 6.3.4    | Zinc Powder Particle Size Distribution in the Presence of Organic Additives in Alkaline Electrolyte . . . . .  | 195        |
| 6.4      | Effects of Ion Impurities on Zinc Electrowinning Process in Alkaline Leaching Solution . . . . .   | 196        |
| 6.4.1    | Effects of Sn on Zinc Electrolysis in Alkaline Leaching Solution . . . . .   | 196        |
| 6.4.2    | Effects of Al on Zinc Electrolysis in Alkaline Leach Solution . . . . .  | 199        |
| 6.4.3    | Effects of As on Zinc Electrolysis in Alkaline Leaching Solution . . . . .   | 204        |
| 6.4.4    | Effects of $\text{CO}_3^{2-}$ , $\text{SO}_4^{2-}$ , and $\text{SiO}_3^{2-}$ Concentrations on Zinc Electrolysis in Alkaline Leaching Solution . . . | 207        |
| 6.4.5    | Effects of $\text{F}^-$ and $\text{Cl}^-$ Concentrations on Zinc Electrolysis in Alkaline Leach Solution . . . . .                                   | 208        |



|       |   |     |
|-------|---|-----|
| 6.4.6 | Effect of Hypochlorite on Zinc Electrolysis in Alkaline Leaching Solution . . . . .   | 209 |
| 6.4.7 | Effects of Sulfide on Zinc Electrolysis in Alkaline Leaching Solution . . . . .   | 210 |
| 6.4.8 | Effects of Tungsten on Zinc Electrolysis in Alkaline Leaching Solution . . . . .  | 212 |
| 6.4.9 | Effects of Molybdenum on Zinc Electrolysis in Alkaline Leaching Solution . . . . .  | 213 |
| 6.5   | Effects of Zinc Powder Redissolution on Zinc Electrowinning Process . . . . .   | 215 |
| 6.5.1 | Effects of Stirring Speed on Zinc Powder Redissolution . . . . .  | 215 |
| 6.5.2 | Effects of Temperature on Zinc Powder Redissolution . . . . .   | 216 |
| 6.5.3 | Effects of Initial Concentration of Sodium Hydroxide on Zinc Powder Redissolution . . . . .   | 217 |
| 6.5.4 | Effects of Initial Concentration of Zinc on Zinc Powder Redissolution . . . . .   | 218 |
| 6.5.5 | Effects of Liquid-Solid Ratio on Zinc Powder Redissolution . . . . .  | 218 |
| 6.5.6 | Effects of Particle Size and Morphology of Zinc on Zinc Powder Redissolution . . . . .  | 219 |
| 6.5.7 | Effects of Contact Time on Zinc Powder Redissolution . . . . .  | 219 |
| 6.6   | Electrowinning of Lead from Alkaline Solutions . . . . .  | 221 |
| 6.6.1 | Cyclic Voltammetry of Lead Electrowinning Process . . . . .   | 221 |
| 6.6.2 | Cathodic Reaction of Electrowinning of Lead in Sodium Hydroxide Solution . . . . .  | 222 |
| 6.6.3 | Anode Reaction of Electrowinning of Lead in Sodium Hydroxide Solution . . . . .   | 226 |
| 6.7   | Electrowinning Process of Lead in Alkaline Solution . . . . .   | 230 |
| 6.8   | Ions Impurities Effects on Lead Electrowinning Process in Alkaline Leaching . . . . .   | 240 |
| 6.8.1 | Theoretical Analysis of Impurity Effect on Electrowinning of Pb . . . . .   | 240 |
| 6.8.2 | Cyclic Voltammetry (CV) of Pb Electrowinning in the Presence of Zn . . . . .  | 242 |
| 6.8.3 | Effects of Temperature on Cyclic Voltammetry Curves of Pb Deposited on Cathode in Alkaline Solution in the Presence of Zn . . . . . | 244 |
| 6.8.4 | Effects of Zn Concentration on Pb Electrowinning in Alkaline Solution . . . . .   | 245 |

|          |  |            |
|----------|--|------------|
| 6.8.5    | Effects of Electrolysis Time on Pb Electrowinning in Alkaline Solution in the Presence of Zn . . . . .                                       | 246        |
| 6.8.6    | Effects of Current Density on Pb Electrowinning in Alkaline Solution in the Presence of Zn . . . . .   | 247        |
| 6.8.7    | Effects of Temperature on Pb Electrowinning in Alkaline Solution in the Presence of Zn . . . . .   | 247        |
| 6.8.8    | Effects of Sn on Lead Electrowinning Process in Alkaline Solution . . . . .  | 248        |
| 6.8.9    | Effects of As on Lead Electrowinning Process in Alkaline Solution . . . . .  | 252        |
| 6.8.10   | Effects of Sb on Lead Electrowinning Process in Alkaline Solution . . . . .  | 254        |
| 6.8.11   | Effects of W on Lead Electrowinning Process in Alkaline Solution . . . . .   | 256        |
| 6.8.12   | Effects of Cu on the Pb Electrowinning Process in Alkaline Solution . . . . .  | 257        |
| 6.8.13   | Effects of Anions on Pb Electrowinning Process in Alkaline Solution . . . . .  | 259        |
| <b>7</b> | <b>Alkaline Hydrometallurgy of Low-Grade Smithsonite Ores . . . . .</b>  | <b>263</b> |
| 7.1      | Alkaline Hydrometallurgy of Low-Grade Smithsonite Ore Process . . . . .  | 263        |
| 7.2      | Effects of NaOH Concentration on the Extraction of Zinc from Low-Grade Smithsonite Ores . . . . .  | 265        |
| 7.3      | Effects of Liquid-Solid Ratio on the Extraction of Zinc from Low-Grade Smithsonite Ores . . . . .  | 266        |
| 7.4      | Effects of Leaching Time on the Extraction of Zinc and Lead from Low-Grade Smithsonite Ores . . . . .  | 267        |
| 7.5      | Effects of Additives on the Extraction of Zinc from Low-Grade Smithsonite Ores . . . . .   | 267        |
| 7.6      | Typical Contents in the Leach Solution and Leaching Residues for Low-Grade Smithsonite Ores . . . . .  | 268        |
| 7.7      | Electrolysis of Zinc from Lead-Free Leaching Solution for Low-Grade Smithsonite Ores and Economic-Technological Analysis . . . . .           | 269        |
| 7.8      | Treatment and/or Recycling of Wastewaters and Solid Wastes Generated from Low-Grade Ores and Dust Processing in Alkaline Solutions . . . . . | 272        |
| 7.9      | Lead Precipitation from Leaching Solution for Low-Grade Smithsonite Ores . . . . .   | 274        |
| 7.10     | Zinc Precipitation from Pb-Depleted Zinc Alkaline Solution for Low-Grade Smithsonite Ores . . . . .  | 276        |
| 7.11     | Lead and Zinc Concentrate Production from Low-Grade Pb-Zn Oxidized Ore . . . . .   | 278        |
|          | 7.11.1 Technological Process . . . . .   | 278        |
|          | 7.11.2 Principle of Process . . . . .  | 279        |

|          |   |            |
|----------|---|------------|
| 7.12     | Scale-Up Experiments for Lead and Zinc Concentrate Production from Low-Grade Pb-Zn Oxidized Ore in Alkaline Solution . . . . .  | 281        |
| <b>8</b> | <b>Spent Electrolyte Regeneration and Recovery of Associated Valuable Metals from Lean Leaching Solution . . . . .</b>  | <b>283</b> |
| 8.1      | Regeneration of Alkaline Spent Electrolyte Causticized by CaO . . . . .   | 284        |
| 8.2      | Flotation of Molybdate Oxyanions in Dilute Solutions Using Dodecylamine and Ferric Hydroxide . . . . .  | 287        |
| 8.3      | Separation of Tungstates from Leaching Solution Using Ion Flotation . . . . .   | 295        |
| 8.4      | Removal of Molybdate and Arsenate from Aqueous Solutions by Flotation . . . . .   | 305        |
| 8.5      | Extraction of Phosphorus, Arsenic, and/or Silica from Sodium Tungstate and Molybdate Solutions with Primary Amine and Tributyl Phosphate as Solvents . . . . .  | 313        |
| 8.5.1    | Parameter Optimization for the Extraction of Phosphorus, Arsenic, and/or Silica from Sodium Tungstate and Molybdate Solutions with Primary Amine and Tributyl Phosphate as Solvents . . . . .                       | 313        |
| 8.5.2    | Mechanism of Extraction of Phosphorus, Arsenic, and Silica from Tungstate and Molybdate Solutions . . . . .   | 324        |
| 8.6      | Combined Removal of SO <sub>2</sub> , H <sub>2</sub> S, and NO <sub>x</sub> from Gas Streams by Chemical Absorption with Aqueous Solution of 12-Molybdophosphoric Acid and Its Reduced Species . . . . .            | 331        |
| 8.6.1    | Solution Chemistry of Heteropoly Acids and Their Anions . . . . .   | 331        |
| 8.6.2    | Setup from Combined Removal of SO <sub>2</sub> , H <sub>2</sub> S, and NO <sub>x</sub> from Gas Streams by Chemical Absorption with Aqueous Solution of 12-Molybdophosphoric Acid and Its Reduced Species . . . . . | 333        |
| 8.6.3    | Removal of SO <sub>2</sub> , H <sub>2</sub> S, and NO <sub>x</sub> from Gas Streams by Chemical Absorption with Aqueous Solution of 12-Molybdophosphoric Acid Solution . . . . .                                    | 334        |
| 8.6.4    | Absorption of NO <sub>2</sub> and NO in Molybdenum Blue Solution . . . . .  | 341        |
| 8.6.5    | Combined Removal of SO <sub>2</sub> and H <sub>2</sub> S . . . . .  | 344        |
| 8.6.6    | Combined Removal of NO <sub>x</sub> , SO <sub>2</sub> , and H <sub>2</sub> S . . . . .  | 345        |
| 8.6.7    | Regeneration of Scrubbing Solution . . . . .  | 345        |
| 8.7      | Recovery and Synthesis of Tungstotantalate and Tungstoniobate Using White Tungstic Acid . . . . .   | 347        |
| 8.7.1    | Synthesis of Tungstotantalate . . . . .   | 348        |
| 8.7.2    | Synthesis of [(C <sub>4</sub> H <sub>9</sub> ) <sub>4</sub> N] <sub>5</sub> K <sub>2</sub> TaW <sub>11</sub> O <sub>40</sub> H <sub>2</sub> . . . . .   | 350        |
| 8.7.3    | Synthesis of K <sub>9</sub> [NbW <sub>11</sub> O <sub>40</sub> ]·2H <sub>2</sub> O . . . . .  | 352        |

|          |   |            |
|----------|---|------------|
| 8.7.4    | Synthesis of $[(C_4H_9)_4N]_6K[NbW_{11}O_{40}H_2]$<br>and $[(C_4H_9)_4N]_5K_2[NbW_{11}O_{40}H_2]$ . . . . .                             | 354        |
| 8.7.5    | Synthesis of $[C(NH_2)_3]_{6,3}K[Nb_{1.3}W_{10.7}O_{40}H_2] \cdot H_2O$ . . . . .   | 356        |
| 8.7.6    | Quick Determination of Tungsten Based on White<br>Tungstic Acid: Gravimetric Method . . . . .   | 358        |
| 8.7.7    | Removal of P, As, and Si During White Tungstic<br>Acid Preparation . . . . .  | 361        |
| 8.7.8    | Practical Significance of White Tungstic Acid<br>in Tungsten Metallurgy Industry . . . . .  | 363        |
| <b>9</b> | <b>Industrial-Scale Production of Zinc Powder Using Alkaline<br/>Leaching-Electrowinning Processes . . . . .</b>                        | <b>365</b> |
| 9.1      | Industrial Production of Zn Powder by Alkaline Process<br>Using Brass Smelting Ash as an Example . . . . .                              | 365        |
| 9.1.1    | Industrial-Scale Leaching . . . . .   | 367        |
| 9.1.2    | Industrial-Scale Purification . . . . .   | 367        |
| 9.1.3    | Industrial-Scale Electrolysis . . . . .   | 368        |
| 9.1.4    | Industrial-Scale Zn Powder Filtration, Washing,<br>and Desiccation . . . . .  | 368        |
| 9.1.5    | Industrial-Scale Sieving and Milling . . . . .  | 369        |
| 9.2      | Overall Process for Production Zinc Powder Using Alkaline<br>Leaching-Electrowinning Processes . . . . .                                | 370        |
| 9.3      | Design for Production Equipment for Production<br>of 1500 t/a Zinc Powder Using Alkaline<br>Leaching-Electrowinning Processes . . . . . | 372        |
| 9.4      | Industrial Design for Purging, Drying, and Crushing<br>Working Section of Zinc Powder . . . . .   | 378        |
| 9.5      | Industrial Operation Procedure in Leaching Process . . . . .  | 381        |
| 9.6      | Industrial Operation Procedure in Purification . . . . .  | 382        |
| 9.7      | Industrial Operation Procedure in Electrolysis . . . . .  | 382        |
| 9.8      | Industrial Operation Procedure in Zinc Powder Filtration,<br>Washing, and Desiccation . . . . .   | 383        |
| 9.9      | Analytical Requirements . . . . .   | 384        |
| 9.10     | “The Three-Waste” Emissions of Zinc Production Process<br>by Alkaline Leaching-Electrolysis . . . . .                                   | 386        |
| 9.11     | Production Operations for Alkaline Leaching-Electrolysis<br>Process . . . . .   | 387        |
| 9.12     | Life Cycle Assessment in the Process of Alkaline<br>Hydrometallurgy for Zinc and Lead Hazardous Wastes . . . . .                        | 388        |
|          | <b>Bibliography . . . . .</b>   | <b>393</b> |
|          | <b>Index . . . . .</b>  | <b>401</b> |



<http://www.springer.com/978-3-319-55157-9>

Pollution Control and Resource Reuse for Alkaline  
Hydrometallurgy of Amphoteric Metal Hazardous Wastes

Zhao, Y.; Zhang, C.

2017, LI, 405 p. 339 illus., 150 illus. in color., Hardcover

ISBN: 978-3-319-55157-9