

# Contents

<b>1 Motivations and Instructional Approach</b> . . . . .	1
1.1 Motivations . . . . .	1
1.2 Instructional Approach. . . . .	3
References. . . . .	4
<b>2 ROBOTIS' Robot Systems</b> . . . . .	5
2.1 General Systems Description. . . . .	5
2.2 Robotics Kits Considered in Book. . . . .	12
2.3 MiCom Training Kit . . . . .	16
2.4 OLLOBOT. . . . .	17
2.5 System(s) Selection Criteria . . . . .	18
2.6 Review Questions for Chap. 2 . . . . .	20
<b>3 Hardware Characteristics</b> . . . . .	23
3.1 The Atmel AVR® Family . . . . .	24
3.1.1 CM-5 (Discontinued). . . . .	24
3.1.2 CM-510 (Discontinued). . . . .	28
3.1.3 CM-700 . . . . .	30
3.2 The STM ARM® Cortex M3® Family . . . . .	30
3.2.1 CM-150 . . . . .	30
3.2.2 CM-200 . . . . .	32
3.2.3 CM-530 . . . . .	33
3.2.4 CM-900 (Discontinued). . . . .	33
3.2.5 OpenCM-9.04 Series . . . . .	35
3.2.6 OpenCM-7.00 (IoT). . . . .	39
3.2.7 CM-50 (PLAY 700). . . . .	40
3.3 The Dynamixel Actuators Family . . . . .	41
3.3.1 The AX Series . . . . .	42
3.3.2 The MX Series . . . . .	44
3.3.3 The X Series. . . . .	46
3.4 ROBOTIS Sensors Family. . . . .	48
3.4.1 AX-S1 and IRSA . . . . .	49

3.4.2	AX-S20 (Discontinued) . . . . .	51
3.4.3	Foot Pressure Sensor (FPS: From HUV Robotics) . . . . .	52
3.4.4	Color Video Cameras HaViMo 2.0 and 3.0 . . . . .	52
3.4.5	GPIO (5-Pin) DMS Sensor . . . . .	54
3.4.6	GPIO (5-Pin) Gyroscope Sensor GS-12 . . . . .	55
3.4.7	Other GPIO (5-Pin) Sensors and Output Devices . . . . .	55
3.4.8	Recent Adaptations of Smartphone Features . . . . .	56
3.5	Other Compatible and Upcoming Hardware . . . . .	56
3.6	Review Questions for Chap. 3 . . . . .	60
	References . . . . .	62
<b>4</b>	<b>Main Software Tools . . . . .</b>	<b>63</b>
4.1	DYNAMIXEL WIZARD Tool . . . . .	66
4.1.1	TTL (3-Pin) and RS-485 (4-Pin) Dynamixels . . . . .	67
4.1.2	XL-TTL (3-Pin) Dynamixels . . . . .	68
4.2	MANAGER Tool . . . . .	70
4.2.1	CM-5, CM-510, CM-530 . . . . .	70
4.2.2	OpenCM-9.04-A/B/C . . . . .	70
4.3	TASK Tool . . . . .	72
4.3.1	TASK V.1 and CM-5/510/530 Controllers . . . . .	73
4.3.2	TASK V.1 and OpenCM-9.04-C . . . . .	75
4.3.3	R+ TASK V.2 New Features . . . . .	75
4.4	MOTION Tools (V.1 and V.2) . . . . .	78
4.5	R+ DESIGN Tool . . . . .	79
4.6	R+ SCRATCH Tool . . . . .	80
4.7	OLLOBOT SDK . . . . .	82
4.8	If I Were to Restart . . . . .	82
4.9	Review Questions for Chap. 4 . . . . .	83
<b>5</b>	<b>Foundational Concepts . . . . .</b>	<b>85</b>
5.1	“Sense-Think-Act” Paradigm . . . . .	85
5.2	Primer for MANAGER and TASK Tools . . . . .	90
5.2.1	MANAGER V.1 Capabilities . . . . .	90
5.2.2	MANAGER V.2 Capabilities . . . . .	94
5.2.3	Basic TASK Usage (V.1 and V.2) . . . . .	101
5.3	“Sequence Commander” Project . . . . .	102
5.4	“Smart Avoider” Project . . . . .	105
5.5	“Line Tracer” Project . . . . .	108
5.5.1	Mechanical Design Features . . . . .	109
5.5.2	IR Array Sensor (IRSA) . . . . .	110
5.5.3	Programming Maneuvers for Arbitrary Single-Line Tracks . . . . .	111
5.5.4	Programming Maneuvers for a Multi-crossing Line Track . . . . .	119
5.6	Basic Remote Control Concepts . . . . .	121
5.6.1	Remote Control Using TASK Tool . . . . .	122

- 5.6.2 Remote Control Using the R+SCRATCH/SCRATCH2®  
Tool Chain . . . . . 125
- 5.6.3 Remote Control Using Tilt Sensor from Smart Phone . . . . . 131
- 5.7 Review Questions for Chap. 5 . . . . . 135
- 5.8 Review Exercises for Chap. 5 . . . . . 136
- References. . . . . 138
- 6 Actuator Position Control Applications . . . . . 139**
  - 6.1 AX-12/18 Position Control with TASK. . . . . 140
  - 6.2 Using MOTION and TASK Tools (V.1). . . . . 144
    - 6.2.1 Characteristics of a Motion Page in Motion V.1 . . . . . 144
    - 6.2.2 Application to a PhantomX REACTOR  
Robotic Arm. . . . . 147
    - 6.2.3 Application to a GERWALK Robot. . . . . 164
  - 6.3 Form and Function of Walking Robots . . . . . 166
  - 6.4 “Torque” Effects. . . . . 170
    - 6.4.1 Torque Limit, Present Position and Present Load . . . . . 170
    - 6.4.2 Adjusting Torque Limit Dynamically . . . . . 171
  - 6.5 More “Joint Offset” Effects . . . . . 172
  - 6.6 A Load Sensing Gripper . . . . . 173
  - 6.7 Review Questions for Chap. 6 . . . . . 174
  - 6.8 Review Exercises for Chap. 6 . . . . . 176
  - References. . . . . 177
- 7 Communication Programming with “Remocon” Packets . . . . . 179**
  - 7.1 ZigBee® Broadcast Channel Differences . . . . . 180
  - 7.2 Broadcast Use of RC-100 (NIR and ZigBee) . . . . . 182
  - 7.3 Message “Shaping” Concepts . . . . . 185
    - 7.3.1 Mimicking Grippers. . . . . 185
    - 7.3.2 Leader-Follower GERWALKS . . . . . 189
    - 7.3.3 Multiple Users and Multiple Robots (ZigBee Only). . . . . 192
  - 7.4 PC to Robots Communications via C/C++ . . . . . 194
  - 7.5 ZigBee and BlueTooth® Performances . . . . . 195
  - 7.6 Review Questions for Chap. 7 . . . . . 195
  - 7.7 Review Exercises for Chap. 7 . . . . . 197
  - References. . . . . 198
- 8 Advanced Sensors . . . . . 199**
  - 8.1 Humanoid Static Balance with AX-S20 . . . . . 199
    - 8.1.1 Two-Leg Static Balance with AX-S20. . . . . 200
    - 8.1.2 One-Leg Static Balance . . . . . 204
  - 8.2 Humanoid Dynamic Balance with GS-12 . . . . . 206
    - 8.2.1 Walk Enhancement with GS-12. . . . . 207
    - 8.2.2 Fall Detection with GS-12. . . . . 208
  - 8.3 Humanoid Balance with FPS . . . . . 208
    - 8.3.1 FPS Data Acquisition. . . . . 208
    - 8.3.2 Humanoid One-Leg Balance with FPS . . . . . 210

- 8.4 HaViMo2 Applications . . . . . 211
  - 8.4.1 HaViMo2 Features and Usage . . . . . 211
  - 8.4.2 HaViMo2 Application to a CM-5 CarBot . . . . . 212
- 8.5 Review Questions for Chap. 8 . . . . . 215
- 8.6 Review Exercises for Chap. 8 . . . . . 216
- References. . . . . 217
- 9 Embedded C Options . . . . . 219**
  - 9.1 Embedded C vs. RoboPlus’ TASK . . . . . 220
  - 9.2 Embedded C for the OpenCM-9.00/9.04. . . . . 223
    - 9.2.1 Basic CarBot Applications. . . . . 223
    - 9.2.2 Remote Control of Mobile Manipulator . . . . . 224
    - 9.2.3 Using Phone Camera with Mobile Manipulator . . . . . 231
  - 9.3 Embedded C for the CM-510 and CM-530. . . . . 239
    - 9.3.1 Tutorials for CM-510. . . . . 240
    - 9.3.2 Tutorials for CM-530. . . . . 241
    - 9.3.3 Future Support for Embedded C for CM-510/530?. . . . . 241
  - 9.4 Motion Programming and Embedded C . . . . . 241
  - 9.5 Review Questions for Chap. 9 . . . . . 242
  - 9.6 Review Exercises for Chap. 9 . . . . . 243
  - Reference . . . . . 243
- 10 ROBOTIS-MINI System . . . . . 245**
  - 10.1 PC to MINI Wireless Options . . . . . 246
  - 10.2 New Motion Concepts in MOTION V.2 . . . . . 247
    - 10.2.1 Unlimited File Size for MTNX . . . . . 247
    - 10.2.2 Efficient Motion Data Structure. . . . . 248
  - 10.3 PC Control of Robot Moves. . . . . 252
  - 10.4 Synchronizing LEDs to Motion. . . . . 254
  - 10.5 Fight Choreography for 2 MINIs via ZigBee . . . . . 255
  - 10.6 Fight Choreography for 2 MINIs via BlueTooth . . . . . 257
  - 10.7 Review Questions for Chap. 10 . . . . . 259
  - 10.8 Review Exercises for Chap. 10 . . . . . 259
  - References. . . . . 260
- 11 Using Multimedia with Firmware 2.0 Systems . . . . . 261**
  - 11.1 “Moody DogBot” SCRATCH® 2 Project. . . . . 262
  - 11.2 Communications and SMART Project Setup . . . . . 268
    - 11.2.1 BlueTooth Devices Usage . . . . . 269
    - 11.2.2 File Management on Mobile Devices . . . . . 270
    - 11.2.3 Settings for a Typical R+m App. . . . . 272
    - 11.2.4 Previews of Tools That Can Be Used in a Project . . . . . 273
  - 11.3 “Taking Pictures” SMART Project . . . . . 275
  - 11.4 “Color Line Follower” SMART Project . . . . . 282
  - 11.5 “Voice Control” SMART Project. . . . . 287
  - 11.6 “Moody Dog Bot” SMART Project. . . . . 293
  - 11.7 Other Selected SMART Features. . . . . 296

- 11.7.1 Using Touch Areas . . . . . 296
- 11.7.2 Using Multiple Audio Output Devices . . . . . 298
- 11.7.3 Intruder Alert Email Service . . . . . 301
- 11.8 Using OpenCM IDE with R+m.PLAY700 . . . . . 304
- 11.9 Review Questions for Chap. 11 . . . . . 309
- 11.10 Review Exercises for Chap. 11 . . . . . 310
- References. . . . . 310
- 12 Android® Programming with OLLOBOT SDK . . . . . 311**
  - 12.1 Memory Management of Hardware Controllers  
and DXL 2.0 Packets . . . . . 311
  - 12.2 Usage of OLLOBOT SDK with Android Studio® . . . . . 315
    - 12.2.1 Importing OLLOBOT SDK into Android Studio . . . . . 315
    - 12.2.2 AndroidManifest.xml. . . . . 316
    - 12.2.3 Layouts: Main Activity . . . . . 318
    - 12.2.4 Utilities: Constants, Dynamixel, OLLOBOT . . . . . 318
    - 12.2.5 Main Activity Class . . . . . 320
  - 12.3 Selective Code Tracings Through OLLOBOT SDK . . . . . 323
    - 12.3.1 How “LED” Buttons Were Set Up and Used. . . . . 323
    - 12.3.2 How “F-B-L-R-S” Buttons Were Set Up and Used. . . . . 326
    - 12.3.3 How Speech Recognition Was Set Up and Used. . . . . 329
  - 12.4 Adaptation of OLLOBOT SDK to CM-50 . . . . . 332
    - 12.4.1 Revising Previous LED Buttons and Associated  
Actions . . . . . 332
    - 12.4.2 Revising Packets for the Motion-Direction Buttons . . . . . 333
    - 12.4.3 Revising Voice Recognition Behaviors  
of CM-50 CarBot . . . . . 335
  - 12.5 Adaptation of OLLOBOT SDK to CM-150 . . . . . 336
  - 12.6 Adaptation of OLLOBOT SDK to OpenCM-9.04C . . . . . 337
    - 12.6.1 Revising COLOR/LED Buttons and Associated  
Actions . . . . . 337
    - 12.6.2 Revising Packets for the Motion-Direction Buttons . . . . . 340
    - 12.6.3 Revising Voice Recognition Behaviors  
of OpenCM-9.04C CarBot. . . . . 341
  - 12.7 Review Questions for Chap.12 . . . . . 342
  - 12.8 Review Exercises for Chap. 12 . . . . . 342
  - References. . . . . 342



<http://www.springer.com/978-3-319-59830-7>

Exploring Robotics with ROBOTIS Systems

Thai, C.N.

2017, XIII, 342 p. 381 illus., 364 illus. in color.,

Hardcover

ISBN: 978-3-319-59830-7