

Contents

11	The Role of the Earth’s Rotation: Fundamentals – Rotation and Stratification Influenced Dynamics	1
11.1	Estimations by Dimensional Reasoning	1
11.1.1	Tributary Affected Advection	2
11.1.2	Wind-Induced Circulation	3
11.1.3	Barotropic and Baroclinic Wave Dynamics	4
11.2	Rotation Influenced Shallow Water Waves	6
11.3	A Brief Classification of Rossby Waves	13
11.4	Plane Linear Waves in a Rotating Stratified Fluid	19
11.4.1	Waves in a Linearly Stratified Rotating Unbounded Boussinesq Fluid	20
11.4.2	Waves in a Stably Stratified Shallow Layer of a Boussinesq Fluid	28
11.4.3	The Two-Layer Model	39
11.5	Concluding Discussion	46
	References	48
12	The Role of the Earth’s Rotation: Oscillations in Semi-bounded and Bounded Basins of Constant Depth	49
12.1	Motivation	49
12.2	Kelvin Waves	50
12.2.1	Pseudo-Standing Kelvin Waves	55
12.2.2	Baroclinic Kelvin Waves	58
12.3	Inertial Waves	60
12.4	Poincaré Waves	62
12.5	Reflection from the End of a Channel Wall	70
12.6	Shallow Water Waves in a Rectangle of Constant Depth	73
12.6.1	Frequency Relation	77
12.6.2	Modal Structure	81
12.6.3	Additional Results	85

12.7 A ‘Second-Class’ of Inertial Waves: ‘Inertial Waves Proper’ 87

12.7.1 Governing Equations 89

12.7.2 Plane Inertial Sverdrup (Poincaré) Waves 91

12.7.3 Inertial Kelvin Waves 92

12.7.4 Inertial Poincaré Waves in a Channel 94

12.7.5 Inertial Poincaré Channel Waves Reflecting
from a Vertical Wall 96

12.7.6 Inertial Waves in Rectangular Basin
of Constant Depth 98

12.7.7 Discussion 101

12.8 Concluding Discussion 103

12.9 Appendix: Solution Scheme of Proudman–Rao to Solve (12.1).... 104

References 111

**13 Basin-Scale Gravity Waves in Circular and Elliptical
Containers on the Rotating Earth 115**

13.1 Motivation 115

13.2 Conceptual Prerequisites 117

13.3 Circular Cylindrical Geometry 118

13.4 Three-Layer Stratification – Lake Kinneret Treated
as a Circular Cylinder of Constant Depth 123

13.5 Elliptical Cylindrical Container 129

13.6 Mathieu Functions 131

13.7 Elliptical Basin: Normal Mode Analysis 135

13.8 Experimental Verification 147

13.9 Discussion 151

References 153

**14 Barotropic and Baroclinic Basin-Scale Wave Dynamics
Affected by the Rotation of the Earth 155**

14.1 Introduction 155

14.2 Barotropic Basin-Wide Oscillations of Lake Michigan 157

14.3 Internal Seiche Dynamics in Lake Geneva 164

14.3.1 Introduction 164

14.3.2 Lake Morphology and Data Handling 165

14.3.3 Model Equations 166

14.3.4 Modal Analysis for the TEDM 169

14.3.5 Modal Analysis for the TCDM 172

14.3.6 Internal Wave Dynamics Revealed
by Surface Level Data 173

14.4 Transverse Internal Wave Motion in Lake Überlingen 179

14.4.1 Statement of the Problem 179

14.4.2 Observations During the
Bodensee-Experiment 1972 179

14.4.3 Numerical Solution for the TVD Model
with Realistic Bottom Topography 182

14.5	Lake Biwa	186
14.6	Concluding Discussion	190
	References	192
15	Higher-Order Baroclinicity (I): Two Fluid Layers with Diffuse Interface – Three Fluid Layers with Sharp Interfaces	197
15.1	Motivation and Review	197
A.	Laboratory Experiments on Baroclinic Solitary Waves in a Two-Layer Fluid System with Diffusive Interface	199
15.2	Experimental Set-Up and Wave Generation	199
15.2.1	The Wave Channel	199
15.2.2	Solitary Wave Generation and Measuring Technique	199
15.2.3	Error Estimation	202
15.3	The Experiments	202
15.3.1	Typical Experimental Data	203
15.3.2	Results	208
15.4	Analytical Models for the Evolution of Baroclinic Waves	212
15.4.1	Equations	212
15.4.2	Baroclinic modes for a two-layer system with diffuse interface	216
15.4.3	Results of the Numerical Modeling	219
B.	Three-Layer Model of the North Basin of the Lake of Lugano	224
15.5	The Thermo-Chemical Density Structure of the North Basin of Lake of Lugano	225
15.6	Linear Wave Dynamics of the Three-Layer Model	229
15.7	Computational Results and Their Comparison with Field Data ...	233
15.7.1	Mode 1	234
15.7.2	Mode 2	240
15.7.3	Mode 3	242
15.7.4	Modes 4 and 5	244
15.8	Model Sensitivity	245
15.9	Inferences	246
15.10	Summary	247
	References	248
16	Higher-Order Baroclinicity (II): Interpretation of Lake Data with Rotating and Non-rotating Models	251
16.1	V2-Vertical Mode of the Internal Seiche in Lake Alpnach	252
16.1.1	Observations	253
16.1.2	Seiche Analysis	254
16.2	Internal Seiche Climate in Lake Banyoles, Catalonia (Spain)	258
16.2.1	Description of the Site	259
16.2.2	Methods of Computation and Data Analysis	260
16.2.3	Results	261

16.3	Internal Wave Weather in Stratified Lake Biwa	267
16.3.1	Methodology and Overview of Field Results	267
16.4	Basin-Scale Wave Motion in Lake Constance	274
16.4.1	Morphology and Methodology	274
16.4.2	Interpretation of the Observations	278
16.5	Closing Remarks	281
	References	284
17	Barotropic Oscillations in Lake Omega: A Lake of Complex Geometry	287
17.1	Lake Morphology and First Interpretations of Water Level Measurements	287
17.2	Measured Water-Level Fluctuations and Water Currents at Isolated Points	291
17.3	The Barotropic Eigenvalue Problem	296
17.4	Numerical Results and Their Comparison with Observations	298
17.5	Concluding Remarks	308
17.6	Appendix: The Lanczos' Procedure in Solving Symmetric Eigenvalue Problems	309
	References	313
18	Observation and Analysis of Internal Seiches in the Southern Basin of Lake of Lugano	315
18.1	Introductory Remarks, Lake Morphology	315
18.2	State of Stratification and Wind Forces: 15 August–15 October 1984	318
18.3	Internal Seiche Response: Variation in Isotherm Depth and Wind Stress	324
18.3.1	Internal Oscillations 25 August–5 September	324
18.3.2	Internal Oscillations 7–30 September	326
18.3.3	Internal Seiche After 3 October	329
18.3.4	Harmonic Analysis	329
18.4	Model Predictions: The Two-Layered Variable-Depth Model	333
18.5	Current Structure of the Internal Seiches	344
18.6	Closing Remarks	348
18.6.1	Observed Features Not Reproduced by the TVD-Model	348
18.6.2	A Remark on the Generation of Topographic Waves	349
18.6.3	Barotropic–Baroclinic Coupling of the North- and South Basin	351
	References	352

19 Topographic Waves in Enclosed Basins: Fundamentals and Observations355

19.1 Review of Early Work355

19.2 Some Observations and Proposed Interpretations358

 19.2.1 Lake Michigan358

 19.2.2 Lake of Lugano (North Basin).....362

 19.2.3 Other Lakes and Ocean Basins365

19.3 Baroclinic Coupling: The Two-Layer Model368

 19.3.1 Two-Layer-Equations368

 19.3.2 Approximations369

 19.3.3 Scale Analysis372

 19.3.4 Boundary Conditions376

19.4 Continuous Stratification377

 19.4.1 Modal Equations377

 19.4.2 Spectral Decomposition of the Baroclinic Fields382

 19.4.3 Scale Analysis389

19.5 Discussion391

References.....396

20 Topographic Rossby Waves in Basins of Simple Geometry399

20.1 Motivation399

20.2 Topographic Wave Equation in Curvilinear
Orthogonal Coordinate Systems400

 20.2.1 Preparation.....400

 20.2.2 Cylindrical Coordinates.....403

 20.2.3 Elliptical Coordinates403

 20.2.4 Natural Coordinates405

 20.2.5 Cartesian-Coordinate Correspondence Principle407

20.3 An Almanac of Analytical Solutions.....407

 20.3.1 Circular Basin with Parabolic Bottom407

 20.3.2 Circular Basin with a Power-Law Bottom Profile411

 20.3.3 Elliptic Basin with Parabolic Bottom413

 20.3.4 Elliptic Basin with Exponential Bottom417

 20.3.5 Topographic Vorticity Waves in Infinite Domains425

 20.3.6 Elliptic Island in Infinite Space432

20.4 Application of Transformation Principles434

 20.4.1 Hyperbolically Curved Channels434

 20.4.2 Semi-Infinite Gulf and Patched-Up
 Elongated Basins437

20.5 Discussion443

References.....444

21 Topographic Waves in Basins with Complex Shapes and Complex Bathymetries 447

21.1 Conceptual Review 447

21.2 The Method of Weighted Residuals 448

 21.2.1 The Method of Weighted Residuals Applied to Topographic Waves 448

 21.2.2 Symmetrisation 453

21.3 Topographic Waves in Infinite Channels 454

 21.3.1 Basic Concept 455

 21.3.2 Dispersion Relation 458

 21.3.3 Channel Solutions 464

21.4 Topographic Waves in Rectangular Basins 469

 21.4.1 Crude Lake Models 469

 21.4.2 The Role of the Aspect Ratio 472

 21.4.3 Lake Model with Non-constant Depth Along Its Thalweg 474

 21.4.4 Current Patterns 485

21.5 Curved Channels 490

 21.5.1 The Method of Weighted Residuals for Lakes with Curved Thalwegs 490

 21.5.2 Dispersion Relation 493

 21.5.3 TW-Wave Modes in Wedges of Annuli with Smooth Bathymetry 495

21.6 Reflection of Topographic Waves 498

 21.6.1 Reflection at a Vertical Wall 499

 21.6.2 Reflection at a Gulf End with Continuous Depth Lines But Discontinuous Slope Parameter 502

 21.6.3 Reflection at a Channel End with Continuous Depth Lines and Continuous Slope Parameter 503

21.7 Bay Modes and Resonances 512

 21.7.1 The Boundary Value Problem for TWs in a Semi-Infinite Gulf with Exponential Bathymetry 513

 21.7.2 The Flat Channel 517

 21.7.3 Channel with Shelf Topography 520

21.8 Concluding Discussion 529

21.9 Appendix 532

References 535

22 A Class of Chrystal-Type Equations 537

22.1 Motivation 537

22.2 Traditional Chrystal-Type Equations 539

 22.2.1 Homogeneous Lakes 539

 22.2.2 Two-Layer Channel Model 542

22.3 Extended Channel Models: Governing Equations 553

22.4 Method of Weighted Residuals 557

- 22.5 Derivation of a Hierarchy of Channel Equations for Barotropic Motions in Lakes561
 - 22.5.1 Mass Balance562
 - 22.5.2 Momentum Balance564
 - 22.5.3 Summary565
- 22.6 Low-Order Channel Models for Curved Rotating Elongated Lakes567
 - 22.6.1 Non-rotating Basins568
 - 22.6.2 A First-Order Model Accounting for the Rotation of the Earth570
- 22.7 Gravity Waves in Channels and Lakes of Rectangular Cross Section on the Rotating Earth574
 - 22.7.1 Free Oscillations in a Non-rotating Rectangle574
 - 22.7.2 Kelvin-Type Waves in an Infinitely Long Rectangular Straight Canal577
 - 22.7.3 Wave Solutions of the Full First-Order System: Poincaré-Like Waves579
 - 22.7.4 Reflection of Kelvin-Type Waves at a Barrier of a Half-Open Rectangular Canal and Free Oscillations in Rectangles587
- 22.8 Ring-Shaped Basins with Constant Depth598
 - 22.8.1 Solutions of the Two-Dimensional Tidal Equation598
 - 22.8.2 First-Order Channel Model601
- 22.9 Higher Order Chrystal-Type Models Applied to Free Oscillations in Natural Basins606
 - 22.9.1 The Nth Order Two-Point Boundary-Value Problem for Barotropic Forced or Free Oscillations.....606
 - 22.9.2 Integration Procedure610
 - 22.9.3 Barotropic Seiches of the Northern Basin of Lake of Lugano612
- Appendix 22.A618
- Appendix 22.B621
- References624

- Name Index627**
- Lake Index631**
- Subject Index633**



<http://www.springer.com/978-3-642-19111-4>

Physics of Lakes

Volume 2: Lakes as Oscillators

Hutter, K.; Wang, Y.; Chubarenko, I.P.

2011, LXVIII, 646 p., Hardcover

ISBN: 978-3-642-19111-4