

# Contents

List of Figures	XI
List of Tables	XV
<b>1 Motivation</b>	<b>1</b>
1.1 Why Mobile Robots Should Have an Artificial Instinct . . . . .	3
1.2 Ground-based Autonomous Mobile Robots . . . . .	4
1.3 The Ideal Sensor . . . . .	6
1.4 Intuition as Part of the Artificial Intelligence . . . . .	8
1.5 Outline - Toward Reactive Planning for Auto-nomous Vehicles . . . . .	10
<b>2 Related Work</b>	<b>13</b>
2.1 Review of Autonomous Driving . . . . .	13
2.1.1 The Origin of Autonomous Driving and the First Steps (1969-1987)	13
2.1.2 Autonomous Driving on Highways (1987-2003) . . . . .	18
2.1.3 The DARPA Challenges (2004-2007) . . . . .	19
2.1.4 Commercial Autonomous Driving (2008-present) . . . . .	24
2.2 Sensors for Autonomous Vehicle . . . . .	28
2.2.1 Overview of Sensor Classes . . . . .	29
2.2.2 Usage of Sensors . . . . .	30
2.3 Types of Planning . . . . .	32
2.3.1 Reactive Obstacle Avoidance . . . . .	34
2.3.1.1 Vision-Based Obstacle Avoidance . . . . .	35
2.3.1.2 Obstacle Avoidance based on Optical Flow . . . . .	36
2.3.1.3 Dynamic Obstacles . . . . .	38
2.3.2 Vision-Based Control and Navigation . . . . .	39
2.3.2.1 Reactive Navigation with Fuzzy Logic . . . . .	40
2.3.2.2 Visual Servoing . . . . .	41
2.3.2.3 Homography-based Techniques . . . . .	43
2.3.3 Vision-Based Platooning . . . . .	44
2.3.4 Concurrent Reactive Obstacle Avoidance and Navigation . . . . .	44
2.4 Contributions . . . . .	45

<b>3</b>	<b>Vision-Based Reactive Controllers</b>	<b>47</b>
3.1	Camera-based Perception . . . . .	47
3.1.1	Reasons for Use of Cameras . . . . .	47
3.1.2	Basic Image Processing Principles . . . . .	48
3.1.3	Optical Flow . . . . .	52
3.1.4	Two View Geometry . . . . .	53
3.1.4.1	Essential Matrix . . . . .	54
3.1.4.2	Homography Principle . . . . .	56
3.2	Single Point Time-to-Collision . . . . .	58
3.2.1	STTC for Planar Motions . . . . .	58
3.2.2	STTC for Non-Planar Motions . . . . .	61
3.3	Representations for Coupling Sensors with Actuators . . . . .	65
3.3.1	Control-Interface to Autonomous Vehicle . . . . .	65
3.3.2	Optical Flow Clusters for Collision Avoidance . . . . .	67
3.3.2.1	Epipolar Geometry-Based Clustering . . . . .	67
3.3.2.2	Expansion-Based Time-To-Collision Estimation . . . . .	68
3.3.2.3	Two-Stage Clustering . . . . .	73
3.3.2.4	Coupling Epipole Motions with Velocities . . . . .	79
3.3.3	Direct Homography Control for Positioning and Navigation Tasks . . . . .	80
3.3.3.1	Direct Homography Control for Static Targets . . . . .	81
3.3.3.2	Position Estimation without Decomposition . . . . .	83
3.3.3.3	Direct Homography Control for Platooning . . . . .	86
3.3.4	Single Point Time-To-Collision Map . . . . .	89
3.3.4.1	Derivation of the STTC-Map . . . . .	89
3.3.4.2	Static STTC Objects . . . . .	93
3.3.4.3	Dynamic STTC Objects . . . . .	96
3.3.4.4	Velocity Estimation using the STTC Principle . . . . .	102
3.3.4.5	Single Point Velocity Estimation (SPVE) . . . . .	104
3.3.4.6	Comparison of the Velocity Estimation from SPVE to Stereo . . . . .	107
3.4	Planning with the Representations . . . . .	113
3.4.1	Obstacle Evasion by Optimal Calculation of the Motion Correction . . . . .	114
3.4.1.1	Deriving a Cost-Function for Epipole Shifting . . . . .	114
3.4.1.2	Choice of the Optimizer . . . . .	116
3.4.2	Navigation . . . . .	118
3.4.2.1	Direct Homography Control for the Static Case . . . . .	118
3.4.2.2	Platooning . . . . .	122
3.4.3	STTC Map-based planning . . . . .	126
3.4.3.1	Nullspace STTC Calculation . . . . .	126
3.4.3.2	Optimization-based planning . . . . .	129
<b>4</b>	<b>The ROboMObil</b>	<b>133</b>
4.1	The Research Platform . . . . .	133
4.2	Architecture for Autonomous Driving . . . . .	135
4.3	Simulation Aided Development . . . . .	137

4.3.1	Simulation of Artificial Intelligence Agents . . . . .	137
4.3.2	The ROMO Hardware-In-the-Loop Test Setup . . . . .	138
4.4	The Perception System . . . . .	139
4.4.1	Placement of the Cameras . . . . .	140
4.4.2	Sensor Attention Management . . . . .	140
4.5	Actuation of the ROboMObil . . . . .	142
4.5.1	Vehicle Dynamics Controller Interface . . . . .	143
4.5.2	Exemplary Application: Autonomous Parking . . . . .	145
<b>5</b>	<b>Results</b>	<b>149</b>
5.1	Results - Perception . . . . .	149
5.1.1	STTC Calculation . . . . .	149
5.1.1.1	Evaluation of the Sensitivity of the STTC Calculation to Non-Planar Motions . . . . .	149
5.1.1.2	The 3 Points Method for Changing Velocities . . . . .	150
5.1.2	Configuration of the Sensor System . . . . .	156
5.2	Results - Representations . . . . .	159
5.2.1	Control-Interface Autonomous Vehicle . . . . .	159
5.2.2	Evaluation of the Optical-Flow Clustering Representation . . . . .	160
5.2.2.1	The Epipolar Geometry-Based Clustering . . . . .	160
5.2.2.2	The Two-Step Clustering . . . . .	163
5.2.3	Navigation / Homography Presentation . . . . .	167
5.2.3.1	Estimation of the Orientation Deviation . . . . .	167
5.2.3.2	Position Estimation using a Projection Model . . . . .	170
5.2.3.3	Position Estimation using Artificial Images . . . . .	171
5.2.3.4	Velocity Estimation for the Target Vehicle . . . . .	175
5.2.4	STTC Map . . . . .	175
5.2.4.1	Comparison of Different STTC Representations . . . . .	175
5.2.4.2	Velocity Estimation . . . . .	179
5.3	Results of the Planning Methods . . . . .	190
5.3.1	Evaluation of the Obstacle Evasion based on Optical Flow Clusters . . . . .	190
5.3.1.1	Evaluation of the Optimization . . . . .	190
5.3.1.2	Evaluation of the Obstacle Evasion Approach in HIL Tests . . . . .	195
5.3.1.3	The Obstacle Evasion in Real World Tests . . . . .	199
5.3.2	The Direct Homography Control for Navigation Tasks . . . . .	204
5.3.2.1	Static DHC . . . . .	204
5.3.2.2	Results of the Platooning . . . . .	209
5.3.3	STTC Map-Based Planning . . . . .	214
5.3.3.1	Nullspace Calculation for STTC Map Objects . . . . .	214
5.3.3.2	Optimization-based Planner . . . . .	217
<b>6</b>	<b>Conclusion</b>	<b>219</b>
6.1	Discussion . . . . .	219
6.2	Contributions . . . . .	221

---

6.3	Future Work . . . . .	222
6.3.1	Future Work regarding the Three Representations . . . . .	222
6.3.2	Possible Transfers and Further Extensions . . . . .	223
<b>Publications</b>		<b>225</b>
<b>References</b>		<b>227</b>
<b>A Appendix</b>		<b>255</b>
A.1	Applicability to a Conventional Vehicle . . . . .	255
A.2	Utilization of the Essential Matrix . . . . .	256
A.3	Car-2-X-Aided Visual Platooning . . . . .	256
A.4	Tentacle Tree - Hybrid Motion Planning for the ROMO . . . . .	258
<b>Symbols and Mathematical Notation</b>		<b>261</b>
<b>List of Abbreviations</b>		<b>265</b>



<http://www.springer.com/978-3-658-19086-6>

Robust Perception from Optical Sensors for Reactive Behaviors in Autonomous Robotic Vehicles

Schaub, A.

2018, XV, 267 p. 127 illus., 123 illus. in color., Softcover

ISBN: 978-3-658-19086-6