

# Contents

<b>1</b>	<b>Introduction</b>	1
1.1	Health Care System Modeling	1
1.2	Overview of Diabetes	2
1.2.1	Diabetes Classifications	2
1.2.2	Type 2 Diabetes Treatments	3
1.2.3	The Prevalence and Costs of Diabetes	3
1.3	Model Structure	5
1.4	Objectives of This Study	7
	References	7
<b>2</b>	<b>Agent-Based Modeling and Simulation</b>	9
2.1	Software Agents	9
2.1.1	Basic Concepts	10
2.1.2	Agent Classification	10
2.1.3	Mobile Agents	11
2.1.4	Multi-agent Systems	12
2.1.5	TEEMA Agent Platform	13
2.2	Agent-Based Simulation in Healthcare	13
	References	14
<b>3</b>	<b>The Ackerman Mathematical Model</b>	15
3.1	Ackerman Model	15
3.2	The Extended Ackerman Model	17
3.2.1	Incorporation of Stochastic and Unpredictable Behaviour	17
3.2.2	The Random Walk Model	18
3.2.3	Self-awareness	20
	References	21

<b>4 Patient-Physician Interaction Model</b> . . . . .	23
4.1 Diabetic Patient Agent Model . . . . .	23
4.1.1 Patient Agent Behaviour . . . . .	23
4.1.2 Assumptions in the Design of the Patient Agent Model . . . . .	27
4.2 Physician Agent Model . . . . .	28
4.2.1 Treatment Method . . . . .	28
4.2.2 Assumptions in the Design of Physician Agent Model . . . . .	28
4.3 Description of the Simulation Process . . . . .	29
References . . . . .	33
<b>5 Simulation Results</b> . . . . .	35
5.1 Manipulating the Frequency and the Period of Self-monitoring . . . . .	35
5.1.1 Scenario #1 . . . . .	36
5.1.2 Scenario #2 . . . . .	37
5.1.3 Scenario #3 . . . . .	38
5.1.4 Scenario #4 . . . . .	43
5.1.5 Scenario #5 . . . . .	45
5.1.6 Scenario #6 . . . . .	46
5.2 Incorporating Continuous Blood Glucose Monitoring in the Treatment Regime of the Patient . . . . .	49
5.2.1 Scenario #7 . . . . .	49
5.3 Comparison of the Clinical-Effectiveness of Different Monitoring Regimens . . . . .	51
5.4 Comparison of the Cost-Effectiveness of Different Monitoring Regimen . . . . .	54
5.5 Evaluation of the Variance in the Target Estimation of Blood Glucose Recorded by the Patient and the Actual Blood Glucose of the Patient . . . . .	55
5.6 Manipulating the Willingness of the Patient to Adopt a Healthier Lifestyle . . . . .	57
5.6.1 Scenario #8 . . . . .	57
5.6.2 Scenario #9 . . . . .	58
5.6.3 Scenario #10 . . . . .	58
5.7 Comparison of the Clinical and Cost Effectiveness Resulting from Different Willingness Parameters . . . . .	62
<b>6 Control Patient Agent Model</b> . . . . .	67
6.1 Methods . . . . .	67
6.1.1 Control Patient Agent Model Architecture . . . . .	67
6.1.2 Control Patient Agent Model and Algorithm . . . . .	68
6.1.3 Assumptions in the Model . . . . .	71
6.1.4 User Interface . . . . .	71

- 6.2 Experiments and Results . . . . . 71
  - 6.2.1 Experiment Configurations . . . . . 72
  - 6.2.2 Recommended Blood Glucose Range for Diabetic Patients . . . . . 72
  - 6.2.3 Experimental Results . . . . . 73
- 6.3 Summary . . . . . 79
- References . . . . . 80
- 7 Self-aware Patient Agent Model . . . . . 81**
  - 7.1 Self Monitoring Blood Glucose . . . . . 81
  - 7.2 Method . . . . . 82
    - 7.2.1 Self-aware Patient Agent Model Architecture . . . . . 82
    - 7.2.2 Self-awareness . . . . . 82
    - 7.2.3 Self-aware Patient Agent Algorithm . . . . . 83
    - 7.2.4 User Interface . . . . . 84
  - 7.3 Experiments and Results . . . . . 84
    - 7.3.1 Experiment Configurations . . . . . 84
    - 7.3.2 Experimental Results . . . . . 85
  - 7.4 Summary . . . . . 91
  - References . . . . . 91
- 8 Blood Glucose Monitoring Frequency Evaluation . . . . . 93**
  - 8.1 Signal Analysis Techniques in Diabetes Physiology . . . . . 93
  - 8.2 Evaluation Method . . . . . 94
    - 8.2.1 Blood Glucose Monitoring Frequency . . . . . 94
    - 8.2.2 Self-aware Patient Agent Categories . . . . . 95
    - 8.2.3 Interpolation of Samples . . . . . 97
    - 8.2.4 Normalized Cross-Correlation at Zero Lag . . . . . 98
    - 8.2.5 Average Value Deviation . . . . . 102
  - 8.3 Experiments and Results . . . . . 102
    - 8.3.1 Normalized Cross-Correlation at Zero Lag . . . . . 103
    - 8.3.2 Average Deviation Value . . . . . 105
  - 8.4 Summary . . . . . 110
  - References . . . . . 115
- 9 Conclusions and Future Work . . . . . 117**
  - 9.1 The Patient-Physician Interaction Model . . . . . 118
  - 9.2 Summary of Experiments with the CPA and the SPA Models . . . . . 119
  - 9.3 Blood Glucose Monitoring Frequency Evaluation . . . . . 120
  - 9.4 Future Works . . . . . 121
  - Reference . . . . . 123



<http://www.springer.com/978-3-662-56289-5>

The Diabetic Patient Agent  
Modeling Disease in Humans and the Healthcare  
System Response

Paranjape, R.; Wang, Z.G.; Gill, S.

2018, XIV, 123 p. 81 illus., 74 illus. in color., Hardcover

ISBN: 978-3-662-56289-5