

Contents

1 Introduction	1
1.1 Health Care System Modeling	1
1.2 Overview of Diabetes	2
1.2.1 Diabetes Classifications	2
1.2.2 Type 2 Diabetes Treatments	3
1.2.3 The Prevalence and Costs of Diabetes	3
1.3 Model Structure	5
1.4 Objectives of This Study	7
References	7
2 Agent-Based Modeling and Simulation	9
2.1 Software Agents	9
2.1.1 Basic Concepts	10
2.1.2 Agent Classification	10
2.1.3 Mobile Agents	11
2.1.4 Multi-agent Systems	12
2.1.5 TEEMA Agent Platform	13
2.2 Agent-Based Simulation in Healthcare	13
References	14
3 The Ackerman Mathematical Model	15
3.1 Ackerman Model	15
3.2 The Extended Ackerman Model	17
3.2.1 Incorporation of Stochastic and Unpredictable Behaviour	17
3.2.2 The Random Walk Model	18
3.2.3 Self-awareness	20
References	21

4 Patient-Physician Interaction Model	23
4.1 Diabetic Patient Agent Model	23
4.1.1 Patient Agent Behaviour	23
4.1.2 Assumptions in the Design of the Patient Agent Model	27
4.2 Physician Agent Model	28
4.2.1 Treatment Method	28
4.2.2 Assumptions in the Design of Physician Agent Model	28
4.3 Description of the Simulation Process	29
References	33
5 Simulation Results	35
5.1 Manipulating the Frequency and the Period of Self-monitoring	35
5.1.1 Scenario #1	36
5.1.2 Scenario #2	37
5.1.3 Scenario #3	38
5.1.4 Scenario #4	43
5.1.5 Scenario #5	45
5.1.6 Scenario #6	46
5.2 Incorporating Continuous Blood Glucose Monitoring in the Treatment Regime of the Patient	49
5.2.1 Scenario #7	49
5.3 Comparison of the Clinical-Effectiveness of Different Monitoring Regimens	51
5.4 Comparison of the Cost-Effectiveness of Different Monitoring Regimen	54
5.5 Evaluation of the Variance in the Target Estimation of Blood Glucose Recorded by the Patient and the Actual Blood Glucose of the Patient	55
5.6 Manipulating the Willingness of the Patient to Adopt a Healthier Lifestyle	57
5.6.1 Scenario #8	57
5.6.2 Scenario #9	58
5.6.3 Scenario #10	58
5.7 Comparison of the Clinical and Cost Effectiveness Resulting from Different Willingness Parameters	62
6 Control Patient Agent Model	67
6.1 Methods	67
6.1.1 Control Patient Agent Model Architecture	67
6.1.2 Control Patient Agent Model and Algorithm	68
6.1.3 Assumptions in the Model	71
6.1.4 User Interface	71

- 6.2 Experiments and Results 71
 - 6.2.1 Experiment Configurations 72
 - 6.2.2 Recommended Blood Glucose Range for Diabetic Patients 72
 - 6.2.3 Experimental Results 73
- 6.3 Summary 79
- References 80
- 7 Self-aware Patient Agent Model 81**
 - 7.1 Self Monitoring Blood Glucose 81
 - 7.2 Method 82
 - 7.2.1 Self-aware Patient Agent Model Architecture 82
 - 7.2.2 Self-awareness 82
 - 7.2.3 Self-aware Patient Agent Algorithm 83
 - 7.2.4 User Interface 84
 - 7.3 Experiments and Results 84
 - 7.3.1 Experiment Configurations 84
 - 7.3.2 Experimental Results 85
 - 7.4 Summary 91
 - References 91
- 8 Blood Glucose Monitoring Frequency Evaluation 93**
 - 8.1 Signal Analysis Techniques in Diabetes Physiology 93
 - 8.2 Evaluation Method 94
 - 8.2.1 Blood Glucose Monitoring Frequency 94
 - 8.2.2 Self-aware Patient Agent Categories 95
 - 8.2.3 Interpolation of Samples 97
 - 8.2.4 Normalized Cross-Correlation at Zero Lag 98
 - 8.2.5 Average Value Deviation 102
 - 8.3 Experiments and Results 102
 - 8.3.1 Normalized Cross-Correlation at Zero Lag 103
 - 8.3.2 Average Deviation Value 105
 - 8.4 Summary 110
 - References 115
- 9 Conclusions and Future Work 117**
 - 9.1 The Patient-Physician Interaction Model 118
 - 9.2 Summary of Experiments with the CPA and the SPA Models 119
 - 9.3 Blood Glucose Monitoring Frequency Evaluation 120
 - 9.4 Future Works 121
 - Reference 123



<http://www.springer.com/978-3-662-56289-5>

The Diabetic Patient Agent

Modeling Disease in Humans and the Healthcare
System Response

Paranjape, R.; Wang, Z.G.; Gill, S.

2018, XIV, 123 p. 81 illus., 74 illus. in color., Hardcover

ISBN: 978-3-662-56289-5