

Contents

1	Introduction	1
1.1	One-Way Quantum Computation	1
1.1.1	Quantum Computation	1
1.1.2	Quantum Teleportation	2
1.1.3	Application of Quantum Teleportation to Quantum Computation (Gate Teleportation, Offline Scheme)	3
1.1.4	Application of Quantum Teleportation to Quantum Computation (One-Way Quantum Computation)	4
1.1.5	Circuit Model and Cluster Model	5
1.1.6	Continuous-Variables and Universality	6
1.2	History of One-Way Quantum Computation and This Thesis	8
1.2.1	History of One-Way Quantum Computation	8
1.2.2	This Thesis	10
1.3	Structure of This Thesis	12
	References	12
2	Quantum Optics	15
2.1	Quantum Mechanics and Quantum Optics	15
2.1.1	Uncertainty Principle	15
2.1.2	Quantized Electromagnetic Field	16
2.2	Several Quantum States	18
2.2.1	Coherent State	18
2.2.2	Vacuum State	20
2.2.3	Squeezed Vacuum State	21
2.3	Optical Parametric Oscillator	24
2.3.1	Quantum Langevin Equation	24
2.3.2	Relationship to Experimental Setups	26
2.4	Homodyne Measurement	27
	References	29

- 3 Quantum States and Quantum State Manipulations 31**
- 3.1 Computational Basis 31
- 3.2 Representations of Quantum States 32
 - 3.2.1 State Vector 32
 - 3.2.2 Density Operator 33
 - 3.2.3 Stabilizer 34
 - 3.2.4 Nullifier 35
 - 3.2.5 Moment 36
 - 3.2.6 Expectation Value and Covariance Matrix
of Quadrature Operators 37
 - 3.2.7 Wigner Function and Gaussian State 39
 - 3.2.8 Quadrature Operator Which Specifies a
Particular Quantum State 40
- 3.3 Representations of Quantum State Manipulations 41
 - 3.3.1 Unitary Operator, Transformation
of State Vector, Schrödinger Picture 41
 - 3.3.2 Transformation of Density Operator 41
 - 3.3.3 Transformation of Stabilizer 41
 - 3.3.4 Transformation of Nullifier 41
 - 3.3.5 Transformation of Annihilation Operator,
Heisenberg Picture 42
 - 3.3.6 Transformation of Expectation Values
and Covariance Matrix for Gaussian Operations 43
 - 3.3.7 Comparison Between Transformation of Nullifier
and Transformation of Annihilation Operator 44
 - 3.3.8 Transformation of Quadrature Operator Which
Specifies a Particular Quantum State 44
- 3.4 Group of Operator 45
 - 3.4.1 Pauli Group (Heisenberg-Weyl Group) 45
 - 3.4.2 Symplectic Group 46
 - 3.4.3 Clifford Group (Gaussian Operation) 48
 - 3.4.4 Gaussian Operation as Clifford Group 49
 - 3.4.5 Summary of Names 50
- 3.5 Operators 51
 - 3.5.1 Position Displacement Operator 51
 - 3.5.2 Momentum Displacement Operator 52
 - 3.5.3 Rotation Operator 53
 - 3.5.4 Fourier Operator 54
 - 3.5.5 Quadratic Phase Operator 55
 - 3.5.6 Two-Mode Interaction Operator 56
 - 3.5.7 Controlled-Z Operator 56
 - 3.5.8 Beam Splitter Operator 57

3.6	Universality and Classical Simulation	62
3.6.1	Universality	62
3.6.2	Efficient Classical Simulation	63
3.7	Entangled States and Entanglement Criteria	64
3.7.1	Entangled States	64
3.7.2	Entanglement Criteria.	64
3.7.3	Duan Criterion	65
3.7.4	Extension of van Loock-Furusawa Criterion	65
3.7.5	Entanglement Criteria via Partial Transpose of Density Operators	69
3.7.6	Logarithmic Negativity.	72
3.7.7	Comparison of Entanglement Criteria.	73
	References.	75
4	Offline Scheme and One-Way Quantum Computation	77
4.1	Quantum Teleportation and Gate Teleportation	77
4.1.1	Quantum Teleportation.	77
4.1.2	Gate Teleportation	80
4.2	One-Mode Teleportation Circuit and Elementary Circuit for One-Way Quantum Computation	83
4.2.1	One-Mode Teleportation Circuit (Half-Teleportation Circuit, Elementary One-Mode One-Way Quantum Computation Circuit)	83
4.2.2	Offline Scheme	88
4.2.3	Elementary Circuit for One-Way Quantum Computation	89
4.2.4	Multi-Step One-Mode Teleportation Circuit and Cluster States	92
	References.	96
5	Cluster States and One-Way Quantum Computation	97
5.1	Cluster States	97
5.1.1	Definition by State Vector	97
5.1.2	Stabilizers and Nullifiers	97
5.1.3	Examples of Cluster States	99
5.1.4	Entanglement Criteria for Cluster States	101
5.2	Generation of Cluster States	104
5.2.1	Canonical Cluster States	104
5.2.2	Gaussian Cluster States	104
5.2.3	Examples of Gaussian Cluster States	108
5.3	Input Coupling	111
5.3.1	κ Representation, η Representation, and θ Representation	111
5.3.2	Controlled-Z-Based Input-Coupling Scheme	113

- 5.3.3 Teleportation-Based Input-Coupling Scheme 115
- 5.3.4 Squeezer-Based Input-Coupling Scheme 121
- 5.3.5 Relation Between Squeezer-Based Input-Coupling Scheme and Teleportation-Based Input-Coupling Scheme 127
- 5.4 Reshaping of Cluster States 128
 - 5.4.1 Reshaping of Cluster States with Controlled-Z Gates 129
 - 5.4.2 Erasing (Removal of Unwanted Modes) 129
 - 5.4.3 Wire Shortening (Shortening of Connections) 130
 - 5.4.4 Connection Without Measurement 131
 - 5.4.5 Connection with a Measurement 133
 - 5.4.6 Connection with Two Measurements 134
- 5.5 Universality of One-Way Quantum Computation. 135
 - 5.5.1 Universality 135
 - 5.5.2 Arbitrary One-Mode Gaussian Operations. 136
 - 5.5.3 Arbitrary Multi-Mode Gaussian Operations. 143
 - 5.5.4 One-Mode Non-Gaussian Operations 144
- 5.6 One-Way Quantum Computation with δ Representation 145
- References. 149

6 Experimental Generation of Optical Continuous-Variable

- Cluster States** 151
 - 6.1 Theory on Cluster State Generation 151
 - 6.1.1 Two-Mode Cluster State. 151
 - 6.1.2 Three-Mode Linear Cluster State 158
 - 6.1.3 Four-Mode Linear Cluster State 160
 - 6.2 Theory on Measurement of Covariance Matrix 163
 - 6.2.1 Measurement of $\langle x_i^2 \rangle, \langle p_i^2 \rangle$ 164
 - 6.2.2 Measurement of $\langle x_i p_i + p_i x_i \rangle / 2$ 164
 - 6.2.3 Measurement of $\langle x_i x_j \rangle, \langle x_i p_j \rangle, \langle p_i x_j \rangle, \langle p_i p_j \rangle$ 164
 - 6.3 Experiment Components 165
 - 6.3.1 From Laser to Oscillators 165
 - 6.3.2 Doubler 166
 - 6.3.3 Mode Cleaning Cavity 166
 - 6.3.4 Optical Parametric Oscillator. 167
 - 6.3.5 Mode of Quantum State 169
 - 6.3.6 Homodyne Measurement 170
 - 6.4 Locking the Cavities and Phases 170
 - 6.4.1 Phase Modulation 171
 - 6.4.2 FM Sideband Locking 172
 - 6.4.3 DC Locking 172

- 6.4.4 AC Locking 173
- 6.4.5 Locking the Relative Phases for Generation of Two-Mode Cluster State. 173
- 6.4.6 Locking the Relative Phases for Generation of Three-Mode Linear Cluster State. 176
- 6.4.7 Locking the Relative Phases for Generation of Four-Mode Linear Cluster State. 178
- 6.5 Measurement Results of Two-Mode Cluster State 178
 - 6.5.1 Preparation 178
 - 6.5.2 Measurement Results and Their Analysis ($PG1 = 7, PG2 = 7$) 182
 - 6.5.3 Measurement Results and Their Analysis with Other Parametric Gains. 188
- 6.6 Measurement Results of Three-Mode Linear Cluster State 191
 - 6.6.1 Preparation 191
 - 6.6.2 Measurement Results 191
 - 6.6.3 Entanglement Detection Via van Loock-Furusawa Criterion. 192
- 6.7 Measurement Results of Four-Mode Linear Cluster State 193
 - 6.7.1 Preparation 193
 - 6.7.2 Measurement Results 193
 - 6.7.3 Entanglement Detection Via van Loock-Furusawa Criterion. 194
- References. 196

- 7 Experimental Demonstration of Controlled-ZGate for Continuous Variables 197**
 - 7.1 Controlled-Z Gate Experiment 197
 - 7.1.1 Operation 197
 - 7.1.2 Importance of This Experiment. 198
 - 7.1.3 Comparison of Three Experiments. 199
 - 7.2 Theory. 199
 - 7.2.1 Abstract Illustration and Abstract Experimental Setup. 199
 - 7.2.2 Four-Mode Linear Cluster State 202
 - 7.2.3 Input Coupling 202
 - 7.2.4 Measurement 203
 - 7.2.5 Feed-Forward and Operation. 203
 - 7.2.6 Covariance Matrix. 205
 - 7.2.7 Decomposition of Operation 205
 - 7.2.8 Interpretation as Gate Teleportation 206
 - 7.2.9 Operation We Implement 208
 - 7.2.10 Variances of Quadrature Operators 209
 - 7.2.11 Inseparability Criteria. 210

7.3	Experimental Setup	212
7.3.1	From Laser to Cluster State Generation	212
7.3.2	Input States	212
7.3.3	Classical Channels and Displacement Operations.	213
7.3.4	Locking the Relative Phases	215
7.3.5	Cancellation	217
7.4	Preparation for Measurement	219
7.4.1	Visibilities and Parametric Gains	219
7.4.2	Adjustment of EOM (Purity).	219
7.4.3	Cancellation	221
7.4.4	Balance Between Homodyne Detectors	221
7.5	Measurement Results and Their Analysis	221
7.5.1	Power of Output with Vacuum Inputs	221
7.5.2	Power of Output with Coherent Inputs	225
7.5.3	Entanglement at Output (via van Loock–Furusawa Criterion)	228
	References.	231
8	Experimental Demonstration of Optimum Nonlocal Gate for Continuous Variables	233
8.1	Optimum Nonlocal Gate Experiment	233
8.1.1	Operation	233
8.1.2	Importance of This Experiment	234
8.1.3	Comparison of Three Experiments	234
8.2	Theory	235
8.2.1	Abstract Illustration and Abstract Experimental Setup	235
8.2.2	Two-Mode Cluster State	235
8.2.3	Input Coupling	235
8.2.4	Measurement	237
8.2.5	Feed-Forward and Operation	237
8.2.6	Decomposition of Operation	239
8.2.7	Covariance Matrix	239
8.2.8	Inseparability Criteria	240
8.3	Interpretation as Optimum Nonlocal Gate	241
8.3.1	Nonlocal Gate	241
8.3.2	Optimum Nonlocal Gate	242
8.4	Experimental Setup	244
8.4.1	From Laser to Cluster State Generation	244
8.4.2	Input States	244
8.4.3	Classical Channels and Displacement Operations.	245
8.4.4	Locking the Relative Phases	245
8.4.5	Cancellation	246

8.5	Preparation for Measurement	246
8.5.1	Visibilities and Parametric Gains	246
8.5.2	Adjustment of EOM (Purity).	247
8.5.3	Cancellation	248
8.5.4	Balance Between Homodyne Detections.	248
8.6	Measurement Results and Their Analysis	248
8.6.1	Power of Output with Vacuum Inputs	248
8.6.2	Power of Output with Coherent Inputs	250
8.6.3	Entanglement at Output (via van Loock-Furusawa Criterion).	252
8.6.4	Covariance Matrix and Entanglement at Output (via PT Symplectic Eigenvalue)	253
	References.	255
9	Experimental Demonstration of Gain-Tunable Entangling Gate for Continuous Variables	257
9.1	Gain-Tunable Entangling Gate Experiment.	257
9.1.1	Operation	257
9.1.2	Importance of This Experiment.	258
9.1.3	Comparison of Three Experiments.	259
9.2	Theory.	259
9.2.1	Abstract Illustration and Abstract Experimental Setup	259
9.2.2	Three-Mode Linear Cluster State.	259
9.2.3	Input Coupling	260
9.2.4	Measurement	262
9.2.5	Feed-Forward and Operation.	262
9.2.6	Decomposition of Operation	263
9.2.7	Squeezer-Based Input Coupling and Gaussian Parallelism	264
9.2.8	Covariance Matrix	268
9.2.9	Inseparability Criteria.	269
9.3	Experimental Setup	271
9.3.1	From Laser to Cluster State Generation	271
9.3.2	Input States	271
9.3.3	Classical Channels and Displacement Operations.	271
9.3.4	Locking the Relative Phases	271
9.3.5	Cancellation	272
9.4	Digital Locking System	276
9.4.1	Background	276
9.5	Digital Locking System in This Experiment	277
9.6	Preparation for Measurement	277
9.6.1	Visibilities and Parametric Gains	277
9.6.2	Adjustment of EOM (Purity).	278

9.6.3	Cancellation	278
9.6.4	Balance Between Homodyne Detections.	278
9.7	Measurement Results and Their Analysis	279
9.7.1	Measurement Results with Vacuum and Coherent Inputs	279
9.7.2	Covariance Matrices and Entanglement at Output (via PT Symplectic Eigenvalues).	284
	References.	293
10	Temporal-Mode Cluster States	295
10.1	Background	295
10.1.1	Temporal-Mode Cluster States	295
10.1.2	Temporal-Mode Canonical Cluster State.	296
10.1.3	Temporal-Mode Gaussian Cluster State	297
10.1.4	Unsolved Problems and Contents of this Chapter.	297
10.2	Nullifiers	299
10.2.1	EPR State and Two-Mode Cluster State	299
10.3	One-Mode Gaussian Operations Using Temporal-Mode Gaussian Cluster States	300
10.3.1	Teleportation-Based Input-Coupling Scheme.	300
10.3.2	Concatenation of Teleportation-Based Input-Coupling Circuits and Its Operation.	301
10.3.3	Transformation of Circuit.	303
10.3.4	Temporal-Mode Gaussian Cluster State Generation	305
10.3.5	Nullifiers of the Cluster State	308
10.3.6	Implementation of Quantum Computation with One-by-One Feed-Forward	310
10.3.7	Implementation of Quantum Computation with Gathered Feed-Forward.	312
10.4	One-Mode Gaussian Operations Using Temporal-Mode Extended EPR States.	315
10.4.1	Elementary Circuit.	316
10.4.2	Transformation of Concatenated Circuit	317
10.4.3	Nullifiers of the Extended EPR State	319
10.5	One-Mode Non-Gaussian Operation Using Temporal-Mode Gaussian Cluster State	319
10.5.1	Elementary Circuit.	320
10.5.2	Concatenation of Revised Elementary Circuits	322
10.5.3	Generation of Temporal-Mode Gaussian Cluster State	324
10.5.4	Nullifiers of the Cluster State	325
10.5.5	Using Multi-Mode Linear Cluster State	327

- 10.6 Multi-Mode Gaussian Operation Using Temporal-Mode Gaussian Cluster State 330
 - 10.6.1 Elementary Circuit. 330
 - 10.6.2 Concatenation of Elementary Circuits. 331
 - 10.6.3 Transformation of the Concatenated Circuit 333
 - 10.6.4 Generation of Temporal-Mode Gaussian Cluster State 334
 - 10.6.5 Nullifiers and Graph of the Cluster State 334
- 10.7 Multi-Mode Non-Gaussian Operation 338
- References. 338

- 11 Summary 341**
 - 11.1 Conclusions 341
 - 11.2 Future Prospects 342
 - References. 342

- Appendix A: Photos and Schematic 345**

- Appendix B: Programs 347**

- Curriculum Vitae 351**



<http://www.springer.com/978-4-431-55018-1>

Multi-Step Multi-Input One-Way Quantum Information
Processing with Spatial and Temporal Modes of Light

Ukai, R.

2015, XIX, 351 p. 215 illus., 100 illus. in color.,

Hardcover

ISBN: 978-4-431-55018-1