

Contents

List of Figures	xv
List of Tables	xix
1 Introduction	1
1.1 Background and Motivation	1
1.2 The State of the Art	5
1.3 Objective and Scope of the Study	17
1.4 Book Organization	22
References	22
2 Magnetic Field Modeling	29
2.1 Introduction	29
2.2 Configuration of Rotor Poles	30
2.3 Magnetic Scalar Potential	32
2.3.1 Relations Between H and B for Three Regions	32
2.3.2 Laplace's Equations for Three Regions	33
2.3.3 General Solution of Laplace's Equation	35
2.4 Spherical Harmonic Expansion of M_{0r}	35
2.5 Boundary Conditions	37
2.5.1 Boundary Condition A or Far Field Boundary Condition ($B_{Ir} _{r \rightarrow \infty} = 0$, $B_{I\theta} _{r \rightarrow \infty} = 0$ and $B_{I\phi} _{r \rightarrow \infty} = 0$)	38
2.5.2 Boundary Condition B ($B_{Ir} _{r=R_r} = B_{IIr} _{r=R_r}$)	38
2.5.3 Boundary Condition C ($H_{I\phi} _{r=R_r} = H_{II\phi} _{r=R_r}$ and $H_{I\theta} _{r=R_r} = H_{II\theta} _{r=R_r}$)	40
2.5.4 Finite Boundary Condition D at $r = 0$ ($B_{IIIr} _{r=0} \neq \infty$, $B_{III\theta} _{r=0} \neq \infty$ and $B_{III\phi} _{r=0} \neq \infty$)	41
2.5.5 Boundary Condition E ($B_{IIr} _{r=R_b} = B_{IIIr} _{r=R_b}$)	41
2.5.6 Boundary Condition F ($H_{II\phi} _{r=R_b} = H_{III\phi} _{r=R_b}$ and $H_{II\theta} _{r=R_b} = H_{III\theta} _{r=R_b}$)	41

2.5.7	Solution of Coefficients ξ_{nl}^m and κ_{nl}^m	42
2.6	Solutions of Scalar Potential and Flux Density	43
2.7	Simplification of Magnetic Field Model	44
2.8	Summary	45
	References	45
3	Torque Modeling	47
3.1	Introduction	47
3.2	Formulation of Actuator Torque	50
3.2.1	Torque Generating Component of Flux Density	50
3.2.2	Torque Model for a Single Coil	50
3.2.3	Torque Model for Complete Set of Coils	56
3.2.4	Orientation Dependence of Torque Model	57
3.3	Solution of Inverse Electromagnetics	62
3.3.1	Nonsingularity of the Workspace	62
3.3.2	Minimum Right-inverse Solution of Electromagnetics	65
3.4	Summary	66
	References	67
4	Prototype Development	69
4.1	Introduction	69
4.1.1	Prototype of PM Spherical Actuator	70
4.1.2	Equations for Actuator Design	70
4.2	Rotor Pole Design	75
4.2.1	Longitudinal Angle α versus a	75
4.2.2	Latitudinal Angle β versus c	76
4.2.3	Rotor Radius R_r versus d_4	77
4.2.4	Rotor Core Radius R_b versus d_4	77
4.2.5	Relative Permeability μ_r versus d_4	78
4.2.6	Result of PM Pole Design	79
4.3	Coil Pole Design	80
4.3.1	Geometric Parameters of Coil	81
4.3.2	Increase Number of Winding Turns	86
4.3.3	Material of Coil Frame	93
4.4	Stator	93
4.5	Spherical Bearing	95
4.6	Summary	96
	References	97
5	Experimental Investigation	99
5.1	Measurement of PM Rotor Magnetic Field	100
5.1.1	Flux Density Measurement Apparatus	101
5.1.2	Flux Density Data Processing	107
5.1.3	Visualization and Analysis of Experimental Result	112
5.2	Measurement of Actuator Torque Output	114

- 5.2.1 Experiment on Torque Generated by a Single Coil 116
- 5.2.2 Experiment on Torque Generated by Multiple Coils 123
- 5.3 Summary 130
- References 130

- 6 Three Degree-of-freedom Optical Orientation Measurement 133**
 - 6.1 Introduction 133
 - 6.2 Operating Principle 134
 - 6.3 Algorithm for Computing Rotation Angles 136
 - 6.3.1 Definition of Coordinate Systems 136
 - 6.3.2 Calculation of Tilting Angles 137
 - 6.3.3 Calculation of Spinning Angle 138
 - 6.4 Experimental Measurement 138
 - 6.4.1 Experimental Measurement on Apparatus 1 138
 - 6.4.2 Experimental Measurement on Apparatus 2 145
 - 6.5 Conclusion 149
 - References 150

- 7 Conclusions 153**
 - 7.1 Accomplishments and Contributions 153
 - 7.2 Recommendation for Future Research 156
 - References 158

- Index 159**



<http://www.springer.com/978-94-007-1645-2>

Design, Modeling and Experiments of 3-DOF
Electromagnetic Spherical Actuators

Yan, L.; Chen, I.-M.; Lim, C.K.; Yang, G.; Lee, K.-M.

2011, XXI, 163 p., Hardcover

ISBN: 978-94-007-1645-2