

Contents

| | |
|--|-----|
| Foreword | v |
| Preface | vii |
| Acknowledgements | ix |
| List of Figures | xv |
| Part I Safe Dynamic Reconfiguration of Components | |
| 1 Background on Components. | 5 |
| 1.1 Syntax | 5 |
| 1.2 Semantics | 8 |
| 1.2.1 Runtime Syntax | 8 |
| 1.2.2 Functions and Predicates | 9 |
| 1.2.3 Evaluation of Pure and Guard Expressions | 10 |
| 1.2.4 Reduction Rules | 12 |
| 1.3 Server and Client Example | 16 |
| 2 A Type System for Components | 19 |
| 2.1 Typing Features | 19 |
| 2.2 Subtyping Relation | 20 |
| 2.3 Functions and Predicates | 21 |
| 2.4 Typing Rules | 24 |
| 2.5 Typing Rules for Runtime Configurations | 29 |
| 3 Properties of the Type System | 33 |
| 3.1 Main Results | 33 |
| 3.2 Proofs | 34 |

| | |
|---|-----|
| Conclusions, Related and Future Work for Part I | 43 |
| Part II Safe Communication by Encoding | |
| 4 Background on π-Types | 51 |
| 4.1 Syntax | 51 |
| 4.2 Semantics | 52 |
| 4.3 π -Types | 54 |
| 4.4 π -Typing Rules | 55 |
| 4.5 Main Results | 58 |
| 5 Background on Session Types | 61 |
| 5.1 Syntax | 63 |
| 5.2 Semantics | 64 |
| 5.3 Session Types | 65 |
| 5.4 Session Typing Rules | 67 |
| 5.5 Main Results | 69 |
| 6 Session Types Revisited | 73 |
| 6.1 Types Encoding | 73 |
| 6.2 Terms Encoding | 75 |
| 6.3 Properties of the Encoding | 77 |
| 6.3.1 Auxiliary Results | 78 |
| 6.3.2 Typing Values by Encoding | 79 |
| 6.3.3 Typing Processes by Encoding | 80 |
| 6.3.4 Operational Correspondence | 88 |
| 6.4 Corollaries from the Encoding | 95 |
| Part III Advanced Features on Safety by Encoding | |
| 7 Subtyping | 99 |
| 7.1 Subtyping Rules | 99 |
| 7.2 Properties | 100 |
| 8 Polymorphism | 105 |
| 8.1 Parametric Polymorphism | 105 |
| 8.1.1 Syntax | 106 |
| 8.1.2 Semantics | 106 |
| 8.1.3 Typing Rules | 107 |
| 8.1.4 Encoding | 107 |
| 8.1.5 Properties of the Encoding | 108 |
| 8.2 Bounded Polymorphism | 111 |
| 8.2.1 Syntax | 111 |
| 8.2.2 Semantics | 113 |
| 8.2.3 Typing Rules | 113 |
| 8.2.4 Encoding | 114 |
| 8.2.5 Properties of the Encoding | 115 |

| | | |
|-----------|--|-----|
| 9 | Higher-Order Communication | 123 |
| 9.1 | Syntax | 123 |
| 9.2 | Semantics | 124 |
| 9.3 | Typing Rules. | 125 |
| 9.3.1 | $HO\pi$ Session Typing Rules. | 125 |
| 9.3.2 | $HO\pi$ Typing Rules. | 126 |
| 9.4 | Encoding | 128 |
| 9.5 | Properties of the Encoding | 130 |
| 9.5.1 | Typing $HO\pi$ Processes by Encoding | 130 |
| 9.5.2 | Operational Correspondence for $HO\pi$ | 137 |
| 10 | Recursion | 141 |
| 10.1 | Syntax | 141 |
| 10.2 | Semantics | 142 |
| 10.3 | Typing Rules. | 142 |
| 10.4 | Encoding | 144 |
| 10.5 | Properties of the Encoding | 146 |
| 11 | From π-Types to Session Types | 149 |
| 11.1 | Further Considerations | 149 |
| 11.2 | Typed Behavioural Equivalence. | 150 |
| 11.2.1 | Equivalence Results for the Encoding. | 151 |
| | Conclusions, Related and Future Work for Part II and III | 153 |
| | Part IV Progress of Communication | |
| 12 | Background on π-Types for Lock Freedom | 161 |
| 12.1 | Syntax | 161 |
| 12.2 | Semantics | 161 |
| 12.3 | π -Types for Lock Freedom | 162 |
| 12.4 | π -Typing Rules for Lock Freedom. | 164 |
| 13 | Background on Session Types for Progress | 169 |
| 13.1 | Syntax | 169 |
| 13.2 | Semantics | 169 |
| 13.3 | Session Types | 170 |
| 13.4 | Session Typing Rules. | 172 |
| 14 | Progress as Compositional Lock Freedom. | 173 |
| 14.1 | Lock Freedom for Sessions | 173 |
| 14.2 | Progress for Sessions | 174 |
| 14.3 | Lock Freedom Meets Progress. | 176 |
| 14.3.1 | Properties of Closed Terms | 176 |
| 14.3.2 | Properties of Open Terms | 177 |
| 14.4 | A Type System for Progress | 180 |

Conclusions, Related and Future Work for Part IV 183

References 187



<http://www.springer.com/978-94-6239-203-8>

Type Systems for Distributed Programs: Components
and Sessions

Dardha, O.

2016, XXII, 192 p. 69 illus., 4 illus. in color., Hardcover

ISBN: 978-94-6239-203-8

A product of Atlantis Press