

# Contents

<b>1</b>	<b>Introduction of Robot Platforms and Relevant Tools</b>	<b>1</b>
1.1	Robot Platforms	1
1.1.1	Baxter® Robot	1
1.1.2	iCub Robot	2
1.2	Visual Sensors and Haptic Devices	3
1.2.1	Microsoft Kinect Sensor	3
1.2.2	Point Grey Bumblebee2 Stereo Camera	4
1.2.3	Leap Motion Sensor	5
1.2.4	SensAble Omni	5
1.2.5	Novint Falcon Joystick	6
1.3	Software Toolkits	7
1.3.1	MATLAB Robotics Toolbox	7
1.3.2	Official SDK of Leap Motion	14
1.4	V-REP Based Robot Modeling and Simulations	15
1.4.1	V-REP Simulator	16
1.4.2	Examples of V-REP Simulation	17
1.5	ROS Based Robot System Design	20
1.5.1	Main Characteristics of ROS	21
1.5.2	ROS Level Concepts	22
	References	25
<b>2</b>	<b>Robot Kinematics and Dynamics Modeling</b>	<b>27</b>
2.1	Kinematics Modeling of the Baxter® Robot	27
2.1.1	Introduction of Kinematics	27
2.1.2	Kinematics Modeling Procedure	29
2.1.3	Experimental Tests on Kinematics Modeling	35
2.2	Lagrange–Euler Dynamics Modeling of the Baxter Robot	38
2.2.1	Introduction of Dynamics	38
2.2.2	Dynamics Modeling Procedure	39
2.2.3	Experimental Studies	43
	References	47

<b>3</b>	<b>Intelligent Control of Robot Manipulator</b> . . . . .	49
3.1	Dual-Adaptive Control of Bimanual Robot . . . . .	49
3.1.1	Preliminaries . . . . .	50
3.1.2	Adaptive Control . . . . .	55
3.1.3	Simulation Studies . . . . .	58
3.2	Biomimetic Hybrid Adaptive Control of Bimanual Robot . . . . .	60
3.2.1	Preliminaries and Problem Formulation. . . . .	61
3.2.2	Adaptive Bimanual Control with Impedance and Force . . . . .	63
3.2.3	Adaptive Control with Internal Interaction. . . . .	66
3.2.4	Adaptive Control with Both Internal and External Interaction. . . . .	68
3.3	Optimized Motion Control of Robot Arms with Finite Time Tracking . . . . .	72
3.3.1	Robot Dynamics and Optimal Reference Model. . . . .	74
3.3.2	Adaptive Model Reference Control Design . . . . .	78
3.4	Discrete-Time Adaptive Control of Manipulator with Uncertain Payload. . . . .	83
3.4.1	Problem Formulation . . . . .	83
3.4.2	Discrete-Time Adaptive Control. . . . .	84
3.4.3	Simulation Studies . . . . .	88
	References . . . . .	95
<b>4</b>	<b>Object Detection and Tracking</b> . . . . .	97
4.1	Introduction of Machine Vision Recognition . . . . .	97
4.1.1	Tools for Machine Vision . . . . .	99
4.1.2	Blob/Edge Detection. . . . .	100
4.1.3	Feature Point Detection, Description, and Matching . . . . .	101
4.2	JavaScript Object Notation (JSON)-Based Vision Recognition Framework . . . . .	105
4.2.1	JSON in Image Labels . . . . .	107
4.2.2	JSON in Application Tuning . . . . .	110
4.2.3	Vision Recognition Framework . . . . .	112
4.3	Deep Learning-Based Object Recognition . . . . .	115
4.3.1	Logistic Regression-Based Classification. . . . .	115
4.3.2	Convolutional Neural Network (CNN)-Based Classification. . . . .	117
4.3.3	Detection . . . . .	121
4.4	Tracking a Single Moving Object . . . . .	124
4.4.1	Data Collection . . . . .	124
4.4.2	Recognition Algorithm . . . . .	125
4.4.3	Analysis of Results . . . . .	128
4.5	Tracking Multiple Moving Objects. . . . .	130
4.5.1	PSO Algorithms. . . . .	130
4.5.2	Objective Function of the Irregular Shape Target . . . . .	134

- 4.5.3 Locating Multiple Targets by Adaptive PSO Method . . . . . 135
- 4.5.4 Tracking Multiple Targets by Swarm Optimization. . . . . 139
- 4.5.5 Experiments Studies . . . . . 144
- References . . . . . 154
- 5 Visual Servoing Control of Robot Manipulator . . . . . 157**
  - 5.1 Introduction of Visual Servoing . . . . . 157
  - 5.2 Kinect Sensor Based Visual Servoing for Human–Robot Cooperation. . . . . 160
    - 5.2.1 System Architecture . . . . . 160
    - 5.2.2 Experimental Equipments . . . . . 161
    - 5.2.3 Implementation with V-REP . . . . . 162
    - 5.2.4 Experiment Studies . . . . . 171
  - 5.3 Visual Servoing Control Using Stereo Camera. . . . . 173
    - 5.3.1 System Integration . . . . . 174
    - 5.3.2 Preprocessing . . . . . 175
    - 5.3.3 Algorithm Implementation. . . . . 177
    - 5.3.4 Results . . . . . 183
  - References . . . . . 183
- 6 Robot Teleoperation Technologies. . . . . 187**
  - 6.1 Teleoperation Using Body Motion Tracking . . . . . 187
    - 6.1.1 Introduction of Robot Teleoperation . . . . . 187
    - 6.1.2 Construction of Teleoperation System. . . . . 188
    - 6.1.3 Design Principles . . . . . 190
    - 6.1.4 Experiment Study. . . . . 194
  - 6.2 Fuzzy Inference Based Adaptive Control for Teleoperation . . . . . 195
    - 6.2.1 System Modeling and Problem Formulation . . . . . 195
    - 6.2.2 Fuzzy Inference Based Control . . . . . 201
    - 6.2.3 Simulation Studies . . . . . 204
  - 6.3 Haptic Interaction Between Human and Robot. . . . . 206
    - 6.3.1 Tools Selection and System Description . . . . . 207
    - 6.3.2 Implementation with CHAI3D . . . . . 211
    - 6.3.3 Implementation with MATLAB . . . . . 214
  - 6.4 Teleoperation Using Haptic Feedback. . . . . 218
    - 6.4.1 System Description . . . . . 218
    - 6.4.2 Workspace Mapping. . . . . 218
    - 6.4.3 Command Strategies. . . . . 223
    - 6.4.4 Experiment Studies . . . . . 225
  - References . . . . . 227

- 7 Obstacle Avoidance for Robot Manipulator. . . . . 231**
  - 7.1 Introduction of Kinematic Redundancy . . . . . 231
  - 7.2 Shared Controlled Teleoperation with Obstacle Avoidance . . . . . 233
    - 7.2.1 System Components . . . . . 234
    - 7.2.2 Preprocessing . . . . . 235
    - 7.2.3 Obstacle Avoidance Strategy . . . . . 236
    - 7.2.4 Experiment Studies . . . . . 242
  - 7.3 Robot Self-Identification for Obstacle Avoidance . . . . . 245
    - 7.3.1 Kinect® Sensor and 3D Point Cloud . . . . . 247
    - 7.3.2 Self-Identification. . . . . 250
    - 7.3.3 Collision Predication . . . . . 251
    - 7.3.4 Experiments Studies . . . . . 255
  - References . . . . . 255
  
- 8 Human–Robot Interaction Interface . . . . . 257**
  - 8.1 Introduction of Human–Robot Interfaces . . . . . 257
  - 8.2 Hand Gesture-Based Robot Control Using Leap Motion . . . . . 259
    - 8.2.1 Hardware and Software. . . . . 260
    - 8.2.2 Control System . . . . . 261
    - 8.2.3 Experiment and Result . . . . . 267
  - 8.3 Hand Gesture-Based Control with Parallel System . . . . . 269
    - 8.3.1 Platform and Software . . . . . 269
    - 8.3.2 Hand Gesture Recognition System Based on Vision for Controlling the iCub Simulator . . . . . 269
    - 8.3.3 Teleoperation Platform and Parallel System. . . . . 274
  - 8.4 BCI Controlled Mobile Robot Using Emotiv Neuroheadset . . . . . 279
    - 8.4.1 EEG and Brain–Computer Interface (BCI) System . . . . . 280
    - 8.4.2 Experimental System . . . . . 283
    - 8.4.3 Training and Control Strategy . . . . . 286
    - 8.4.4 Results and Discussions . . . . . 289
  - 8.5 EEG Signal-Based Control of Robot Manipulator. . . . . 290
    - 8.5.1 Hardware and Software. . . . . 291
    - 8.5.2 Experimental Methodology . . . . . 291
    - 8.5.3 Discussion. . . . . 297
  - References . . . . . 298
  
- 9 Indoor/Outdoor Robot Localization . . . . . 303**
  - 9.1 Localization with Wireless Sensor Networks . . . . . 303
    - 9.1.1 Problem Formulation . . . . . 303
    - 9.1.2 Algorithm Design. . . . . 305
    - 9.1.3 Theoretical Analysis. . . . . 311
    - 9.1.4 Simulation Studies . . . . . 313

- 9.2 RFID-based Indoor Localization Using Interval Kalman Filter . . . . . 317
  - 9.2.1 Interval Kalman Filter for RFID Indoor Positioning . . . 317
  - 9.2.2 Mathematical Model and Positioning Algorithm. . . . . 319
  - 9.2.3 Simulation Studies . . . . . 321
- 9.3 Particle Filter-Based Simultaneous Localization and Mapping (PF-SLAM). . . . . 324
  - 9.3.1 Model of Particle Filter (PF) SLAM Using Landmarks . . . . . 325
  - 9.3.2 Particle Filter Matching Algorithm . . . . . 327
  - 9.3.3 Landmark Set Selection Method. . . . . 328
  - 9.3.4 Advanced Position Calculation Method. . . . . 329
  - 9.3.5 Experiment Study. . . . . 330
- 9.4 Integrated INS/VMS Navigation System . . . . . 333
  - 9.4.1 Introduction of INS/VMS Navigation System . . . . . 333
  - 9.4.2 Analysis of VMS Errors . . . . . 335
  - 9.4.3 Loosely Coupled INS/VMS. . . . . 336
  - 9.4.4 Tightly Coupled INS/VMS . . . . . 339
  - 9.4.5 Experiment Study. . . . . 342
- References . . . . . 346
- 10 Multiagent Robot Systems . . . . . 349**
  - 10.1 Introduction to Multiagent System . . . . . 349
  - 10.2 Optimal Multirobot Formation . . . . . 351
    - 10.2.1 Concepts and Framework of Multirobot Formation. . . . 352
    - 10.2.2 Minimum-Time Three-Robot Line Formation . . . . . 356
    - 10.2.3 Simulation Results . . . . . 361
  - 10.3 Multirobot Cooperative Pursuit . . . . . 363
    - 10.3.1 Preliminary Concepts . . . . . 364
    - 10.3.2 Hunting Strategy . . . . . 367
    - 10.3.3 Simulation Study . . . . . 370
  - 10.4 Multirobot Cooperative Lifting . . . . . 372
    - 10.4.1 Problem Formation. . . . . 373
    - 10.4.2 PD Feedforward Compensation Control . . . . . 374
    - 10.4.3 Adaptive Control . . . . . 380
- References . . . . . 391
- 11 Technologies for Other Robot Applications . . . . . 393**
  - 11.1 Investigation of Robot Kicking . . . . . 393
    - 11.1.1 Kinematics . . . . . 393
    - 11.1.2 Ballistics. . . . . 396
    - 11.1.3 Structure of the Robot . . . . . 399
    - 11.1.4 MATLAB Simulation. . . . . 400
    - 11.1.5 Implementation and Tests . . . . . 400

- 11.2 Reference Trajectory Adaptation . . . . . 405
  - 11.2.1 Interaction Dynamics . . . . . 406
  - 11.2.2 Adaptation Model . . . . . 407
  - 11.2.3 Convergence Analysis . . . . . 408
  - 11.2.4 Simulation Studies . . . . . 413
- References . . . . . 418



<http://www.springer.com/978-981-10-0829-0>

Advanced Technologies in Modern Robotic Applications

Yang, C.; Ma, H.; Fu, M.

2016, XIV, 419 p. 269 illus., 233 illus. in color.,

Hardcover

ISBN: 978-981-10-0829-0